INVEST IN THE FUTURE

COLLISION REPAIR



SPOT WELDING - DENT PULLING - MIG-MAG/GMAW-FCAW - PLASMA CUTTING
INDUCTION - RIVETING - LIFTING - BODYSHOP TOOLS

2025 A

A solid manufacturing group

900 people

C1+
Credit Rating
Banque de France

€ 140 000 000

55 000 m²
2 factories

FRENCH MANUFACTURER
SINCE 1964

A family company



Nicolas & Bruno
Bouygues



Global coverage

125 countries

3 catalogues

3 500+ references



- MMA/SMAW
- TIG/GTAW
- MIG-MAG/GMAW-FCAW
- Plasma cutting
- Induction heating
- Stud welding
- Spot welding
- Accessories
- Protection
- Consumables



- Spot welding
- Dent pulling
- MIG-MAG/GMAW-FCAW
- Plasma cutting
- Induction heating
- Riveting
- Lifting
- Bodyshop tools



- Chargers
- Battery support units
- Boosters
- Starters
- Testers
- Portable energy
- Jumper cables
- EV charging
- Accessories



GYS FRANCE - HEADQUARTERS
Laval

GYS LOGISTIC CENTER
Laval



GYS GERMANY
Aachen



GYS U.K.
Rugby



GYS CHINA
Shanghaï



GYS ITALIA
Venezia



GYS IBERICA
Madrid

Table of contents

DENT PULLING	5 › 37
PULLING SYSTEMS	38 › 45
PAINTLESS DENT REPAIR	46 › 51
SPOT WELDING	52 › 69
RIVETING	70 › 81
MIG WELDING	82 › 95
PLASMA CUTTING	96 › 100
INDUCTION HEATING	101 › 109
TRUCK TOOLS & MOBILE LIFTS	110 › 116
ACCESSORIES	117 › 143

GYS

MANUFACTURER
SINCE 1964

★★★★★ THEY TRUST US ★★★★★

ILS NOUS FONT CONFIANCE

LAND ROVER · JAGUAR · MERCEDES · smart

VOLKSWAGEN GROUP

TESLA APPROVED
COLLISION TOOLS, EQUIPMENT & CONSUMABLES

TATA · EICHER · GM · KIA · BYD · NIO · Li Auto · ZEEKR · LYNK&CO

BMW · MINI · ROLLS ROYCE

DENT PULLING

STEEL / ACIER / STAHL

GYSPOT 6
GYSPOT PRO 7

ALU

GYSPOT ALU 8

ALU + STEEL / ACIER / STAHL

GYSPOT COMBI 9
ACCESSORIES & CONSUMABLES 10

DRAWN ARC
ALU + STEEL / ACIER / STAHL

GYSPOT ARCPULL 12
COMBI ARCPULL 13
ACCESSORIES & CONSUMABLES 16

FAST DENT PULLING 18
LEVELLING BARS 20

COMPLETE WORKSTATIONS 24



DENT PULLING
STEEL
ACIER - STAHL

OPTIONS

Consommables - Consumables
p.10



Chariots - Trolleys
p.24



- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten
- Tempering - Rétreinte - Temperieren
- Rivets - Rivets - Nieten
- Rings - Rondelles - Unterlegscheiben
- Studs - Goujons - Gewindebolzen



- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten
- Tempering - Rétreinte - Temperieren







FIXED GUN

FIXED GUN


GYSPOT 26.02

2600 A | ×1 AUTOMATIC

230 V • 1 ~

052208

included



Automatic quick gun, 1.8 m, 70 mm² + Hammer (057272)



Earth cable 1.7 m, 50 mm² | Electrode warming point | Star copper coating (x3)


GYSPOT 27.02

2600 A | ×1 MANUAL

230 V • 1 ~

055353

included



Manual quick gun, 1.8 m, 70 mm² (058705) + Hammer (057272)




Earth cable 1.7 m, 50 mm² | Electrode warming point | Star copper coating (x3)

GYSPOT 34.02 & 34.04

3500 A | ×1 MANUAL

230 V • 1 ~	**GYSPOT 34.02** 065741
400 V • 2 ~	**GYSPOT 34.04** 067943

included



Manual quick gun, 2 m, 50 mm² + Hammer (057272)



Earth cable 1.7 m, 50 mm² | Electrode warming point | Star copper coating (x3)

QUICK GUNS



PATENTS REGISTERED NUMBERS 001830845-0001 EUROPEAN TRADEMARK & DESIGN

AUTOMATIC



WITH CONNECTOR
2 m, Ø 70 mm²
included 39.02/04
057517



WITH CONNECTOR
3 m, Ø 50 mm²
included PRO 230/400
057500

WITH CONNECTOR
3 m, Ø 70 mm²
included EXPERT 200/230/400
059207

MANUAL



WITH CONNECTOR
cable 2 m, Ø 70 mm²
included PRO 230/400, EXPERT 200/230/400, COMBI 230EPRO
057524

No connector
cable 1.8 m, Ø 70 mm²
for 27.02
058705

No connector
cable 2 m, Ø 50 mm²
for 34.02/34.04

Mandrels for gun - Mandrins pour pistolets - Pistole & Anschlußstücke, Zubehör



QUICK GUN
057531





D1
048959



Nut - Écrou
053199



Microswitch
053267

- Stars - Étoiles - Ausbeulstern
- Rings - Anneaux – Zugösen
- Wavy wires - Fils ondulés - Wellendraht
- Impact shrinking - Rabattage d'impact - Glätten
- Tempering - Rétreinte - Temperieren
- Rivets - Rivets - Nieten
- Rings - Rondelles - Unterlegscheiben
- Studs - Goujons - Gewindebolzen

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS EUROPEAN TRADEMARK & DESIGN



EXPERT ★★★ SYNERGIC & MANUAL CONTROL

Welding current adjusment | Welding time adjusment










GUN WITH CONNECTOR

GYSPOT 39.02 & 39.04

3800 A | ×1 AUTOMATIC

230 V • 1 ~	**GYSPOT 39.02** 052215
400 V • 2 ~	**GYSPOT 39.04** 052222

included



Automatic quick gun, 2 m, 70 mm² (057517) + Hammer (057272)



Earth cable 2 m, 70 mm² | SPOTTER BOX STANDARD (053915) (Details p.10)

GYSPOT PRO 230 & PRO 400


3800 A | ×2 AUTOMATIC MANUAL

230 V • 1 ~	**GYSPOT PRO 230** 052178
400 V • 2 ~	**GYSPOT PRO 400** 052185


included



Automatic quick gun, 3 m, 50 mm² (057500) + Hammer (057272)



Manual quick gun, 2 m, 70 mm² (057524)



Earth cable 2 m, 70 mm² | SPOTTER BOX PRO (050075) (Details p.10)

GYSPOT EXPERT 200, 230 & 400


3800-4500 A | ×2 AUTOMATIC MANUAL

230 V • 1 ~ **3800 A**	**GYSPOT EXPERT 230** 066885
200-240 V • 1 ~ **4350 › 5100 A**	**GYSPOT EXPERT 200** 058842
400 V • 2 ~ **4500 A**	**GYSPOT EXPERT 400** 058859

included



Automatic quick gun, 3 m, 70 mm² (059207) + Hammer (057272)



Manual quick gun, 2 m, 70 mm² (057524)



Earth cable Thick 3 mm 2 m, 70 mm² | SPOTTER BOX PRO (050075) (Details p.10)

	CE NORM. 62135	50/60 Hz		I2 max A	U2 V	AM A	I RMS A	kW			MANUAL	SYNERGIC			AUTOMATIC	MANUAL	SEPARATE CABLE GUN	LxWxH cm / kg
MADE IN GYS CHINA	**GYSPOT 26.02**	230V	2 m	2600	5,4	16	1800	10	OK	—	■	—	—	—	■	—	—	40 x 25 x 31 / 18
	GYSPOT 27.02	230V	2 m	2600	5,4	16	1800	10	OK	—	■	—	■	—	—	■	—	40 x 25 x 31 / 18
	GYSPOT 34.02	230V	2 m	3500	7,4	16	2500	20	OK	OK	■	—	■	■	—	■	—	42 x 36 x 31 / 23.9
	GYSPOT 34.04	400V, 2ph	4 m	3500	7,4	16	2500	20	OK	OK	■	—	■	■	—	■	—	42 x 36 x 31 / 24
MADE IN FRANCE	**GYSPOT 39.02**	230V	4 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	—	■	49 x 38 x 29 / 27.5
	GYSPOT 39.04	400V, 2ph	4 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	—	■	49 x 38 x 29 / 25.2
	GYSPOT PRO 230	230V	8 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	■	■	49 x 38 x 29 / 29.6
	GYSPOT PRO 400	400V, 2ph	8 m	3800	7,4	16	2800	20	OK	OK	—	■	■	■	■	■	■	49 x 38 x 29 / 29.4
	GYSPOT EXPERT 200	200-240V	8 m	4350 › 5100	7,2-8,7	30(D)	3100 › 3600	25 › 36	OK	OK	■	■	■	■	■	■	■	49 x 38 x 29 / 34.6
	GYSPOT EXPERT 230	230V	8 m	3800	7,4	16	2800	20	OK	OK	■	■	■	■	■	■	■	49 x 37 x 31 / 30.6
	GYSPOT EXPERT 400	400V, 2ph	8 m	4500	7,4	16(D)	3200	25	OK	OK	■	■	■	■	■	■	■	49 x 38 x 29 / 32.9

GYSPOT ALU

DENT PULLING
ALU

Youtube

SYNERGIC CONTROL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN

Alu



Goujons - Studs





FIXED GUN

GYSPOT ALU 66

13000 A ×1 AUTOMATIC
230 V • 1 ~ AD

AD ANTI-DUST

080188

included — for Ø 4 mm



Automatic alu gun
3 m, 25 mm²

+



ALU BOX STANDARD (050020)
(Details p.11)

GYSPOT ALU PRO FV

13000 A ×1 AUTOMATIC
110 › 230 V • 1 ~ FV

FV FLEXIBLE VOLTAGE

85 V — 265 V
110 V — 230 V

45 m

021990

included — for Ø 4 mm



Automatic alu gun
3 m, 25 mm²

+



ALU BOX STANDARD (050020)
(Details p.11)

ALU GUN



PATENTS REGISTERED NUMBERS
002446450-0001
EUROPEAN TRADEMARK & DESIGN

AUTOMATIC

3 m, Ø 25 mm²

included SPOT ALU FV
& COMBISPOT 230


054066



(x 3)
065635

66 mF CAPACITOR DISCHARGE WELDING

Ø 4mm



1 2 3 4

with connectors
for COMBISPOT
230

Joint rings for
mandrel Ø 4/5/6
× 2
060814

OPTIONS

Consumables - Commombles
p.11



ALU accessories - Accessoires ALU
p.19



Trolleys - Chariots
p.24



GYSPOT COMBI

DENT PULLING
ALU+STEEL
ACIER - STAHL

PATENTS REGISTERED NUMBERS
EUROPEAN TRADEMARK & DESIGN

Steel / Acier / Stahl



+ Alu



- Stars - Étoiles
- Rings - Anneaux
- Wavy wires - Fils ondulés
- Impact shrinking - Rabattage d'impact
- Tempering - Rétreinte
- Rivets - Rivets
- Rings - Rondelles
- Studs - Goujons



GUN WITH CONNECTOR

GYSPOT COMBI 230 E.PRO

3800 A Acier / Steel / Stahl
13000 A Alu
230 V • 1 ~

×2

AUTOMATIC
MANUAL
AUTOMATIC

021266

included



Manual quick gun, 2 m, 70 mm² (057524)
+ Hammer (057272)

+



Automatic alu gun, 3 m, 25 mm²



Earth cable
2 m, 70 mm²

+



SPOTTER BOX PRO (050075)
(Details p.10)

+



ALU BOX STANDARD (050020)
(Details p.11)

	CE NORM. 62135	50/60 Hz		$I_{2\,max}$ A	U_2 V	AM A	RMS A	kW			MANUAL	SYNERGIC			AUTOMATIC	MANUAL	SEPARATE CABLE GUN			LxWxH cm / kg
MADE IN GYS CHINA	**GYSPOT ALU 66**	230 V	6 m	**13 000**	50 › 200	5	—	0.52	OK	OK	■	■	—	■	x 1	—	—	3 m	**Included** Alu box	27 x 20.5 x 27 / 13.5
MADE IN FRANCE	**GYSPOT ALU PRO FV**	110 › 230 V	6 m	**13 000**	50 › 200	5	—	0.65	OK	OK	■	■	—	■	x 1	—	—	3 m	**Included** Alu box	49 x 38 x 29 / 13.4
	GYSPOT COMBI 230 E.PRO	230 V	8 m	**3800 (steel) 13000 (alu)**	7,4 (steel) 50 › 200 (alu)	16	2800 (steel)	20	OK	OK	—	■	■	■	x 1	x 1	■	2/3 m	**Included** Spotter box + Alu box	54 x 76 x 34 / 47.5

STEEL / ACIER / STAHL




DENT BOX
CONSUMABLES / BAR / EASY




SPOTTER BOX
STANDARD / 2600 / 2700




SPOTTER BOX
PRO




Star - Étoile - Ausbeulstern




Ring - Rondelle - Unterlegscheiben



Tempering - Rétreinte - Temperieren



Impact shrinking & Lock nut - Rabattage d'impact & Écrou - Glätten



Wavy wire - Fil ondulé - Wellendraht



Rings - Anneaux - Zugösen



Studs - Goujons - Gewindebolzen



Rivets - Rivets - Nieten

Nails - Clous

Stitch welding - Molette

Rubber pad
062399

hexagon	Earth plate small	chuck for inertia hammer	copper coating star	electrode ø 16 for 8 x 16	ø 8 x 16	earth hook	carbon heating electrode	electrode warming point ø 16	Ball electrode warming point Ø16	for spot welding machine only M8	elec-trode	wavy wire	magnetic positioner
		×1	×20	× 1	×100	×1	×5	×1	×1	×100	×1	×50	×1
		049482	052239	049574	049444	056718	049468	049567	059726	050303	049789	049727	049772

elec-trode	straight rings	twisted rings	lifting rod	electrode for threaded studs rivets ø 5 - M5, M6	threaded M5 x 18 x 0.8	self-threading ø 5 x 18	self-threading ø 5 x 12	electrode ø 16, 3 x 4,50	ø 3 x 3.25	ø 3 x 4.50	electrode ø2 - M4	ø2	for spot welding machine only electrode wheel ø16	flat n°27	Earth plate large	magnetic	Steel gun earth adapter Ø 25 mm²
×1	×100	×50	×3 180, 300, 500 mm	×1	×100	×100	×100	×1	×100	×100	×1	×100	×1	×1	×1	×1	×1
050655	050648	050631	050792	049598	049383	049420	049413	049604	049345	049352	049277	041561	050310	049673	052529	049666	051997

DENT BOX

CONSUMABLES 051515			×20								×25			×50	×25		
BAR 050037	ideal PROLINER										×1	×25		×1	×50	×1 180mm	
EASY 053632	included EASYLINER	×1	×1	×1	×20	×1	×50	×1	×1	×1	×1	×25		×1	×50	×1 180mm	

BEST SELLER

SPOTTER BOX

PRO 050075	included PRO, EXPERT & COMBI 230	×1	×1	×1	×20	×1	×50	×1	×1	×1				×1	×50	×50	×50	×1	×100	×100
STANDARD 053915		×1	×1	×1	×20	×1	×50	×1	×1	×1										
2600 052277	ideal GYSPOT 2600				×20	×1	×50	×1												
2700 053922	ideal GYSPOT 2700				×20	×1	×50	×1	×1											

Steel Ring sharpener
- Affuteur d'anneaux acier
- Stahl Zugösenschneider
072565





072299
Pneumatic punch and die sharpener for steel rings
Poinçon et matrice affuteur pneumatique pour anneaux acier




ELECTRODE FOR MAGNETIC EARTH (x1)
050013



THREADED ROD FOR MAGNETIC EARTH (x5)
055438



SINGLE HOOK (x1)
051218



Curved lifting rod 280 mm
064706

SLIDE HAMMERS - Marteaux inertie - Ausbeulhammer




1.1 kg
049802

(x1) 054028
(x5) 050839

COMPLETE
057272

included (x1) 049482 + included (x20) 052239


Washers - Rondelles - Ringe
051201



1.7 kg

for :
Ø 16, 8x16 (x1) 049574
8x16 (x100) 049444
(x1) 051218

6 kg
Slide hammer kit + 5 hooks
- Kit marteau à inertie + 5 crochets
- Ausbeulhammerset + 5 Haken
051928




Nails - Clous - Nägel
041813



1.1 kg

for :
Ø 2, M4 (x1) 049277
Ø 2 (x100) 041561
MIG/MAG nozzle for Nail welding 041523


COMPLETE KIT
051225



2.5 kg
049819

5 kg NEW 03/2025
+ 6 hooks
087828

9 kg NEW
+ 6 hooks
085930



Pulling handle 3 claws
- Poignée de tirage 3 dents
- Handzugkralle 3-fach
057326
NEW



Pulling handle with hook
- Poignée de tirage avec crochet
057319



ALU

Joint rings for mandrel Ø 4/5/6 × 2
060814



ALU BOX LIGHT Ø4 / STANDARD Ø4 / Ø5 & 6

mandrel for ALU GUN			alu magnesium screws 12 mm				alu silicium screws 12 mm				screwable rings	fast pulling rings	lifting rod
ø 4 x2	ø 5 x1	ø 6 x1	ø 4 - M4 x200	ø 4 - M4 x1000	ø 5 x100	ø 6 x100	ø 4 - M4 x200	ø 4 - M4 x1000	ø 5 x100	ø 6 x100	ø4 x5	x5	×3 : 180, 300, 500 mm
049000	048157	048164	050273	050129	048140	048133	050280	050136	048126	048003	050297	058712	050792

ALU BOX

LIGHT Ø 4 051522				ø 4 ×200				ø 4 ×200												
STANDARD Ø 4 050020 included GYSPOT ALU & COMBI 230				ø 4 ×200				ø 4 ×200				×5		×1						
				ø 4 ×200				ø 4 ×200				×5		×1						
Ø 5 & 6 048195		×1	×1			ø 5 ×100 + ø 6 ×100				ø 5 ×100 + ø 6 ×100			×5							


DENT PULLING

DRAWN ARC ALU + STEEL


ACIER - STAHL

Youtube


FV FLEXIBLE VOLTAGE



SR SECONDARY REGULATION



AD ANTI-DUST



MANUAL & SYNERGIC CONTROL

SYNERGIC



PRO

MANUAL



EXPERT Control



- Rings - Anneaux – Zugösen
- Studs - Goujons - Gewindebolzen
- Stainless steel nails - Tiges inox - Edelstahlnägel

1. Start-up - Amorce - Zündung
2. Scouring (I & t) - Décapage - Abbeizen
3. Arc (I & t) - Arc - Lichtbogen
4. Hitching (I & t) - Accroche - Verklebung
5. Height - Hauteur - Höhe

7 languages
FR, EN, DE, SP, IT, NL & RU




GUN WITH CONNECTOR

SYNERGIC DIGITAL GUNS

★ ★ ★ ★

UNIQUE
Linear Motor

DRAWN ARC PROCESS
Gas protection









Full control



Consumables for Gun



x2
059627



x1
059610

GYSPOT ARCPULL 200 COLLISION REPAIR

100 › 230 V • 1 ~

200 A ×1 MANUAL

FV SR AD

057470

included



Manual synergic gun
3 m, 25 mm²



ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

x1
059610



+ Lifting rod 180 mm
(x1) 082915

OPTIONS details p.24

Weld 810
for ARCPULL 200
037489



GYSPOT COMBI ARCPULL

230 V • 1 ~

ARCPULL	EXPERT
200 A	3800 A
Alu	Acier / Steel / Stahl
×1	×1
MANUAL	MANUAL
	OPTION : AUTOMATIC

069824

Arcpull accessories included



Manual synergic gun
3 m, 25 mm²



ALU RING BOX 1.5 mm
(AlSpec + AlMg3 + AlMgSi)
059429

x1
059610



+ Lifting rod 180 mm
(x1) 082915

Expert accessories included



Manual quick gun, 2 m, 70 mm² (057524)
+ Hammer (057272)

Earth cable
2 m, 70 mm²



SPOTTER BOX PRO (050075)
(Details p.10)

MADE IN FRANCE / CE NORM. 60974-1	50/60 Hz		I_2 A	SYNERGIC	MANUAL	IRMS (A)	Acier/Steel	Alu	U_2 V	AM A	kW			LxWxH cm / kg
GYSPOT ARCPULL 200 COLLISION REPAIR	110 › 230 V	6 m	10 › 100 (110 V) 10 › 200 (230 V)	■	■	—	Manual + Digital Gun Motion Control		20.4 › 24 V (110 V) 20.4 › 28 V (230 V)	16	2.4 (110 V) 5.6 (230 V)	OK	OK	49 x 37 x 30 / 14.5
GYSPOT COMBI ARCPULL	230 V	8 m	Alu 10 › 200 Acier 3800	■	■	Steel 3800	Manual Automatic (not included)	Manual	Alu 20.4 › 28 V Steel 7.4 V	16	Alu 5.6 Steel 20	OK	OK	72 x 42 x 29 / 41.5


DENT PULLING

DRAWN ARC ALU + STEEL


ACIER - STAHL

Youtube


SPECIAL TEARING RIVETS
Spécial arrachage de rivets - Spezial-Zugnieten




PFC POWER FACTOR CORRECTION



SR SECONDARY REGULATION




AD ANTI-DUST



SYNERGIC



EXPERT Control



- Rings - Anneaux – Zugösen
- Studs - Goujons - Gewindebolzen
- Stainless steel nails - Tiges inox - Edelstahlnägel

1. Start-up - Amorce - Zündung
2. Scouring (I & t) - Décapage - Abbeizen
3. Arc (I & t) - Arc - Lichtbogen
4. Hitching(I & t) - Accroche - Verklebung
5. Height - Hauteur - Höhe

MANUAL



7 languages
FR, EN, DE, SP, IT, NL & RU



Ø max
Alu/Fe : **8 mm**



Ø max
Alu : **10 mm**
Fe : **13 mm**

PRO ★★★

Ideal all position


5 or 10 m, Ø 50 mm² included
ARC PULL 700



SYNERGIC DIGITAL GUNS

★★★★ DRAWN ARC PROCESS
Gas protection

UNIQUE **Linear Motor**





3 m, Ø 25 mm²

included
ARCPULL
200, 350 &
COMBI ARCPULL



Consumables for Gun



x2
059627

x1
059610

GYSPOT ARCPULL 350 COLLISION REPAIR

208 › 240 V • 1 ~

350 A ×1 MANUAL

PFC SR AD

082953

included



Manual synergic gun
3 m, 25 mm²

+ 

ALU RING BOX 1.5 mm (AlSpec + AlMg3 + AlMgSi)
059429



x1
059610

+ 

ALU RING bag 2 mm (AlSpec x100)
065703

+

Lifting rod 180 mm (x1) 082915

OPTIONS

details p.24

Weld 810
for ARCPULL 350
037489



Weld 910
for ARCPULL 700
070967



GYSPOT ARCPULL 700 COLLISION REPAIR (5M)

380 › 480 V • 3 ~

680 A ×1 MANUAL

SR IP 23

068315

GYSPOT ARCPULL 700 COLLISION REPAIR (10M)

380 › 480 V • 3 ~

680 A ×1 MANUAL

SR IP 23

085503

included



Manual synergic gun
50 mm²
5 m or **10 m**

+ 

Double earth clamps
700 A, 3 m, 50 mm²
068605

+ 

Arc Pull Rivet Box 700

+ 

ALU RING BOX 1.5 mm (AlSpec + AlMg3 + AlMgSi)
059429

+

Lifting rod 180 mm (x1) 082915

+ 

Gas protection (x1)
068346

+ 

Ground studs holder
Ø 6 (x1)
075368
Ø 8 (x1)
075375
Ø 10 (x1)
075382

Threaded holder
Ø 5 (x1)
076174
Ø 6 (x1)
068391



MADE IN FRANCE / CE NORM. 60974-1	50/60 Hz		I_2 A	SYNERGIC	Acier/Steel	Alu	TECHNOLOGY Power Factor Correction	TECHNOLOGY Flexible Voltage	U_2 V	AM A	kW			LxWxH cm / kg
GYSPOT ARCPULL 350 COLLISION REPAIR	208 › 240 V	6 m	10 › 350	■	Manual + Digital Gun Motion Control		■	—	20.4 › 34 V	16	1 1.9	OK	OK	48 x 36 x 30 / 17.4
GYSPOT ARCPULL 700 COLLISION REPAIR	3x 400 V	5 m	50 › 680	■	Manual + Digital Gun Motion Control		—	—	22 › 44 V	20 A (D)	47.8 kW	OK	OK	60 x 43 x 46 / 27.8
	3x 480 V									16 A (D)	45.7 kW			

GYSPOT ARC PULL 200, 350 & COMBI ACCESSORIES & CONSUMABLES

ACIER / STEEL / STAHL



	mandrel Ø2mm	nail Ø2mm ×50mm	Ø2mm	mandrel Ø4mm	studs M4 ×16mm	inox - stainless steel Ø 4 ×50mm	mandrel Ø5mm	studs M5 ×18mm	self-threading studs M5 ×12mm	self-threading studs M5 ×18mm	mandrel Ø6mm	studs M6 ×20mm	studs internal M4 ×20mm	mandrel Ø7.1mm	studs internal M5 ×20mm	mandrel Ø8mm	studs M8 ×20mm
	×1 059634	×1 059641	×1 064065	×100 041561	×100 064034	×2 049000	×100 059603	×100 064607	×1 048157	×100 049383	×100 049413	×100 049420	×1 048164	×100 063969	×200 063990	×1 064041	×200 064003	×1 064058	×100 063976
STEEL STUDS BOX 200 & 350 059443	×1	×1		×1	×100		×1	×100	×100	×100									

ALU



	mandrel Ø4mm	studs M4 **AlMg3** ×16 mm	mandrel Ø5mm	studs M5 **AlMg3** ×16mm	mandrel Ø6mm	studs M6 **AlMg3** ×16mm	studs internal M4 ×20mm	mandrel Ø7.1mm	studs internal M5 **AlMg3** ×20mm	mandrel Ø8mm	studs M8 **AlMg3** ×16 mm
	×1 059634	×1 059641	×2 049000	×100 059573	×1 048157	×100 059580	×1 048164	×100 059597	×200 064010	×1 064041	×200 064027	×1 064058	×100 063983
ALU STUDS BOX 200 & 350 059436	×1	×1	×1	×100	×1	×100	×1	×100					



ALU RING BOX 1mm / 1.5 mm

	straight rings						twisted rings					
	Al-Special			AlMg3		AlMgSi	Al-Special		AlMg3 - x 50		AlMgSi - x 50	
	n°1 1 mm ×100 059535	n°4 1.5mm ×100 059559	n°8 2mm ×100 065703	n°2 1mm ×100 059498	n°5 1.5mm ×100 059511	n°3 1 mm ×100 059450 / n°6 1.5mm ×100 059474	n°1 1mm ×50 059542	n°4 1.5mm ×50 059566	n°2 1mm ×50 059504	n°5 1.5mm ×50 059528	n°3 1mm ×50 059467	n°6 1.5mm ×50 059481
box **ALU RING BOX 1 mm** 059412	1mm ×50			1mm ×50		1mm ×50	1mm ×20		1mm ×20		1mm ×20	
box **ALU RING BOX 1.5 mm** 059429	1.5mm ×50			1.5mm ×50		1.5mm ×50	1.5mm ×20		1.5mm ×20		1.5mm ×20	
sachet - bag **ALU RING BOX 2 mm** 065703	2mm ×100											



Ring holder (x1) 059610


Tension mandrel for M4 (x1) 050327




Earth clamp Croco T400.70 043787



Double earth clamp 25 mm², 3 m, 350 A 070714



Joint rings for mandrel Ø 4/5/6 x 2 060814





STUDS HOLDER BOX 350

DIFFICULT ACCESS BOX 350

	Mandrel support - Support porte-goujon	Nozzle + pad - Buse + patin	Mandrel - Mandrin Ø2mm	Ø4mm	Ø5mm	Ø6mm	Ø7.1mm	Ø8mm	Long barrel - Canon long Opened - Ouvert	Closed - Fermé	Long mandrel - Mandrin long M4	M5	M6	M8	25 mm², 3 m, 350 A
	(Barrel not included in 070813 - Coiffe non incluse dans 070813)														
	x 1 059634	x 1 059641	x1 064065	×2 049000	x1 048157	x1 048164	x1 064041	x1 064058	x 1 070806	x 1 070790	x 1 070752	x 1 070769	x 1 070776	x 1 070783	x 1 070714
STUDS HOLDER BOX 350 064591	×1	×1	×1	×1	×1	×1	×1	×1							×1
ARCPULL DIFFICULT ACCESS BOX 350 070813	×1	×1							×1	×1	×1	×1	×1	×1	×1

Difficult access :




Porte-clou Ø3 - Nail holder Ø3 072251

Clou - Nail Ø3x100 (x100) 072244

To be used with : Earth clamp Croco T400.70 043787







ARCPULL RIVET BOX 1 350 - 24kN 064584


ARCPULL RIVET BOX 2 350 - 50 kN 073388

NEW ARCPULL RIVET BOX 3 - 350 24 kN COMPACT 085473

	Stainless steel nail Tige inox Ø 4 x 50 mm	Barrel for stainless steel nail welding - Canon pour pose de tige inox	Mandrel support - Support porte-goujon	Nozzle + pad - Buse + patin (Barrel not included in the box - Coiffe non incluse dans le coffret)	mandrel Ø4mm	Rivet extraction insert - Buse d'extraction 24kN Ø 4	Long barrel - Canon long + mandrin M4	Long barrel - Canon long + mandrin M5	Stainless steel nail Tige inox Ø 5 x 50 mm	Rivet extraction insert - Buse d'extraction 24kN Compact Ø 5	Rivet extraction insert - Buse d'extraction 50kN Ø 5
	x 100 064607	—	x 1 059634	x 1 059641	×2 049000	x 1 064683	x 1 067721	x 1 070738	x 100 070745	x 1 079946	x 1 066151
ARCPULL RIVET BOX 1 350 - 24kN 064584	×100	×1	×1	×1	×1	×1					
ARCPULL RIVET BOX 2 350 - 50 kN 073388			×1	×1			×1	×100			×1
NEW ARCPULL RIVET BOX 3 - 350 24 kN COMPACT 085473			×1	×1			×1	×100	×1		

Extraction with GYSPRESS & adapters

details p.76



GYSPRESS + adapter **24kN** for Ø 4

GYSPRESS + adapter **50kN** for Ø 4 & 5

GYSPRESS + adapter **24kN Compact** for Ø 4

GYSPOT ARC PULL 700 - ACCESSORIES & CONSUMABLES



	Stainless steel nail - Tige inox Ø 5 x 50 mm	Long barrel + mandrel M5 - Canon long + mandrin M5	Rivet extraction insert - Buse d'extraction 50 Kn Ø 5	Mandrel support - Support porte-goujon	Nozzle + pad - Buse + patin (Barrel not included in the box - Coiffe non incluse dans le coffret)		Ring holder	Rod for pulling rings - Fourche pour anneau	Vis de butée
	x 100 070745	x 1 070738	x 1 066151	x 1 071377	x 1 059641		x 1 059610	x 1 071384	x 1
ARCPULL RIVET BOX 700 068452	×100	×1		×1	×1	×2	×1	×1	×1



Gas protection (x1) 068346

Ground studs holders

Ø 6	x 1	075368
Ø 8	x 1	075375
Ø 10	x 1	075382

Threaded holders

Ø 5	x 1	076174
Ø 6	x 1	068391
Ø 8	x 1	068407



Double earth clamp 50 mm², 3 m, 700 A 068605

STEEL / ACIER / STAHL

EASY TOOL CONNECTION



for GYSPOT 39.02/04, PRO 230/400, EXPERT 230/400, COMBISPOT 230



MANUSPOT =
050679



Tools set & support for DENT 600, 800, 1000, 1600, Workstation & Dentstation


+ EASYGUN 051317




+ MANULINER 050471




4 positions
4 Positionen






Rings
- Anneaux
- Anschweißösen



Wavy wires
- Fils ondulés
- Wellendraht



Tempering
- Rétreinte
- Glättwerkzeug



Manual dent-pulling bar - Poignée de tirage manuel
057289



EASYGUN
051317




Box of 3 electrodes for accessories
050822



FAST & EASY



RINGMATIC
052154



Option
Gun adapter
- Adaptateur pistolet
052499



MANULINER/GUN
056831

PATENTS REGISTERED NUMBERS
001652108-0003
EUROPEAN TRADEMARK & DESIGN



DENT AXE PULLER
080508







Direct impact electrodes (x5)
050839

QUICK SPOT AIR GUN V2
057340









Gun adapter - Adaptateur pistolet
052826

MANU PULLER
079502



Included **Alu 3** 065178
Included **Steel** 079830
Included **Alu 4** 065185


ALU

ARC PULLER PREMIUM

065161




Included **Alu 3** 065178
Included **Alu 4** 065185



Option Steel 079830



Pads - Patins (x2) 069008



ARC PULLER PREMIUM PRO


072572



Pads - Patins (x4) 074958

Included **Alu 3** 065178
Included **Alu 4** 065185


ALU PULLER



= 051003

+ Included **Alu 1** 050938
+ Included **Alu 2** 050945

Patins - Pads (x2) 060807



STRAIGHT LINE LAMP
- Lampe ligne droite - Dentline-laser


056770





FAST PULLING RINGS
- Anneaux de tirage rapide

058743 =





Marteau à inertie 380 g
050051

ALU HAMMERS
- Marteaux alu

020986



Heat gun
- Décapeur thermique
- Heißluftpistole

I : 100/300°C (450 W)
II : 300/650°C (1500 W)
Air flow : 450 l/min



066311

Gas hot air gun - Pistolet à air chaud autonome à gaz



060777

Blow torch - Lampe à souder - Lötlampe



052741

Novacet + (Butane/propane/propylene) 380 ml/220 g



040441

Brushes
- Brosses
- Bürsten
- Brosses
- Cepillos



Inox
- Stainless - Edelstahl

044258

Thermal marking pencil - Crayon marqueur thermique


121°C / 250°F



052765

Freezer spray - Spray refroidisseur

-50 °C
400 ml



(x 12) 048898

Heat barrier spray - Spray barriere thermique



054325

Infrared Thermometer - Thermomètre infrarouge

-50 / +600 °C
-58 / +1112°F

Adjustable emissivity : **0.10 ~ 1.00**



079922

PULLING BARS

3 PRODUCT LINES

1 **STANDARD**

2 **★ PREMIUM ★**



SLIDE & LOCK

3 **★★★ PREMIUM PRO ★★★**



QUICK HOOK



EASY REMOVABLE PULLING SYSTEM




SLIDE & LOCK

STANDARD

Levelling lever
- Levier de débosselage
- Zughebel

050686
1.6 kg
79 x 12 x 17 cm / 1.9 kg


PATENTS REGISTERED NUMBERS 001652108-0002 EUROPEAN TRADEMARK & DESIGN



Double action levelling bar
- Barre de débosselage double action
- Zughebelbrücke

053564
2.5 kg
77 x 12 x 13 cm / 3.2 kg


Licensed by BETAG.Innovation



Levelling bar
- Barre de débosselage
- Zugbrücke


050693
3.4 kg
87 x 17 x 19 cm / 4 kg

Licensed by BETAG.Innovation



Reinforced scissoring bar
- Barre de tirage renforcée
- Scherenzugbrücke

050716
5.1 kg
87 x 17 x 18 cm / 5.9 kg



SLIDE & LOCK

Removable system : pads and pulling systems
Système amovible : patins et chariots de tirage

FEET



PULLING SYSTEM

only for **059313**



LIGHTWEIGHT

Léger



GRIP 360

360° pads with grip
Patins à frein orientables à 360°




X-CROSS

Possibility of crossing the bars
Possibilité de croiser les barres

PREMIUM


Premium levelling lever
- Levier de débosselage Premium
- Premium Zughebel

059290
1.6 kg
100 x 16 x 17 cm / 2.2 kg




Premium levelling bar
- Barre de débosselage Premium
- Premium Zugbrücke

059306
2.8 kg
79 x 30 x 13 cm / 3.2 kg




Premium scissoring bar
- Barre de tirage Premium
- Premium Scherenzugbrücke

058996
3.1 kg
87 x 16 x 18 cm / 3.9 kg




Premium 1200 scissoring bar
- Barre de tirage 1200 renforcée Premium
- Premium Scherenzugbrücke 1200


059313
5.6 kg
127 x 26 x 9 cm / 6.2 kg



OPTIONS

Reinforced bar 1200 mm - Barre renforcée
051171








Fixing screw
058439

Double pads support
- Support double patin
- Doppelfüße

050723





x2 Extension
052451

STANDARD
PREMIUM

1 tooth hook
Ø M10 / M14
082021



3 teeth hook
PREMIUM
Ø M10 / M14
059658

PREMIUM (LONG FEET NEEDED)




4 tooth claw
Ø M10 / M14
049758



6 tooth claw
Ø M10 / M14
049734



8 tooth claw
Ø M10 / M14
049741



Ring-pulling
068995

8 tooth claw for pulling chain
Ø M10 / M14
067745

Single foot
- Pied simple
- Fuß

x2 061293



Double foot levelling bar
- Pied double patin
- Doppelfuss

x2 059351



x2 059375



x1 072688





069268



059399

SUPER ERGONOMIC

PREMIUM PRO

QUICK HOOK



BREVET GYS - GYS PATENT n° US 12,090,539

SLIDE & LOCK

Removable system : pads and pulling systems
Système de patins et chariots de tirage amovibles



EASY REMOVABLE PULLING SYSTEM





MULTIPLE PULLING SYSTEM

Additional removable pulling systems
Chariots de tirage amovible supplémentaire



GRIP 360 **GRIP 360+**

360° pads with grip
Patins à frein orientables à 360°



STRENGTHENED (DOUBLE) BAR

Improved mechanical resistance
Résistance mécanique renforcée


X-CROSS

Possibility of crossing the bars
Possibilité de croiser les barres




Premium Pro Levelling lever
- Levier de débosselage Premium Pro
- Premium Pro Zughebel

072619
1.6 kg
87 x 17 x 18 cm / 2.3 kg




Premium Pro Levelling bar 900mm / Single feet
- Barre de débosselage Premium Pro 900 mm
- Premium Pro Zugbrücke 900 mm

071643
120 x 26 x 8 cm / 4.4 kg
3.8 kg



Premium Pro Scissoring bar 900mm
- Barre de tirage Premium Pro 900 mm
- Premium Pro Scherenzugbrücke 900 mm

072305
103 x 30 x 13 cm / 5.2 kg
4.5 kg




Premium Pro Scissoring bar 1150 mm
- Barre de tirage Premium Pro 1150 mm
- Premium Pro Scherenzugbrücke 1150 mm

072626
124 x 7 x 7 cm / 3.1 kg




OPTIONS




071650
51 x 21 x 11 cm / 0.9 kg




072633
79 x 61 x 11 cm / 5.2 kg



072312
51 x 21 x 11 cm /1.6 kg



Single foot
- Pied simple
- Fuß



Double foot levelling bar
- Pied double patin
- Doppelfuss



DENT PULLING
WORKSTATIONS

A COMPLETE SOLUTION
UNE SOLUTION COMPLÈTE
KOMPLETTLÖSUNGEN

Compatibility


SPOT	Dent 600	Dent 1000	Universal 800	Weld 810	Weld 910	Dent 1600	Dent 1600 WD	Dentstation Pro WD
26/27.02	✓	✓	✓	✓		✓		✓
34.02/04	✓	✓	✓	✓		✓		✓
39.02/04	✓	✓	✓	✓		✓		✓
PRO 230/400	✓	✓	✓	✓		✓		✓
EXPERT 230/400	✓	✓	✓	✓		✓		✓
ALU 66	✓	✓	✓					
ALU PRO FV	✓	✓	✓			✓		✓
COMBI 230 E.PRO						✓		✓
ARCPULL 200/350				✓	✓	✓		✓
COMBI ARCPULL						✓		✓
ARCPULL 700					✓	✓		✓

CHARIOTS / TROLLEYS


Dent 600
44 x 35 x 62 cm / 6,9 kg
60 x 39 x 14 cm / 7,4 kg
072831




Dent 1000
44 x 35 x 98 cm / 9,3 kg
60 x 39 x 14 cm / 9,9 kg
072848



Universal 800
60 x 48 x 83 cm
17,6 kg
79 x 39 x 18 cm
18,1 kg
051331




Weld 810
77 x 50 x 84 cm
20,1 kg
80 x 51 x 14 cm
21,6 kg
037489




Weld 910
89 x 52 x 84 cm
25 kg
80 x 52 x 22 cm
27 kg
070967



Dent 1600
70 x 69 x 161 cm
/ 35,8 kg
103 x 66 x 22 cm
/ 38,7 kg
072596



Dent 1600 WD
71 x 70 x 161 cm
/ 49,5 kg
103 x 66 x 22 cm
/ 52,4 kg
072169



Dentstation Pro WD
90 x 71 x 161 cm
/ 65 kg
120 x 80 x 28 cm
/ 68,5 kg
072800





4 m³ support
+ Arcpull gun support
for Dent 1600 / 1600 WD
& Dentstation Pro WD
059665



Cable support for
Spot 800, 1600
& Denstation
052284



Protection cover
- Housse de protection
- Schutzhaube

for Universal 800
062733

for Spot 1600 & Dent 1600
048881

for Dentstation Pro
059870

Storage accessories
- Set de fixation

for Proliner, Speedliner, Gysliner
051362



Fixing flanges for generator
- Brides de fixation pour générateur

062146



EASYLINER



EASYLINER 39.02 | EASYLINER PRO 230

STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

39.02	PRO 230
053618 : 058521	072398

ALL IN 1 BOX

INCLUDED ACCESSORIES



DENT 1000
072848



Dent box easy
053632



Levelling bar double action
053564

PROLINER



PROLINER 39.02
PROLINER 39.04 | PROLINER PRO 230
PROLINER PRO 400 | PROLINER ALU 66 | PROLINER ALU PRO FV | PROLINER ARCPULL 200

STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

39.02	PRO 230
035775	035799
39.04	PRO 400
035782	035805

INCLUDED ACCESSORIES



UNIVERSAL 800
051331
+ Cable support
052284



Dent box easy
050037



Levelling bar double action
053564

ALU



GYSPOT
(guns & consumables included)

NEW

ALU 66	ALU PRO FV	ARCPULL 200
087774	035836	065260



UNIVERSAL 800
051331
+ Cable support
052284



UNIVERSAL 800
051331
+ Cable support
052284



Weld 810
037489
+ Cable support
052284



Alu puller
051003



Alu puller
051003



Arc puller premium
065161

SPEEDLINER STANDARD



PRO 230, 400




EXPERT 200, 230, 400




COMBI 230 E.PRO

★★★ COMPLETE SYSTEM




ARCPULL 200 + PRO 230, 400



ARCPULL 200 + EXPERT 200, 230, 400



ALU PRO FV



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

PRO 230	EXPERT 200
074446	074460
PRO 400	**EXPERT 230**
074453	074477
	EXPERT 400
	074484

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

COMBI 230 E PRO
074491



GYSPOT
(guns & consumables included)

ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
074507	074521
ARCPULL 200 + PRO 400	**ARCPULL 200 + EXPERT 230**
074514	074538
	ARCPULL 200 + EXPERT 400
	074545

ALU



GYSPOT
(guns & consumables included)

NEW

ALU 66	ALU PRO FV
087781	074552

INCLUDED ACCESSORIES



DENT 1600
072596



Cable support
052284



Levelling bar 850 mm
050693
052451



Multihook heads
049758+049734




Levelling lever
050686



Magnetic earth
049666



Manuspot
050679



Dent box consumables 051515
3 lifting rods 050792



Ringmatic
052154



Alu puller
051003



Cable support
052284



Arc puller premium
065161



Cable support
052284 + 4 m² support
059665

Steel Speedliner without generator (excluded Ringmatic) : **035058**

INCLUDED ACCESSORIES



DENT 1600
072596



Cable support
052284

Levelling bar 850 mm
050693



Alu hammers
020986



Set of pencil punches with 6 teflon tips 052888



Multihook heads
049758



Alu puller
051003



Stainless steel brush
044258
Alu Box Ø5 & 6
048195



230V

Infrared Thermometer
079922
Hot air gun 650°C
066311

SPEEDLINER PREMIUM




PRO 230, 400




EXPERT 200, 230, 400



COMBI 230 E.PRO



ARCPULL 200
+ PRO 230, 400



ARCPULL 200
+ EXPERT 200, 230, 400



ARCPULL 200, 350



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

PRO 230	EXPERT 200
073883	073906
PRO 400	**EXPERT 230**
073890	073920
	EXPERT 400
	073944

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

COMBI 230 E PRO	COMBI ARCPULL
073968	074569



GYSPOT
(guns & consumables included)

ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
073975	073913
ARCPULL 200 + PRO 400	**ARCPULL 200 + EXPERT 230**
073982	073937
	ARCPULL 200 + EXPERT 400
	073951

ALU



GYSPOT
(guns & consumables included)

ARCPULL 200	ARCPULL 350
073999	083042
077317 (without HOT AIR GUN)	

INCLUDED ACCESSORIES



DENT 1600 WD
072169



Cable support
052284



Premium levelling bar 720 mm
059306



Hook head
049758
+ 059658
+ 082021




Premium levelling lever
059290



Magnetic earth
049666



Manuspot
050679



Dent box consumables 051515 + 3 lifting rods 050792



Manual pulling handle
057289
Ringmatic
052154



Fast pulling rings (x5)
058712
+ Alu puller
051003
+ Cable support
052284



Arc puller premium
065161



Cable support
052284
4 m³ support
059665

INCLUDED ACCESSORIES



DENT 1600 WD
072169
Cable support
052284



Alu Ring Box 1 mm
059412
Premium 1-tooth hook
059382



Arc puller premium
065161



Premium levelling
bar 720 mm
059306



Alu hammers
020986



Infrared Thermometer
079922
Hot air gun 650°C
066311



Set of pencil punches
with 6 teflon tips
052888



3 lifting rods
050792



Stainless
stell brush
044258




4 m³ support
059665


SPEEDLINER PREMIUM PRO



PRO 230, 400



EXPERT 200, 400
+ ARCPULL 200, 350



COMBI ARCPULL



ARCPULL 200, 350



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

EXPERT 230	EXPERT 400
080201	080218

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

EXPERT 400 + ARCPULL 200	EXPERT 400 + ARCPULL 350
080232	083028

EXPERT 200 + ARCPULL 200
080553



GYSPOT
(guns & consumables included)

COMBI ARCPULL
080225

ALU



GYSPOT
(guns & consumables included)

ARCPULL 200	ARCPULL 350
080256	083035

INCLUDED ACCESSORIES



Dent 1600 WD
072169



Premium Pro levelling bar 900 mm
071643



Premium Pro levelling bar
072619



Ringmatic
052154




Manuspot
050679



Premium Pro teeth hook
072671 + 072664 + 072640



Manual pulling handle
057289



3 lifting rods
050792
Dent box consumables
051515



Magnetic earth
049666



Cable support
052284
4 m³ support
059665
Arc Puller Premium Pro
072572

INCLUDED ACCESSORIES



Dent 1600 WD
072169



Alu Ring Box 1 mm



072664



4 m³ support
059665



Premium Pro levelling bar 900 mm
071643



Set of pencil punches with 6 teflon tips
052888



Arc Puller Premium Pro
072572



Alu hammers
020986



Infrared Thermometer
079922
Hot air gun 650°C
066311



Stainless stell brush
044258



3 lifting rods
050792

DENTSTATION STANDARD



39.02, 39.04



PRO 230, 400



EXPERT 200, 230, 400



COMBI 230 E.PRO



ARCPULL 200
+ PRO 230, 400

COMPLETE SYSTEM



ARCPULL 200
+ EXPERT 200, 230, 400



STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

39.02	PRO 230	EXPERT 200
078161	078208	078321
39.04	**PRO 400**	**EXPERT 230**
078185	078260	078369
		EXPERT 400
		078444

ALU + STEEL / ACIER / STAHL



GYSPOT
(guns & consumables included)

COMBI 230 E PRO
078529



GYSPOT
(guns & consumables included)

ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
078222	078338
ARCPULL 200 + PRO 400	**ARCPULL 200 + EXPERT 230**
078284	078383
	ARCPULL 200 + EXPERT 400
	078468

INCLUDED ACCESSORIES



Dentstation Pro WD
072800
Fixing kit
051362



Double pads
050723



Levelling bar 850 mm
050693

Scissoring bar
050716



Multihook heads
049758
+049734
+049741



Levelling lever
050686




Strengthened bar 1200 mm
051171
Extensions (x2)
052451



Magnetic earth
049666



Manuspot
050679



Dent box consumables
051515
3 lifting rods
050792
Empty box
320x113mm



Manual pulling handle
057289



Ringmatic
052154



Fast pulling rings (x5)
058712
+ Alu puller
051003

Cable support
052284



Arc puller premium
065161



Cable support
052284
+ 4 m² support
059665
+ Flanges (x 2)
062146

DENTSTATION PREMIUM



PRO 230, 400



EXPERT 200, 230, 400




COMBI 230 E.PRO
COMBI ARCPULL



ARCPULL 200
+ PRO 230, 400



ARCPULL 200
+ EXPERT 200, 230, 400



STEEL / ACIER / STAHL





GYSPOT
(guns & consumables included)

PRO 230	EXPERT 200
078239	078345
PRO 400	**EXPERT 230**
078291	078406
	EXPERT 400
	078482

ALU + STEEL / ACIER / STAHL





GYSPOT
(guns & consumables included)

COMBI 230 E PRO	COMBI ARCPULL
078543	078567



GYSPOT
(guns & consumables included)

ARCPULL 200 + PRO 230	ARCPULL 200 + EXPERT 200
078253	078352
ARCPULL 200 + PRO 400	**ARCPULL 200 + EXPERT 230**
078314	078420
	ARCPULL 200 + EXPERT 400
	078505


INCLUDED ACCESSORIES



Dentstation Pro WD
072800
Fixing kit
051362




Manuspot
050679



Premium levelling bar 720 mm
059306



Premium levelling lever
059290



Hook head
049734
+ 059658
+ 082021



Premium scissoring bar 720 mm
058996




Premium scissoring bar 1200 mm
059313



Magnetic earth
049666



Premium double pads support
220 mm (x2)
059375
+ 270 mm (x2)
072688



Dent box consumables
051515
3 lifting rods
050792
Empty box 320x113mm



Manual pulling handle
057289



Ringmatic
052154



Fast pulling rings (x5)
058712
Alu puller
051003
Cable support
052284



Cable support
052284
4 m³ support
059665
Flanges (x 2)
062146
Arc puller premium
065161



Arc puller premium
065161



Cable support
052284
4 m³ support
059665
Flanges (x 2)
062146

DENTSTATION PREMIUM PRO



EXPERT 230, 400



COMBI ARCPULL



EXPERT 400
+ ARCPULL 200, 350



ARCPULL 200, 350



STEEL / ACIER / STAHL



1 BOX GYSPOT (guns & consumables included)

EXPERT 230
080133

EXPERT 400
080140

INCLUDED ACCESSORIES



1 BOX **Dentstation Pro WD**
072800

ALU + STEEL / ACIER / STAHL



1 BOX GYSPOT (guns & consumables included)

EXPERT 400 + ARCPULL 200
080164

EXPERT 400 + ARCPULL 350
083004



1 BOX GYSPOT (guns & consumables included)

COMBI ARCPULL
080157

INCLUDED ACCESSORIES



1 BOX **STEEL ACCESSORIES PACK V2**
080126

+



1 BOX **ALU ACCESSORIES PACK**
073838

ALU



1 BOX GYSPOT (guns & consumables included)

ARCPULL 200
080461

ARCPULL 350
083011

INCLUDED ACCESSORIES



1 BOX **ARCPULL ACCESSORIES PACK**
080485

PULLING SYSTEMS

AIRFIX DRAW ALIGNER	38
DRAW ALIGNER	40
FRAME STRAIGHTENING	42

INVEST IN THE FUTURE



DRAW ALIGNER

UNIQUE SYSTEM
BREVET GYS — PATENT PENDING — GYS PATENT

Designed for
- TIME SAVING
- DURABILITY
- MAXIMUM GRIP

4 pads :
Seal protection, Perfect stability

4 patins : protection du joint, stabilité parfaite
4 Pads: Dichtungsschutz, perfekte Stabilität
4 piedini: protezione sigillata, perfetta stabilità




Quick & easy set up



Ground anchor by suction
Fast installation

Ancrage au sol par aspiration : installation rapide
Verankerung durch Vakuumbildung – schnell einsatzfähig
Ancoraggio a terra: installazione rapida





Low noise

Smart maintenance



No glue — No tools


Pads - Patins
(x2)
069008


Plate seal
- Joint de plaque
079571

Youtube

AIRFIX DRAW ALIGNER
Air 5-8 bars
077379
080669

Option
XL mast for
Airfix Draw Aligner
- Mât XL - XL-Mast
083714


Ergonomic







079588
Ultra resistant
No elasticity
(1,5 T max)
(included)


049734
Ø M10 / M14
(included)


included
Strap - Sangle






118 x 36 x 9 cm
32 kg


118 x 27 x 25 cm
21 kg

NEW

350 kg
Uniform pulling force
Force de tirage uniforme
Gleichmäßige Zugkraft
Forza di spinta uniforme




Precision
All directions



Down-pulling
Rocker panel
- Bas de caisse
- Schweller
- Sottoporta



Up-pulling
Upper-parts
- Parties hautes
- Oberteile



Options

Welding sheets kit
- Kit plaques à souder
083493

NEW





25 mm	38 mm	50 mm	75 mm
(x1 included)	(x1 included)	(x1 included)	(x1 included)
x5	x5	x5	x5
083509	083516	083523	083530


12 tooth claw
- Griffe 12 dents
082229



DRAW ALIGNER


PULLING SYSTEMS


Youtube



DRAW ALIGNER

Draw ligner - Équerre de tirage - Schnellausbeul-Richtausleger
052475





049734
(included)

058347
(included)

OPTION


Hydraulic oil 1L - Huile hydraulique 1L
053397

INCLUDED

Wedge for rocker panel - Câle pour bas de caisse



Pads kit for rocker panel - Kit patins pour bas de caisse






OPTION

Rocker panel arms for draw aligner - Bras de bas de caisse - Abstütztraverse für Richtausleger

052581







OPTION

12 tooth claw for pulling chain
082229








Youtube

DRAW ALIGNER PRO

069244

049734
(included)

058347
(included)





OPTION

Hydraulic oil 1L - Huile hydraulique 1L
053397

INCLUDED


Plate under the wheel - Câle sous roue **076693**
Compatible with Draw Aligner & Draw Aligner Pro



Wedge for rocker panel - Câle pour bas de caisse



Rocker panel arms and stabilisation bar - Kit bras de bas de caisse et barre de stabilisation



OPTIONS

Pads kit for rocker panel - Kit patins pour bas de caisse
071278







ELECTRO POWER - Zug-Druckpresse

with accessories :
057425

MADE IN ITALIA



INCLUDED

Accessories kit :
425x620x150 mm
Accessories kit
Total weight: 20 kg

057418




Standard kit :
425x620x210 mm
Standard kit
Total weight: 18 kg

057401


Li-Ion battery
058514


OPTION

Pince écarteur
079496





- PULLING POWER: 5 Ton.
- PUSHING POWER: 5 Ton.
- PISTON
- STROKE: 130 mm











ANCHOR BAR - Barre d'ancrage - Türspanner

MADE IN TAÏWAN

053045



053052





INERTIA HAMMER KITS - Kits marteau à inertie - Ausziehhammer kit


Inertia hammer kit
- Kit marteau à inertie
- Ausziehhammer kit
051928





5 kg
+ 6 hooks
NEW 03/2025
087828

9 kg
+ 6 hooks
NEW
085930



HYDRAULIC CYLINDER KIT - Coffret vérin hydraulique - Hydraulischer Drucksatz

MADE IN CHINA

BASIC 4T
052345





BASIC 10T
052338





OPTION



Hydraulic oil 1L -
Huile hydraulique 1L
053397

PRO 4T
057432



PRO 10T
057449



POWER-PULLER 4T


059740



MEASURING TOOLS - Mesures - Vermessung


BODYMETER, Mechanical measurements

052130



GYSMETER, Electronic measurements

052093



PULL CLAMPS - Pinces de tirage - Ziehwerkzeuge

Manual-locking pull clamp - Mini pince de tirage a blocage manuel
- Mini Klemme von Auflage in Handblockieren
056855



Self-locking pull clamp - Pince de tirage à blocage automatique - Selbstklemmende Zugklemme
052642



Self-locking pull clamp - Pince de tirage à blocage automatique - Selbstklemmende Zugklemme
060944



Right angle pull clamp - Pince de tirage à angle droit - Zugklemme 90° Winkel
052666




SWIVEL CLAMP - Pince pivotante

060968




PULL HOOK - Crochet de tirage - Ziehwerkzeuge

Boomerang pulling hook set - Kit crochet de tirage « boomerang » - Zughaken Set «Boomerang»
052659




ARCH HOOKS - Passage de roue

Large arch hook
- Crochet passage de roue grande dimension
060982




PULLING CHAIN - Chaînes de tirage - Ziehwerkzeuge


Chain joint double grab hook - Raccord de chaîne double crochet
061156




Chain joint for two clamps - Raccord de chaîne pour deux pinces
061163



Body chain 10 mm - Chaîne de tirage 10 mm
061255






12 tooth claw for pulling chain
082229



WIDE PULL CLAMPS - Pinces de tirage larges

2-way - 2 directions
061217




Multi-way - Multidirections
061224




SMALL PULL CLAMPS - Pinces de tirage faible largeur


Long nose clamp - Pince bec de canard
060951



Small mouth pull clamp - Pince de tirage faible largeur
061231




Box clamp - Pince contournement de rebord
061170




MULTIPLE PULL CLAMP - Pince de tirage multiple

Load spred multi clamp - Pince multiple répartition de charge
060999



45 MM SCISSORS CLAMP - Pince ciseaux largeur 45 mm

061187



90 DEGREE CORNER CLAMP - Pince de tirage pour angle 90°

059757




C TYPE CLAMP - Pince de tirage type C

061200



SMART SATELLITE - Satellite intelligent- Satellite Komplett-Kit



The best from Autorobot
www.autorobot.com/pdf/714B_ENG.pdf
MADE IN FINLAND

MADE IN HIGH QUALITY FINLAND

PACK SATELLITE
= 1 + 2 + 3 + 4 + 5 + 6
052727

1 SATELLITE - Satellite - Satellite Basisbügel-Set

052710





2 KIT MAC PHERSON (A) - Mac Pherson Kit - Befestigungskit- Federbein (McPherson)

052703





3 BARRE POUR TIRER/POUSSER - Push/Pull Bar - Zug/Druck-Stangenset

052673





4 SATELLITE (B) - Bügelverlängerung

052680





5 SANGLE DE SÉCURITÉ - Safety Strap - Sicherungsgurt

044036





6 DOUBLE PINCE SATELLITE (C) - Double Clamp Satellite - Satellite Doppelklemme

052697





PINCE DE TIRAGE MULTI-USAGE - Versatile pulling clamp - Multifunktions-Zugklemme

053571

Autorobot





WELDING SHEETS KIT WITH CLAMP - Kit plaques à souder et pince

083493

NEW



25 mm (x1 included)	38 mm (x1 included)	50 mm (x1 included)	75 mm (x1 included)
x5 083509	x5 083516	x5 083523	x5 083530

PDR: Paintless Dent Repair
- Débosselage rapide et sans peinture
- Lackschadenfreies Ausbeulen

PAINTLESS DENT REPAIR

GYSDUCTION AUTO + Dent pulling inductor **054776** = **GYSDUCTION AUTO DENT REPAIR** **054981**

Youtube




	AM		Freq.	INTEGRATED TECHNOLOGY			Cable (m)			
50 Hz	A	W	kHz	PFC	FV	Liquid Cooling		Inductor	LxWxH cm / kg	LxWxH cm / kg
230 V, 1~	16	2 400	35→120	■	■	—	2	2.5	52 x 30 x 37 / 9.4	37 x 21 x 37 / 7.5



OPTION
Freezer spray
- Spray refroidisseur
-50 °C
400 ml (x 12)
048898


PAINTLESS DENT REPAIR LAMP
- Lampes de débosselage - Ausbeullampe

083936



DENT REMOVAL FLEXIBLE PANEL
- Planche flexible pour inspection de la carrosserie - Ausbeul Matrix


059122



GLUE PULLER PRO (Acier/Alu • Steel/Alu)




Glue Puller PRO
058699



Glue Puller PRO EXPORT
230 V **059160**


DENT PULLING KIT (PAINTLESS)
- Kit débosselage sans peinture - Dellenausbeulhebel-Set

051959



SET OF 6 PENCIL PUNCHES
- Kit de 6 coins de frappe - Beulenstemmer-Satz mit 6 Tefloneinsätzen

052888



PNEUMATIC INERTIA HAMMER
- Marteau inertie pneumatique - Unterdruck-Schlaghammer

051904




AIR CUSHION KIT
- Kit coussins gonflables - Luftpolster-Spreizkissen-Satz

051942




PUMP AIR SUCTION SLIDE HAMMER
- Marteau à inertie à ventouses (pompage manuel) - Man. Unterdruck-Schlaghammer

048683



BARRETTES ANNEAUX PLASTIQUE - Plastic Multipads Ösen-Klebepads



OPTIONS


Pulling handle 3 claws - Poignée de tirage 3 dents - Handzugkralle 3-fach
057326






Slide hammer 380 g
- Marteau à inertie 380 g
- Gleithammer 380 g

050051



Slide hammer 500 g
- Marteau à inertie 500 g
- Gleithammer 500 g

057906



Set of 2 knives to cut glued reinforcements
- Jeu de 2 couteaux pour découpe de renforts colles
- 2-er Set Messer zur Klebepadentfernung

057913



GLUE PULLING REPAIR

Youtube

GPR HAIL IMPACT TABS

Barrettes pour impacts de grêle
081024



GPR I-BAR MINI


080324






GPR BAR TABS

080331



GPR FLEXIBLE TABS





152 x 38 mm	152 x 51 mm	64 x 20 mm	64 x 38 mm	64 x 51 mm
080348	080355	080362	080379	080386




GPR Plastic hooks
- Anneaux plastiques
080393
x 10

GPR M4 steel hooks
- Anneaux acier M4
080409
x 5

GPR FLAT TABS

Patins plats
080430
M4 x 6




GPR 3D TABS

Barrettes 3D
080416




GPR 3D CURVE TABS

Barrettes 3D incurvées
080423



Flexible



GPR UNIVERSAL TABS


Barrettes universelles
080447




GPR FOLD TABS

Barrettes pour plis
080522





Flexible




GLUE GUN 400W - Pistolet à colle chaude 400W


082144



GPR PRO Glue sticks
- Bâtons de colle
080454



GPR PRO Glue sticks for stripped sheets
- Bâtons de colle pour tôles décapées
081017



Workstation Premium -
Servante Premium
076143



(p. 144)

GPR PRO KIT

080317





1	**GPR I-bar mini**	
	51 mm	x 1
2	**GPR Flexible tabs**	
	64 x 20 mm	x 1
	64 x 38 mm	x 1
	64 x 51 mm	x 1
3	**GPR Long tabs**	
	152 x 38 mm	x 1
	152 x 51 mm	x 1
4	**GPR Plastic hooks**	x 10
5	**GPR Bar tab**	x 1
6	**GPR 3D tabs**	
	12 mm	x 1
	22 mm	x 1
7	**GPR 3D curved tabs**	
	51 x 38 mm	x 1
	101 x 38 mm	x 1
8	**GPR M4 steel hooks**	x 5
9	**GPR Universal tabs**	
	Flat 38 x 22 mm	x 1
	Flat 51 x 22 mm	x 1
	Open angle 38 x 22 mm	x 1
	Closed angle 38 x 22 mm	x 1
	Straight angle 27 x 22 mm	x 1
	Dome Ø 22 mm	x 1
	Dome Ø 26 mm	x 1
	Dome Ø 40 mm	x 1
10	**GPR Flat tabs**	
	Ø 13 mm	x 1
	Ø 23 mm	x 1
	Ø 27 mm	x 1
	Ø 32 mm	x 1
	Ø 38 mm	x 1
	Ø 52 mm	x 1
11	**GPR Bars for folds**	
	35 mm	x 1
	50 mm	x 1
	90 mm	x 1
	140 mm	x 1
	Flexible 135 mm	x 1
	140 x 30 mm	x 1
12	**GPR Glue sticks**	x 10

Isopropyl alcohol 99.9% + spray - Alcool isopropyloque 99,9% + vaporisateur
082236



1 L 600 ml

Heat gun - Décapeur thermique
066311



I : 100/300°C (450 W)
II : 300/650°C (1500 W)
Air flow : 450 l/min

Gas hot air gun
- Pistolet à air chaud autonome à gaz
060777



Blow torch - Lampe à souder
052741



Novacet +
Butane/Propane/Propylène
040441



380 ml (220 g)

Infrared thermometer
- Thermomètre infrarouge
079922



Adjustable emissivity :
0.10~1.00

Set of 6 pencil punches - Kit de 6 coins de frappe
052888



(p. 46)

3 plastic wedges
- 3 cales plastiques
051294



Lifting rod 180 mm
- Tige de tirage 180 mm
082915



Pulling hand 3 claws - Poignée de tirage 3 dents
057326




(p. 47)

4 tooth claw
Ø M10 / M14
049758



Slide hammer 500g
- Marteau à inertie 500g
057906



(p. 47)

Slide hammer 1.7kg
- Marteau à inertie 1,7kg
051201



(p. 10)

Glue Lifter
057364



included
061392

(p. 47)

Arc Puller Premium
065161



included
Alu 3
065161

(p. 19)

Arc Puller Premium Pro
072572



included
Alu 4
065185

option
Steel M14
079830

(p. 19)

Premium Pro Levelling bar 900 mm
071643



(p. 23)

Airfix Draw Aligner
077379



(p. 39)

GYS GLUE PULLING REPAIR KITS



085770



EUROPE NEW

085466





Isopropyl alcohol 99.9% - Alcool isopropyloque 99,9%
1 L

111 pcs



6 rectangular red end tabs
- 6 embouts recntagulaires rouges
085312



10 flat pink end tabs
- 10 embouts plats roses
085329




4 green domed end tabs
- 4 embouts verts bombés
085398



12 black multiform tabs
- 12 embouts multiformes noirs
085978



2 blue bars with 4 plastic rings
- 2 barres bleues avec 4 anneaux plastiques
085251



3 tabs with 14 plastic rings kit
- Kit 3 languettes avec 14 anneaux plastiques
085282



4 blue pull bars with metal rail
- 4 barettes de tirage bleues avec rail métal
085299



10 blue multiform pulling bars
- 10 barrettes de tirage multiformes
085305



Tapping hammer -
Marteau à frapper
085411




Dent removal aluminium pen
- Outils de débosselage stylo en aluminium
085404



Dent removal clamp - Pince de débosselage
085435



400 W hot glue gun
- Pistolet à colle chaude 400 W



Rubber mallet -
Marteau caoutchouc
085428

Inertia hammer 200 g
- Marteau à inertie 200 g
085459



Pulling handle -
Poignée de tirage
085442



Plastic wedge
- Cale plastique



Spray bottle 600 ml
- Vaporisateur 600 ml



10 glue sticks - 10 bâtons de colle
085183

GYSMART GPR WORKSTATIONS

EUROPE NEW

087842





Isopropyl alcohol 99.9% - Alcool isopropyloque 99,9%
1 L

087859

NEW



111 pcs



GYS GPR KIT
085770



Workstation Premium - Servante Premium
076143



Heat gun
- Décapeur thermique
066311




30 glue sticks - 30 bâtons de colle
087835



Dent repair lamp
- Lampe de débosselage
083936



Infrared thermometer
- Thermomètre infrarouge
079922



Slide hammer 1.7kg
- Marteau à inertie 1,7kg
051201



Alu hammers - Marteaux alu
020986



Arc Puller Premium Pro
072572



Steel
079830



4 tooth claw
- Griffe 4 dents
049758




Leveling bar - Barre de débosselage
050693

Isopropyl alcohol 99.9% + spray - Alcool isopropyloque 99,9% + vaporisateur
082236



1 L 600 ml

Glue sticks - Bâtons de colle



x 10 085183 **x 30** 087835

Gas hot air gun - Pistolet à air chaud autonome à gaz
060777



Gas included - Bouteille incluse

Blow torch
- Lampe à souder
052741



Gas not included - Bouteille non incluse

Novacet +
Butane/Propane/Propylène
040441



380 ml (220 g)

Set of 6 pencil punches
- Kit de 6 coins de frappe
052888



(p. 46)

3 plastic wedges
- 3 cales plastiques
051294



Lifting rod 180 mm
- Tige de tirage 180 mm
082915



Pulling hand 3 claws -
Poignée de tirage 3 dents
057326



(p. 47)

Slide hammer 500g -
Marteau à inertie 500g
057906



(p. 47)

Glue Lifter
057364



included 061392

(p. 47)

Arc Puller Premium
065161



included **Alu 3** 065161 included **Alu 4** 065185

(p. 19)

Premium Pro Levelling bar 900 mm
071643



(p. 23)

Airfix Draw Aligner
077379



(p. 39)





RESISTANCE SPOT WELDING

RANGES 54

PRESENT MACHINES

PORTASPOT / BP.LX / PTI-S7 56
BP GENIUS 58
PTI GENIUS 60

NEW MACHINES WITH COLOUR SCREEN

PTI NEO 62
PTI MASTER / PTI EXPERT 64

ARMS & CONSUMABLES

G ARMS 66
ACCESSORIES & CONSUMABLES 67
X ARMS / C ARMS 68

CAR MANUFACTURER REQUIREMENTS


EXIGENCES CONSTRUCTEUR - ANFORDERUNGEN DES AUTOMOBILHERSTELLERS - REQUISITI DEL PRODUTTORE DI AUTOMOBILI

An example of new generation car body
- Exemple de carrosserie nouvelle génération
- Beispiel einer Karosserie der neuen Generation
- Esempio di carrozzeria di nuova generazione



- HSS - HLE
- VHSS - THLE
- UHSS - UHLE
- Bore - Boron
- Aluminium

MIG/MAG PLUG WELDING - Bouchonnage MIG/MAG




UHSS + UHSS (2.5 + 2.5 mm)

1300 kg

Non-compliant with car manufacturer requirements
- Non conforme aux exigences constructeur

VS

RESISTANCE SPOT WELDING - Soudure par résistance



UHSS + UHSS (2.5 + 2.5 mm)

3300 kg

Same mechanical resistance as original
- Même résistance mécanique qu'un point d'origine

Youtube



INVERTER machine

MANUFACTURER APPROVALS / COMPLIANCE

HOMOLOGATIONS PRODUITS - PRODUKT HOMOLOGATIONEN - PRODOTTI APPROVATI

		Volkswagen Group	Rivian	BMW / Mini / Rolls Royce	Jeep																													
DENT PULLER	GYSPOT 26.02/27.02					●					●	●																							
	GYSPOT 34.02/04, 36.02/04, 39.02/04, PRO230/400, EXPERT 200/230/400				●	●			●		●	●				●				●	●	●	●												
	Workstations				●	●			●		●	●								●	●	●			●										
	GYSPOT ALU FV				●	●					●	●																							
	GYSPOT ARCPULL 200				●																													
RESISTANCE SPOT WELDER	GYSPOT BP-LX				●	●		●	●		●	●						●		●	●	●			●	●									
	GYSPOT BP GENIUS				●	●		●	●		●	●				●						●			●	●									
	GYSPOT PTI-s7					●	●		●		●	●	●	●	●	●	6 m		●		●			●	●	●	●			●					●
	GYSPOT PTI GENIUS										●										●			●	●	●	●								
	GYSPOT PTI NEO, MASTER																				●				●		●								
	GYSPOT PTI EXPERT																							●	●		●								
	VAS 821 101 - Spot Welder	●																																	
	VAS 821 101A - Spot Welder	●																																	
	BMW C7502654			●																															
RIVETING	GYSPRESS		●							10T														10TPP				10TPP	●		●	●			
MIG / MAG	E1 GYS AUTO				●	●			●		●	●							●	●	●		●												
	E2, E3 GYS AUTO				●	●			●		●	●									●		●												
	P1, P2, P3 GYS AUTO																						●												
	AUTOPULSE 220-M1																						●						●	●	●				
	AUTOPULSE 220-M2																						●												
	AUTOPULSE 220-M3				●									●									●			●	●								
	AUTOPULSE 320-T1																						●	●		●									
	AUTOPULSE 320-T3				●																		●	●		●	●	●							
	VAS 821 005 - Pulse MIG	●																																	
	VAS 821 00580 023	●																																	
PLASMA	EASYCUT 40																												●					●	
	CUTTER K25, K35					●						●																							
	EASYCUT 30FV, CUTTER 45CT					●						●					●			●		●	●	●											
	GYSDUCTION AUTO					●					●	●												●											
		Homologated by car manufacturers																					Meets the specifications of car manufacturers												

EMITECH · TÜVRheinland CERTIFIED ISO 9001 · CESVI FRANCE · FOCWA · ktd · Thatcham Quality Assured

RESISTANCE SPOT WELDING RANGES

Monochrome Screen Generation



	PTI s-7	BP GENIUS	PTI GENIUS
Machine type - Type de machine	Transformer in the clamp	Cable	Transformer in the clamp
Arm - Bras	C	G	G
Max welding current - Courant de soudage max	14500 A	13000 A	14500 A
Max tightening force - Effort de serrage max	550 daN	550 daN	550 daN
Clamp weight - Poids de la pince	9.9 kg	6.5 kg	11.3 kg
Electrode with over-opening - Électrode avec sur-ouverture	—	Pneumatic	Pneumatic
Welding max frequency - Cadence max de soudage	10 pts/min	20 pts/min	20 pts/min
Automatique mode - Mode automatique	•	•	•
Cooling system - Système de refroidissement	30 litres	30 litres	30 litres
Duty cycle - Facteur de marche	★★★★	★★★★	★★★★★
Clamp cable length - Longueur faisceau pince	4 m or 6 m	2.5 m	6 m
Gyro - Gyro	(Option)	• Ball bearing Gyro	• Ball bearing Gyro
Mains cable length - Longueur câble secteur	8 m	8 m	8 m
Balancing arm - Avec potence	•	•	• Electric, adjustable height
Disconnectable clamp - Pince déconnectable	•	—	—
Single sided gun - Pistolet monopoint	(Option)	•	(Option)
Software update & Traceability - Mise à jour logicielle et traçabilité	SD card	SD card	SD card

3.5" Colour Screen Generation




	PTI NEO	PTI MASTER	PTI EXPERT
Machine type - Type de machine	Transformer in the clamp	Transformer in the clamp	Transformer in the clamp
Arm - Bras	G	G	G
Max welding current - Courant de soudage max	13000 A	13000 A	14500 A
Max tightening force - Effort de serrage max	550 daN	550 daN	550 daN
Clamp weight - Poids de la pince	9.7 kg	10.3 kg	11.8 kg
Electrode with over-opening - Électrode avec sur-ouverture	—	Mechanical	Mechanical
Welding max frequency - Cadence max de soudage	10 pts/min	10 pts/min	10 pts/min
Automatique mode - Mode automatique	•	•	•
Cooling system - Système de refroidissement	5 litres	5 litres	30 litres
Duty cycle - Facteur de marche	★★★	★★★	★★★★
Clamp cable length - Longueur faisceau pince	4 m	4 m	5 m
Gyro - Gyro	—	—	•
Mains cable length - Longueur câble secteur	8 m	8 m	8 m
Balancing arm - Avec potence	—	—	•
Disconnectable clamp - Pince déconnectable	—	—	•
Single sided gun - Pistolet monopoint	(Option)	(Option)	(Option)
Software update & Traceability - Mise à jour logicielle et traçabilité	USB	USB	USB

RESISTANCE
SPOT WELDING

PORTASPOT 230
6 300 A 120 daN
Air cooled






230V
022256





Youtube

ARMS Ø 23 mm

 l = 110 mm PX1 (included) 047945	 l = 220 mm PX2 047938	 l = 220 mm PX3 047921
 l = 350 mm PX4 047914	 Ref 051614 PX5 048690	

ELECTRODES

EX40 Short electrode 40 mm 047884	EX60 Medium electrode 60 mm 047891	EX80 Long electrode 80 mm 047907

CAPS & ACCESSORIES

Caps type F (x 6) 049970	Caps remover 050846
Blade - Lame 052857	Cap grinder - Affuteur de caps 048966

	AM	RMS	MAX		Uo	Cable		100% CU	
50/60 Hz	A	A	A	mm	V	↔ m	Ø mm²		LxWxH cm / kg
1 x 230 V	**16(D)**	**6 300**	8 900	2+2	2.45	2.5	3x2,5 H05VVF	OK	41 x 18 x 22 / 11.3

GYSPOT BP-LX
13 000 A
550 daN
For mild steel, HSS, UHSS | Boron steel



Double pressure
Ø 10 mm
6.5 kg (included X1)

Liquid cooled

BP 2013/35/UE BODYPROTECT Unique electro-magnetic field protection by GYS

Traceability software
Save spot welding configuration and export data

X ARMS

	019652	058804
	Gyspot BP-LX	400 V
Monopoint/ Spot 049291	▪	▪
Spotter box pro (p.10) 050075	▪	▪
Inertia hammer 049482 + 049802	▪	▪
X1 050501	▪	▪
X4A (x2) + X4B + X4C + X2 020733		▪
Liquid cooling (10l) 052246		▪ (x3)



GYSPOT PTI-s7
14 500 A
550 daN
For mild steel, HSS, UHSS | Boron steel



FUSE 20 A
Double pressure
Ø 10 mm
9.9 kg (included C1)

TRANSFORMER INSIDE

Liquid cooled

Traceability software
Save spot welding configuration and export data

C ARMS



9.9 kg



	6M 022195	4M 020894 / 6M 020900	4M 067998
	220 V	400 V	
Gyspot PTI-s7			
Contact grease 050440	▪	▪	▪
Caps remover 050846	▪	▪	▪
Arm panel	▪	▪	▪
C1 021402	▪	▪	▪
C2 + C3 + C4 060821			▪
C6 022409			▪
Gyro 360° 051720			▪
Complete gun kit 067318			▪
Liquid cooling (10L) 052246			▪ (x3)

OPTIONS



050068
x10 (x20 : 052239) | x18 (x6 : 049987)
x6 (x6 : 049994) | x18 (x6 : 049970)



Caps type A box 048935 — x40 (x6 : 049987)
Caps type F box 077119 — x40 (x6 : 049970)

Cooling liquid - Liquide de refroidissement - Kühlmittel - Enfriamiento líquido - Refrigeração líquida



2 L 082212
5 L 062511
10 L 052246

Protection cover for BP & PTI 050853



SD CARD 050914



Mandrels for gun



S1 < nov 2010 048171



S2 > nov 2010 048188

GYRO 360° for PTI S-7 051720



Kit gun for PTI S-7 067318





10-14 kg
059696

Convert PTI S-7 to Premium Pro
C ARMS ▶ G ARMS

Kit Renov PTI Premium Pro
220V 072367



400V 072541




MADE IN FRANCE	CE NORM. 62135			RMS	AM	Spots/min (max)	Uo	mm		Cables					
			50/60 Hz	A	A D curve		V							cm	kg
GYSPOT BP.LX			3 x 400 V	**13 000**	**32** (22 kVA) **40** (28 kVA) **50** (35 kVA)	**2 6 10**	16	2.5+2.5+2.5	1.5 + 3	2.5 m, liquid	—	2.5 m, air	8 m, 4x4 mm² H07RNF	65 x 80 x 205	164.5
GYSPOT PTI-s7			3 x 400 V	**14 500**	**20** (14 kVA)	**10**	7.3	2.5+2.5+2.5	1.5 + 3	4 m, liquid or 6 m, liquid	4 m, liquid or 6 m, liquid	OPTION 067318 : 1.6 m, Ø 200 mm²	8 m, 4x4 mm² H07RNF	65 x 80 x 230	105.3
GYSPOT PTI-s7 220 V	3 x	200 V		**12 500**	**40** (14-16 kVA)	**10**	6.5	2.5+2.5+2.5	1.5 + 3	4 m, liquid or 6 m, liquid	4 m, liquid or 6 m, liquid	OPTION 067318 : 1.6 m, Ø 200 mm²	8 m, 4xAWG8 (500W)	65 x 80 x 230	115.7
		208 V		**13 000**			6.7								
		230 V		**14 500**			7.4								
		240 V		**14 500**			7.7								

RESITANCE SPOT WELDING

BP GENIUS

MADE IN FRANCE

G ARMS



G-clamp front body + protection
078765



ULTRA LIGHT & COMPACT
6.5 kg
(Gyro & G1 included)


550 daN

LIQUID COOLED
REFROIDISSEMENT LIQUIDE
Ø 10 mm

6.5 kg
(Gyro & G1 included)

Youtube


FAST OPEN XL



EASY



GYRO INTEGRATED



PERFECT ELECTRICAL CONNECTION



AUTO



GYSPOT
BP GENIUS

13 000 A
550 daN

For mild steel, HSS, UHSS | Boron steel

BODYPROTECT
Unique electro-magnetic field protection by GYS

Traceability software
Save spot welding configuration and export data

	023451	082250
		400V
Gyspot BP GENIUS		
Monopoint/Spot 049291	▪	▪
Spotter box pro (p.10) 050075	▪	▪
Inertia hammer 049482 + 049802	▪	▪
Caps remover 050846	▪	▪
Arm support	▪	▪
G1 022768	▪	▪
G2 + G3 + G4 022898		▪
Liquid cooling (10L) 052246		▪ (x3)
Caps type A box 048935		▪
Protection cover 050853		▪



OPTIONS



Caps type A box
048935
x40 (x6 : 049987)

Caps type F box
077119
x40 (x6 : 049970)



x20 (x6 : 049987)
x6 (x6 : 049970)
x2 (x1 : 050617)
073449



SD CARD
050914



Cooling liquid - Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida

2 L 082212
5 L 062511
10 L 052246

Protection cover
- Housse de protection
- Schutzhaube

for BP & PTI
050853





10-14 kg
059696

MADE IN FRANCE	CE NORM 62135		RMS	AM	Spots max	Uo	mm		Cables			100 % CU	cm	kg
		50/60 Hz	A	A D curve	2.5+2.5 mm	V								
GYSPOT BP GENIUS 400V		3 x 400 V	13 000	32 (22 kVA) 40 (28 kVA) 50 (35 kVA)	2 6 10	16	2.5+2.5+2.5	1.5 + 3	2.5 m, Ø 200 mm², Liquid	2.5 m, Ø 150 mm² air	8 m 4x6 mm² H07RNF	OK	65 x 80 x 205	171

RESISTANCE SPOT WELDING

PTI GENIUS

Youtube

MADE IN FRANCE

550 daN


LIQUID COOLED
REFROIDISSEMENT LIQUIDE

Ø 10 mm

11.3 kg
(Gyro & G1 included)



FAST OPEN XL




GYRO INTEGRATED



PERFECT ELECTRICAL CONNECTION



AUTO



Control command
- Contrôle de commande

Motorised cable support
- Potence électrique
- Elektrisch verstellbarer Kabelsupport



OPTIONS



Caps type A box
048935
x40 (x6 : 049987)

Caps type F box
077119
x40 (x6 : 049970)



073449



x20 (x6 : 049987)
x6 (x6 : 049970)
x2 (x1 : 050617)





SD CARD
050914



2 L 082212
5 L 062511
10 L 052246



for PTI GENIUS
077126

GYSPOT
PTI GENIUS

14 500 A
550 daN

For mild steel, HSS, UHSS | Boron steel

TRANSFORMER INSIDE

Liquid cooled


Traceability software
Save spot welding configuration and export data

	024878	082267	024854	024892
Gyspot PTI-GENIUS	400V		220V	480V
Caps remover 050846	▪	▪	▪	▪
Arm support	▪	▪	▪	▪
G1 022768	▪	▪	▪	▪
G2 + G3 + G4 022898		▪		
Liquid cooling (10L) 052246		▪ (x3)		
Caps type A box 048935		▪		
Protection cover 077126		▪		

Included
Cable support
ULTRA RESISTANT



Ergonomic



MADE IN FRANCE	CE NORM. 62135	RMS 50/60 Hz	RMS A	AM A D curve	Spots/min (max)	Uo V	mm		Cables		cm	kg
GYSPOT PTI GENIUS 400V		3 x 400 V	**14 500**	**25** (17 kVA)	**20**	7	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	8 m 4x4 mm² H07RNF	71 x 90 x 200	127.7
GYSPOT PTI GENIUS 220 V		3 x 200	**12 500**	**50** (17-21 kVA)	**20**	6.6	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	8 m 4xAWG8 (500W)	71 x 90 x 200	136.2
		208	**13 000**			6.9						
		230	**14 500**			7.3						
		240	**14 500**			7.9						
GYSPOT PTI GENIUS 480V		3 x 480 V	**14 500**	**20** (17 kVA)	**20**	7	2.5+2.5+2.5	1,5 + 3	6 m, Liquid	8 m 4xAWG12 (500W)	71 x 90 x 200	128.7

OPTIONS

Kit gun
067226



RESISTANCE SPOT WELDING
PTI NEO

NEW


MADE IN FRANCE

3.5" colour screen
Easy navigation interface

Manual Mode
Direct entry of welding current, time and pressure -
Entrée directe du courant et temps de soudage et de la pression



Automatic Mode
Automatic detection of the welding parameters
- Détection automatique des paramètres de soudage



Synergic Mode
User defined welding parameters
- Programmation par l'utilisateur



Car Manufacturer Mode
Specific Car Manufacturer pre-programmed welding parameters
- Points de soudure constructeur préprogrammés




Traceability software
Save spot welding configuration and export data




G ARMS

EASY OPENNING



PERFECT ELECTRICAL CONNECTION



AUTOMATIC HYDRAULIC CONNECTION



OPTIONS

NEW



Caps type A box
048935
x40 (x6 : 049987)

Caps type F box
077119
x40 (x6 : 049970)



x20 (x6 : 049987)
x6 (x6 : 049970)
x2 (x1 : 050617)
073449

EASY USB UPDATE



USB key 16 Gb
062344

Cooling liquid - Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida



2 L 082212
5 L 062511
10 L 052246

Protection cover
- Housse de protection
- Schutzhaube
062733



G-clamp front body + protection
084896



GYSPOT
PTI NEO

13000 A
550 daN

For mild steel, HSS, UHSS | Boron steel

TRANSFORMER INSIDE

Liquid cooled : 5 litres

Automatic Mode
Automatic detection of the welding parameters

3.5" colour screen
Easy navigation interface

Traceability software
Save spot welding configuration and export data

G ARMS



9.7 kg VERY LIGHT

OPTION

NEW

QUICK FIX Single sided gun
- Kit Pistolet monopoint
082823



	024779	084834	077362	084841
Gyspot PTI-NEO	400V		208-240V	
Caps remover 050846	▪	▪	▪	▪
G1 022768	▪	▪	▪	▪
G2 + G4		▪		▪
	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX	ALL IN 1 BOX



78.5 x 58.5 x 64 cm




6 units/palette

G arms storage



G1, G2, G3 storage

OPTION



G11
8 bar/550 daN
071766



HSS ✓
UHSS ✓
Boron ✓

NEW

LIQUID COOLING
5 Litres
(not included)


MADE IN FRANCE · CE NORM. 62135		RMS	AM	Spots/min (max)	Uo	mm		Cables					
	50/60 Hz	A	A D curve		V		(option)		(option)	(option)		cm	kg
GYSPOT PTI NEO 400V	3 x 400 V	**13 000**	**20**	**10**	7.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m 4x4 mm² H07RNF	63 x 76 x 127	57
GYSPOT PTI NEO 208-240V	3 x 200 V	**10 900**	**30**	**10**	6.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m 4xAWG8 (S00W)	63 x 76 x 127	62
	3 x 208 V	**11 300**			6.9								
	3 x 230 V	**12 500**			7.7								
	3 x 240 V	**13 000**			8								

RESISTANCE SPOT WELDING

PTI MASTER
PTI EXPERT

MADE IN FRANCE

FAST OPEN XL




GYRO INTEGRATED





G ARMS EASY OPENNING



PERFECT ELECTRICAL CONNECTION



AUTOMATIC HYDRAULIC CONNECTION



TRANSFORMER INSIDE

MASTER 10.3 kg
(G1 included)

EXPERT 11.8 kg
(Gyro + G1 included)

LIQUID COOLED
Refroidissement liquide

OPTIONS

G-clamp front body + protection
084896



QUICK FIX Single sided gun
- Kit Pistolet monopoint
082823

NEW



EASY CONNECTION



Cooling liquid - Liquide de refroidissement
- Kühlmittel
- Enfriamiento líquido
- Refrigeração líquida



2 L 082212
5 L 062511
10 L 052246

Protection cover for PTI MASTER
062733



Protection cover for PTI EXPERT
050853





10-14 kg
059696

TRANSFORMER INSIDE | For mild steel, HSS, UHSS / Boron steel | Automatic Mode | 3.5" colour screen | Traceability software

GYSPOT PTI MASTER
13000 A
550 daN
Liquid cooled : 5 litres

GYSPOT PTI EXPERT
14500 A
550 daN
Liquid cooled : 30 litres

	PTI-MASTER	083264	087965	083257	087972	083943	088009	083950	088016
		400V		208-240V		400V		208-240V	
Caps remover		▪	▪	▪	▪	▪	▪	▪	▪
G1		▪	▪	▪	▪	▪	▪	▪	▪
G2 + G3 + G4			▪		▪		▪		▪
G9							▪		▪



NEW 01/2025



NEW 12/2024

MADE IN FRANCE / CE NORM. 62135	50/60 Hz	I RMS A	AM A D curve	Spots/min (max)	Uo V	mm		Cables				cm	kg
GYSPOT PTI MASTER 400V	3 x 400 V	13 000	20	10	7.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m, 4x4 mm² H07RNF	63 x 76 x 127	58
GYSPOT PTI MASTER 208-240V	3 x 200 V	10 900	30	10	6.7	2.5+2.0+2.0	1.5 + 3.0	4 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m, 4xAWG8 (SOOW)	63 x 76 x 127	63
	3 x 208 V	11 300			6.9								
	3 x 230 V	12 500			7.7								
	3 x 240 V	13 000			8								
GYSPOT PTI EXPERT 400V	3 x 400 V	14 500	25	10	7.4	2.5+2.0+2.0	1.5 + 3.0	5 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m, 4x4 mm² H07RNF	65 x 100 x 230	109
GYSPOT PTI EXPERT 208-240V	3 x 200 V	12 500	50	10	6.5	2.5+2.0+2.0	1.5 + 3.0	5 m, Liquid	1.8 m, Ø 300 mm²	1 m, Ø 300 mm²	8 m, 4xAWG8 (SOOW)	65 x 100 x 230	119
	3 x 208 V	13 000			6.7								
	3 x 230 V	14 500			7.4								
	3 x 240 V	14 500			7.7								


G ARMS

FOR GYSPOT BP GENIUS, PTI NEO / MASTER / EXPERT / GENIUS


G Arms - Caps Ø13 mm

Bras isolés - Isolated arms - Isolierte Bügel


Reversible for G1, G3, G4, G5, G8, G10 & G12




Kit de maintenance connecteurs pince G - Connectors maintenance kit for G clamp
067295




G2
8 bar/300 daN
022775




G6
8 bar/550 daN
022812




G7
4 bar/150 daN
022829



G11
8 bar/550 daN
for PTI PREMIUM PRO, NEO, MASTER & EXPERT
071766






G4
8 bar/550 daN
022799

Option for G4

G4-SA (Small Access)
064478
(for arms < 01/2021)







G5
8 bar/550 daN
022805

Option for G5

G5/G10-SA
(Small Access)
067660







G8
8 bar/550 daN
022836


Option for G8

G8-SA (Small Access)
067677







G1
8 bar/550 daN
022768



G3
8 bar/550 daN
022782


G1/G3-SA (Small Access)
067653
(for arms > 02/2021)






G10
8 bar/400 daN
067165

5 kg
20% saved




G12
8 bar/300daN
075238



G14
8 bar/550 daN
080942

Option for G10 & G12

G5/G10/G12-SA
(Small Access)
067660



Youtube

G › X
UNIQUE SYSTEM


PATENTED
BREVETÉ / PATENTED
n° US 11,618,097

AUTOMATIC WELDING FOR X1, X2 & X6

G9 | 8 bar/550 daN
not for PTI PREMIUM PRO / NEO


G9 with X1 Included
022881

X1
050501




Options for G9

X2
050518



X6
050587



90284 + 55121
for BP-G < Oct. 2019

Option
SD card
050914

Option
PCB
97449C


G ARMS PANELS

G2 + G3 + G4	G2 + G3 + G5
022898	063297

KIT SMALL ACCESS GENIUS for PTI GENIUS
077072

included **SA** 073579

+ **G1/G3-SA** (Small Access)



+ **G5/G10/G12-SA** (Small Access)



+ **G4-SA** (Small Access)



+ **G8-SA** (Small Access)



ACCESSORIES & CONSUMABLES

X/C/G CONSUMABLES - Consommables X/C/G

Type A
C or X clamp
Ø 13 mm (x6)
049987

Type B
C or X clamp
Ø 13 mm / Ø 5 mm (x6)
055506

Type D
C or X clamp
Ø 13 mm (x10)
058507

TYPE F
For single sided gun
Ø 13 mm (x6)
049970

TYPE G
Ø 13 mm (x10)
059672

Caps inclinés - Beveled
X2, X4,C11 arms
Ø 13 mm (x6)
049994



Caps type A box
048935
x40

Caps type F box
077119
x40

073449





Contact grease
Graisse contact
80 g
050440



Caps remover
050846




Anti-corrosion welding primer - Primaire de soudage anti-corrosion
500 ml
076822



Spot / Monopoint
049291

050068




CAP GRINDER - Affuteur de caps

Youtube

Lame - Blade
052857

048966


Optimal speed : 400–800 rpm



GYRO 360°

for PTI-S7
051720





STEEL SHEET TRACTION BENCH
- Banc de traction arrache tôle - Blech-Zugbank zur Festigkeitsprüfung



052420



WELD TEST KIT - Valise test soudure HLE / THLE
- Schweißtestkit im Hartschalenkoffer

050433



Barre d'arrachage / Traction bar
+ Acier doux / Mild steel 0.65 (x25) + 1.0 (x25)
+ Acier HSLA 360 - HLE 0.8 (x25)
+ Acier DP600 - THLE/UHLE 1.0 (x25)
+ Acier FB560 - THLE/UHLE 2.5 (x25)

ANTI-ARC PROTECTION 12V
- Protection anti–arc 12 V
- Lichtbogenschutz 12 V- Protección anti-arco 12V

041318



PROTECTION COVER
- Housse de protection
- Schutzhaube



for BP & PTI
050853



for PTI GENIUS
077126

SHEETS SET
- Échantillons de tôles

Acier standard / Standard steel
0.8 (x65) + 1 (x55) + 1.5 (x35) + 2 (x25)
+ Alu
1 (x45) + 1.5 (x30) + 2 (x20)

055841



ELECTRODE FORCE SENSOR
- Capteur d'effort

052314



TANK DRAINING KIT - Kit de purge réservoir
- Kit zur Tankentleerung

058286



SD MEMORY CARD
- Carte mémoire SD



SD CARD
050914



COOLING LIQUID
- Liquide de refroidissement
- Kühlmittel - Enfriamiento líquido
- Refrigeração líquida

2 L 082212
5 L 062511
10 L 052246



X ARMS

FOR GYSPOT 32D-X, 100R-CX, BP-LX

550 daN


6,5 kg including X1

DOUBLE PRESSURE


LIQUID COOLED REFROIDISSEMENT LIQUIDE

Ø 10 mm


MADE IN FRANCE




X Arms - Caps Ø13 mm




X1 8 bar/550 daN
050501




X2 8 bar/400 daN
050518




X4 8 bar/120 daN
050532




X5 8 bar/200 daN
050549




X4A 8 bar/150 daN
020702



X4B 8 bar/150 daN
020719




X4C 8 bar/150 daN
020726



X6 8 bar/400 daN
050587

X4 (A, B & C) combinations

260 mm X4A + X4A	190 mm X4A + X4B
120 mm X4B + X4B	150 mm X4A + X4C
40 mm X4C + X4C	80 mm X4B + X4C




X11 3 bar/150 daN
051607

X ARMS PANEL

X4A (**x2**) + X4B + X4C + X2
087798



X arms support
021471



Remote control (BP)



Digital screen control
Change Mode & Parameters



X clamp control



C clamp control




C ARMS PANELS



C2
+ C3
+ C4
060821

ALL IN 1 BOX



C10 +
C3 +
C5 +
C6 +
C9
=
076495

C ARMS

FOR GYSPOT PTI

550 daN

Transformer inside

9,9 kg including C1

DOUBLE PRESSURE

AIR COOLED + LIQUID COOLED
DOUBLE REFROIDISSEMENT AIR + LIQUID


Ø 10 mm



Youtube

C Arms - Caps Ø13 mm

Bras isolés - Isolated arms - Isolierte Bügel



PTI arm support kit
077577




BP arm support kit 080089




Arm lock pin
062405







C1 8 bar/550 daN
021402




C5 8 bar/550 daN
022393




C8 8 bar/550 daN
021440




C12 8 bar/550 daN
022997




C2 8 bar/550 daN
022386



C6 8 bar/300 daN
022409




C9 8 bar/550 daN
020078




5,7 kg
22% saved


C14 8 bar/400 daN
023543




C3 8 bar/550 daN
021419



C7 8 bar/550 daN
021433




C4 8 bar/550 daN
021426



C10 4 bar/150 daN
051638


Option for C7

C7-SA (Small Access)
067684



Option for C9 & C14

C9/C14-SA (Small Access)
067660







RIVETING

GYSPRESS 10T 71
GYSPRESS PREMIUM 10T PP 73
GYSPRESS 10T PP CONTROL 74

ADAPTERS 76
DIES BOXES & RIVETS 78

ACCESSORIES 81

Youtube

GYSPRESS 10T


6.5 bar	100 kN
10 t	

063303

070653







Discharge lever
- Levier de décharge - Auslösehebel



Speed control - Contrôle de la vitesse - Regelung Werkzeuggeschwindigkeit



Pressure control
- Contrôle de la pression - Druckregelung

US version
070653



Pressure gauge
Psi

HYDRAULIC SYSTEM fermé - closed - geschlossen

UNIQUE 100% No air inclusion
maintenance free, no oil refill

GYSPRESS 10T COMPLETE PACKS


		HR110 063310 + XT11.21 - Extension for HR110 & HR210 058644 + Strap-Sangle-Gurt + HR arm locker + Standard 10T tool box 053694 + Poignée-Handle-Griff + 6 x 50 rivets RAP - Nieten SPR 048706	HR210 + HR310 064089	24kN adapter 063822	Trolley+support 055391
GYSPRESS 10T 063303	✓	✓			
070653					
085091					
GYSPRESS 10T pack 1 066441	✓	✓			
GYSPRESS 10T pack 2 082991	✓	✓			
GYSPRESS 10T pack 3 064744	✓	✓			✓


MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL	cm	kg	LxWxH cm / kg	
GYSPRESS 10T	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+ −	39.5 x 180	6.2 (HR110 included)	58 x 50 x 15 / 12.1	


BRAS DE RIVETAGE - RIVETING ARMS - STANZNIETBÜGEL











included **XT31-78** (78 mm)
058637


	HR110 063310	HR210 063327	HR310 8T PP/10T/10T PP 063334
GYSPRESS 8T	✓	✓	—
GYSPRESS 10T	✓	✓	✓
GYSPRESS 8T PUSH PULL	✓	✓	✓
GYSPRESS PREMIUM 10T PUSH PULL	✓	✓	✓
GYSPRESS 10T PUSH PULL	✓	✓	✓
GYSPRESS 10T CONNECT	✓	✓	✓



KIT WITH HR210 + HR310
064089

XT31-40
Rallonges bras HR310 pour point millieu
- HR310 arm extension for middle point

Compatible 8T PP/10T/10T PP
x2
066335



OPTIONS



Riveting machine support for changing accessories (arms & dies)
- Support Riveteuse pour changements d'accessoires (bras & matrice)
- Supportständer

28 x 40 x 21,5 cm
45 x 39 x 20 cm / 7.2 kg
054158



Trolley - Chariot

74 x 51 x 81 cm
80 x 123 x 15 cm / 44 kg
054233



Trolley + Support
Chariot + Support

51 x 74 x 122 cm
51.2 kg
055391



Pressure sensor
- Capteur d'effort
062115



Hydraulic body wrenches (x 2)
067325



Temporary - Serre-tôles - fasteners manual mounting

(×10)
Ø 2,4 mm
069664



(×10)
Ø 4,0 mm
069671



(×10)
Ø 4,8 mm
069688



(×10)
Ø 6,4 mm
069695



GYSPRESS 10T PREMIUM PUSH PULL COMPLETE PACKS






HR110
063310



XT11.21 - Extension for HR110 & HR210
058644



Standard 10T tool box
058631



6 x 50 rivets RAP - Nieten SPR
048706



Strap-Sangle-Gurt



HR arm locker



Poignée-Handle-Griff



HR210 + HR310
064089



24kN adapter
063822



Trolley+support
055391

GYSPRESS 10T PREMIUM PUSH PULL 077065 070660	✓				
GYSPRESS 10T PPP pack 1 082519		✓			
GYSPRESS 10T PPP pack 2 082526			✓		
GYSPRESS 10T PPP pack 3 082533		✓			✓

GYSPRESS

PREMIUM

PUSH PULL

GYSPRESS PREMIUM 10T PUSH PULL


6.5 bar	100 kN
10 t	

077065
070660






UNIQUE
PUSH PULL SYSTEM by GYS



LARGE OPENING

MORE ACCESS



48.5 mm
(no dies)

23.5 mm
with B1/B2 dies

ERGONOMIC WITH QUICK SELECTION

WORK FASTER




Push/Pull selection
- Sélection Push/Pull

MANUAL PULL MODE



Manual/Automatic selection
- Sélection Manuel/ Automatique

OPENING CONTROL





Pressure control
- Contrôle de la pression
- Druckregelung



Speed control
- Contrôle de la vitesse
- Regelung Werkzeuggeschwindigkeit

US version
070660



Pressure gauge
Psi

HYDRAULIC SYSTEM fermé - closed - geschlossen

UNIQUE
100 % No air inclusion
maintenance free, no oil refill

NEW



Option
Hydraulic pump removal tool - Outil de démontage de pompe hydraulique
086852

MADE IN FRANCE	AIR BAR	PRESSURE CONTROL	SPEED CONTROL	cm	kg	LxWxH cm / kg
GYSPRESS 10T PREMIUM PUSH PULL	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+↶–	39.5 x 180	6.7 (HR110 included)	59 x 50 x 16 / 13.1

SYNERGIC
RIVETING WORKSTATION
PNEUMATIC HYDRAULIC

HYDRAULIC SYSTEM fermé - closed - geschlossen

UNIQUE
100%
No air inclusion
maintenance free, no oil refill

SYNERGIC
RIVETS
SETTINGS

ACCESSIBILITY
16 languages

FR GB DE IT ES PR CZ NL SE RU CN JP VN FI TR

Main panel



Setup instructions



Results




3 MODES

MANUAL
SYNERGIC
CAR MANUFACTURERS


CAR MANUFACTURERS COMPATIBILITY

✓ VW GROUP	✓ FERRARI
✓ MERCEDES-BENZ	✓ FORD
✓ BMW	✓ RENAULT ALPINE
✓ TESLA	✓ GM


CONNECTIVITY



TRACEABILITY
History data export




SOFTWARE UPDATE
Gyspress evolutions



Youtube

UNIQUE PUSH PULL SYSTEM by GYS

PUSH PULL SYSTEM by GYS



Sélection Push/Pull - Push/Pull selection



Gyspress support



Arms support





REGULATED PRESSURE CONTROL

POWER 10t



Discharge lever
- Levier de décharge
- Auslösehebel



WORKSTATION GYSPRESS 10T PP CONTROL

6.5 bar	100 kN
10t	

063860

included



HR110
063310



XT11.21 - Extension for HR110 & HR210
058644



Standard 10T PushPull tool box
058361



6 x 50 rivets RAP - Nieten SPR
048706



Strap-Sangle-Gurt



HR arm locker



Poignée-Handle-Griff

MADE IN FRANCE		AIR BAR	PRESSURE CONTROL	SPEED CONTROL	LxWxH cm / kg	LxWxH cm / kg
WORKSTATION GYSPRESS 10T PP CONTROL	230 V	6.5 bar = 10 t (maxi 10 bar)	0 > 6.5 bar	+~−	74 x 50 x 116 / 54	76 x 42 x 94 / 64.4

OPTIONS

Pressure gauge - Capteur d'effort
10T PP CONTROL
071759

Youtube




Hydraulic body wrenches
for GYSPRESS 10T, 10T PushPull, 10T PP CONTROL
(x 2)
067325



Hydraulic pump removal tool
086852



BLIND RIVET ADAPTERS - ADAPTATEURS POUR RIVETS AVEUGLES



Compatibility
- GYSPRESS 10T
- GYSPRESS 10T PUSH PULL
- GYSPRESS 10T PUSH PULL PREMIUM
- GYSPRESS 10T CONNECT

Youtube

BLIND RIVET ADAPTER 24 KN - Adaptateur 24 kn pour rivets aveugles - Blindnietadapter 24 kN

24 kN STANDARD 600 mm 063822

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8




INCLUDED
058446
for standard rivets :
Ø 3.2 x 1 059221
Ø 3.6 x 1 059238
Ø 4.0 x 1 059245
Ø 4.5 x 1 059252

24 kN COMPACT 600 mm 077164

Pour rivets POP - For BLIND rivets - Für Blindniet
Acier / Steel : Ø 6.4
Alu: Ø 6.4 → 7.8

COMPACT HEAD



INCLUDED
058446
for standard rivets :
Ø 4.5 x 1 081222
Ø 5.2 x 1 079939

OPTION
for extraction of self piercing rivet :
Rivet-extraction insert
- Buse d'extraction 24kN compact
Ø 5
079946

HIGH ACCESSIBILITY




SPECIFIC STORAGE




PERFECT COMBO WITH ARCPULL

SPECIAL TEARING RIVETS
- Spécial arrachage de rivets
- Spezial-Zugnieten

1. Stainless steel rod welding with GYSPOT Arcpull 350/700



2. Extraction of self piercing rivet with GYSPRESS adapters



OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARC PULL RIVET BOX1 350 - 24kN
064584

Stainless steel nail - Tige inox Ø 4 x 50 mm 064607	Barrel for stainless steel nail welding - Canon pour pose de tige inox	Mandrel support - Support porte-goujon 059634	Nozzle + pad - Buse + patin 059641	mandrel Ø4mm 049000	Buse d'extraction 24kN Ø 4 064683
×100	×1	×1	×1	×1	×1

BLIND RIVET ADAPTER 50 KN - Adaptateur 50 kn pour rivets aveugles - Blindnietadapter 50 kN



For BLIND rivets - Pour rivets POP - Für Blindniet
Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

INCLUDED

Kit Standard



Complete kit 065987




Ø 3.2	Ø 3.5	Ø 4.0	Ø 4.5	Ø 5.0
065994	066007	066014	066021	066038

OPTIONS


Steel / Acier : Ø 4.0 → 6.4
Alu: Ø 4.0 → 7.8

160 mm extension - Extension 160 mm - Verlängerung 160 mm
066144



Ø 8.0 → 9.8

Ø8.0/9.8mm noze-piece kit - Kit Rivets Ø8.0/9.8mm - Mundstückkit 8,0/9,8 mm
066045



M5 → M14
M5 → M8

Blind rivet nut pulling, Blind rivet bolt adapter kit - Kit 6 tirants pour pose d'écrous à sertir et goujons à sertir - Blindnietmuttern, Blindnietgewindebolzen-Kit
066076



included

M5	066083
M6	066090
M8	066106
M10	066113
M12	066120
M14	066137

OPTION FOR GYSPOT ARCPULL (details p.17)

for GYSPOT ARCPULL 350

ARCPULL RIVET BOX2 350 - 50kN
073388

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Mandrel support - Support porte-goujon 059634	Buse + pad 059641	Buse d'extraction 50Kn Ø 5 066151
×100	×1	×1	×1	×1

for GYSPOT ARCPULL 700

ARCPULL RIVET BOX 700
068452

Ø 5 x 50 mm 070745	Long barrel + mandrel M5 - Canon long + mandrin M5 070738	Buse d'extraction 50Kn Ø 5 066151	Mandrel support - Support porte-goujon 071377	Buse + pad 059641		Ring holder 059610	Rod for pulling rings - Fourche pour anneau 071384	Vis de butée
×100	×1	×1	×1	×1	×2	×1	×1	×1

CONSUMABLES BOX FOR 50KN ADAPTER - Boîte consommables pour adaptateur 50kN - Zubehörbox für 50 kN Adapter

066168



+ demo metal sheet - plaque de démonstration

Blind rivet nuts - Écrous à sertir						
	M5	M6	M8	M10	M12	M14
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0	1.0 → 3.5	1.0 → 4.0	4.5 → 6.0
	x 50 066175	x 50 066182	x 50 066199	x 50 066205	x 50 066212	x 10 066229
+	× 10	× 10	× 10	× 10	× 10	× 5

Blind rivet bolts - Goujons à sertir			
	M5	M6	M8
mm	22.5 → 27	24 → 28.5	23.5 → 28
mm	0.5 → 3.0	0.5 → 3.0	0.5 → 3.0
	X 50 066236	X 50 066243	X 50 066250
+	× 10	× 10	× 10

Blind rivets - Rivets aveugles		
	Ø 6.4	Ø 9.8
mm	2.8 → 4.8	3.0 → 14.0
	x 50 066267	x 50 066274
+	× 10	× 10

Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen



2.0 < 6.5 mm 3 < 5,8 bar

Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen




2.3 < 8.3 mm 5,3 < 8 bar

Application of Flow-form rivets
-Pose de rivets Flow-Form
- Setzen v. Fließformnieten



2.3 < 8.3 mm

Extraction de rivets
- Extraction of rivets
- Niet-Auspressen



2.3 < 8.3 mm 8 bar

Metal sheet punching and shaping -
Perçage et formage des tôles pour rivets pleins - Vollniet-Lochstanzen/Prägen



2.3 < 8.3 mm 8 bar

DIES BOXES - Boîtes matrices - Matrizensätze

STANDARD



STANDARD 8T/10T
for 8T 10T
053694
Included **XT11-21** 058644

x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x2	x4	
A1	A2	B1	B2	F1	F2	D17	E1	E2	T1	T2			
Self-piercing rivets				Flow-form rivets		Extraction			Punching		key - clé	seals - joints	x1
Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6		—	Ø 3.3 › 4.8	Ø 3.9 › 5.3	Ø 6				



STANDARD 8T/10T PUSH PULL
for 8T PP 10T PP 10T CONTROL
058361
Included **XT31-60** - 60 mm extension for HR310 (use with ST1, T5, T7) 057135
+ **XT11-21** 058644

x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x1	x2	x4	
A1	A2	B1	B2	F1	F2	D17	E1	E2	ST1	T5	T7			
Self-piercing rivets				Flow-form rivets		Extraction			Punching			key - clé	seals - joints	x1
Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 6 - A1/2/3 S0/1/2/3/4/5/6		—	Ø 3.3 › 4.8	Ø 3.9 › 5.3	Ø 6					

Ideal for aluminum & mild steel
- Idéal aluminium et aciers doux

Low pressure



Ø 6.4 mm

KIT RMB PP05
for 10T PP 10T CONTROL
066366



x1	x1	x1	
ST3	T12	T13	
Punching			
	Ø 6.7		

Ideal for UHSS, Boron - Idéal aciers durs, Boron

BREVET GYS / GYS PATENT n° US 11,712,732

Ne pas utiliser avec une Gyspress 8T & 8T PP - Do not use with Gyspress 8T & 8T PP

HIGH pressure



Ø 6.4 mm

KIT RMB 08 PREMIUM
for 10T 10T PP 10T CONTROL
066403



x1	x1	x1	
T14	T15	T16	
Punching			
	Ø 6.7		

Flow-Form Ø 6 mm

KIT RMB 14 PREMIUM
for 10T 10T PP 10T CONTROL
071186



x1	x1	x1	
T17	T18	T19	
Punching			
	Ø 6		

Flow-Form Ø 8 mm

KIT RMB 15 PREMIUM
for 10T 10T PP 10T CONTROL
071193



x1	x1	x1	
T20	T21	T22	
Punching			
	Ø 8		

Punching Ø 10 mm holes

KIT RMB 16 PREMIUM
for 10T 10T PP 10T CONTROL
080867



x1	x1	x1	
T23	T24	T25	
Punching			
	Ø 10		

GM



RMB 11
for 10T
071087

RMB PP04
for 10T PP 10T CONTROL
071063

Included **XT31-60** - 60 mm extension for HR310

RMB 11 → / RMB PP04 →	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x1	x2	x2	x4
	F1	F2	F6	E9	E11	T1	T2	—	—	—	T17	T18	T19	D18	D17		
	—	—	—	—	—	ST1	T5	T7								key - clé	seals - joints
Flow-form rivets			Extraction		Punching												
Ø 6			Ø 6 › 8		Ø 6												

FERRARI



RMB 06
for 8T 10T 8T PP 10T PP 10T CONTROL
059009

x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x2	x4	
B4	B5	B6	S3	S7	S8	D17	E1	E2	E13			
Self-piercing rivets						Extraction				key - clé	seals - joints	
Ø 3.9	Ø 4.75		Ø 3.9	Ø 4.75		—	Ø 3.3 › 4.8	Ø 3.9 › 5.3	Ø 4.75			

VW GROUP



RMB 03
for 8T 10T 8T PP 10T PP 10T CONTROL
054257

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4	
A1	B1	S3	S7	S8	D8	D9	D17	D1	D2	D3	D4	D13	E2	S1	S4	S5	D5	D6	D7	D10	D11	D12	D15	D16	
Self-piercing rivets					Solid rivets			Extraction									Punching								key - clé	seals - joints
Ø 3.2 › 3.5	Ø 5 › 5.3	Ø 3.9	Ø 4.75		Ø 4	Ø 6		Ø 3.2				Ø 5.3	Ø 3.9 › 5.3		Ø 3.2	Ø 5.3	Ø 8	Ø 4.8	Ø 4 › 8	Ø 4	Ø 8	Ø 6				

NIO



RMB PP08
for 10T 10T PP 10T CONTROL
072404

Included **XT31-60** - 60 mm extension for HR310

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x2	x1	x2	x4	
B1	B2	F1	F2	F6	E2	E3	E9	E11	T5	ST1	T7	T17	T18	T19	D17	D18	
Self-piercing rivets		Flow-form rivets			Extraction				Punching							key - clé	seals - joints
Ø 5.3	Ø 5.3	Ø 6			Ø 5.3		Ø 6		Ø 6								

MERCEDES-BENZ



RMB 07
for 10T
064454

RMB 07 →	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	
	F1	F2	F3	F45	F5	E9	E10	E11	T1	T2	T3	T4			
Flow-form rivets						Extraction			Punching				key - clé		
Ø 6 - A1/2/3 S0/1/2/3/4/5/6	S28/38/48/58/68		S08/18	Ø 6 › 8	Ø 8	Ø 6	Ø 6		Ø 8					

Included **XT31-60** - 60 mm extension for HR3 (use with E3, E4, E5, E9, E10, E11) 057135



RMB PP01
for 8T PP 10T PP 10T CONTROL
058378

x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	
F1	F2	F3	F45	F5	E9	E10	E11	ST1	ST2	T5	T7	T8	T10		
Flow-form rivets					Extraction			Punching						key - clé	
Ø 6 - A1/2/3, S0/1/2/3/4/5/6	S28/38/48 /58/68	S08/18	Ø 6 › 8	Ø 8	Ø 6	Ø 6	Ø 8	Ø 6	Ø 6	Ø 8	Ø 8				

Included **XT31-60** - 60 mm extension for HR3

FORD



RMB PP02
for 10T 8T PP 10T PP 10T CONTROL
058835

RMB PP02 →	x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4	
	B1	G1	G2	G3	G4	G5	G6	E7	E12			
Self-piercing rivets								Extraction		key - clé	seals - joints	
Ø 5 › 5.3								Ø 5 › 5.3				

Included **XT31-60** - 60 mm extension for HR3 (use with E7 & E12) 057135

JAGUAR / LAND ROVER



RMB 02
for 8T 10T 8T PP 10T PP 10T CONTROL
054271

x1	x1	x1	x1	x2	x1	x1	x2	x4	
B1	B2	B3	S8	D17	E1	E6			
Self-piercing rivets				Extraction			clé -key	seals - joints	
Ø 5 › 5.3	Ø 5.3	Ø 4.8	Ø 4.75	—	Ø 3.3 › 4.8	Ø 3.3 › 4.8			

BMW



RMB 01
for 8T 10T 8T PP 10T PP 10T CONTROL
054240

x1	x1	x1	x1	x1	x1	x2	x4	
A1	A2	B1	B2	E1	E2			
Self-piercing rivets				Extraction		key - clé	seals - joints	
Ø 3.2 › 3.5	Ø 3.3	Ø 5 › 5.3	Ø 5.3	Ø 3.3 › 4.8	Ø 3.9 › 5.3			



RMB 12
for 10T
071094

RMB PP07
for 10T PP 10T CONTROL
071070

RMB 12 → / RMB PP07 →	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x1	x2	x2	x4	
	B1	B3	I1	I2	I3	F1	F2	F6	E3	E13	T1	T2	—	—	—	T17	T18	T19	D18	D17			
	—	—	—	—	—	—	—	—	—	—	—	—	ST1	T5	T7						key - clé	seals - joints	
Self-piercing rivets						Flow-form rivets			Extraction		Punching												
Ø 5 › 5.3						Ø 6			Ø 3.3 › 4.8	Ø 9	Ø 6												

Included **XT31-60** - 60 mm extension for HR310



RMB 10
for 10T
069299

RMB PP06
for 10T PP 10T CONTROL
069305

RMB 10 → / RMB PP06 →	x1	x1	x1	x1	x1	x1	x1	x1	x1	x1	x3	x1	x2	x2	x4	
	B3	F2	E9	E11	T1	T2	—	—	—	T17	T18	T19	D17			
	—	—	—	—	—	—	T5	ST1	T7					key - clé	seals - joints	
Flow-form rivets		Extraction		Punching												
Ø 6		Ø 6 › 8		Ø 6												

Included **XT31-60** - 60 mm extension for HR310



RMB 09
for 8T 10T 8T PP 10T PP 10T CONTROL
059931

x1	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4	
B1	H1	H2	H3	H4	H5	H6	H7	H8			
Self-piercing rivets									key - clé	seals - joints	
Ø 5 › 5.3	Ø 5.3										



RMB 13
for 10T
071100


RMB PP03
for 8T PP 10T PP 10T CONTROL
059092

RMB 13 → / RMB PP03 →	x1	x1	x1	x1	x1	x1	x2	x1	x1	x1	x1	x1	x1	x1	x1	x2	x4	
	B1	S7	S8	F3	F45	F5	D17	E2	E3	E9	E10	—	—	—	T3	T4		seals
	—	—	—	—	—	—	—	—	—	—	—	ST2	T8	T10	—	—	key - clé	
Self-piercing rivets			Flow-form rivets			Extraction						Punching						
Ø 5 › 5.3	Ø 4.75		S28/38/48/58/68		S08/18	—	Ø 3.9 › 5.3	Ø 5.3 › 8	Ø 6 › 8	Ø 8		Ø 8			Ø 8			


Included **XT31-60** - 60 mm extension for HR3 (use with E2, E3, E9, E10) 057135

DIES - Matrices - Matrizen

Application of self-piercing rivets
- Pose de rivets auto-perçants
- Stanzniet-Verpressen




Application of solid rivets
- Pose de rivets pleins
- Vollniet-Verpressen




Pose de rivets Flow-Form
- Application of Flow-form rivets
- Setzen v. Fließformnieten




Extraction of rivets
- Extraction de rivets
- Niet-Auspressen




Metal sheet punching and shaping
- Perçage et formage des tôles pour rivets pleins - Vollniet-Lochstanzen/Prägen







								Ø 8												
×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
A1	A2	B1	B2	B3	B4	B5	B6	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13
055698	055704	055711	055728	055735	059016	059023	059030	055971	055988	055995	055742	056008	056015	056022	056039	056046	055674	056060	056053	055759
A1+A2		B1+B2																		
054295		054301																		



×1	×1	×1	×1	×1	×5	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
D15	D16	D17	D18	E1		E2	E3	E6	E7	E9	E10	E11	E12	E13	F1	F2	F3	F45		
056077	056084	055681	071155	055865	054288	055766	057005	057142	057159	058606	058613	058620	058828	059085	055773	055780	055797	083547		
				E1+E2											F1+F2					
				054318											054714					




×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×1
F5	F6	G1	G2	G3	G4	G5	G6	H1	H2	H3	H4	H5	H6	H7	H8	I1	I2	I3	J1	J2
055810	071148	057173	057180	057197	057203	057210	057227	068230	068247	068254	068261	068278	068285	068292	068308	071117	071124	071131	071674	071902




									Ø 6	Ø 6				Ø 6		Ø 8		Ø 6.7		
×1	×1	×1	×1	×1	×1	×1	×1	×1	×1	×5	×1	×1	×1	×1	×1	×1	×1	×1	×1	
S1	S3	S4	S5	S7	S8	ST1	ST2	ST3	T1		T2	T3	T4	T5	T7	T8	T10	T12	T13	
057036	057043	057050	057067	057074	057081	058071	058088	066397	057098	059078	057104	055827	055834	058019	058033	058040	058064	066373	066380	
									T1+T2											
									054707											

BREVET GYS / GYS PATENT
n° US 11,712,732



	Ø 6.7				Ø 6			Ø 8					Ø 10							
×1	×1	×5	×1	×1	×1	×5	×1	×1	×1	×5	×1	×1	×1	×5	×1					
T14	T15		T16	T17	T18		T19	T20	T21		T22	T23	T24		T25					
066410	066427	068964	066434	069312	069329	071254	069336	070936	070943	071261	070950	082830	082847	082861	082854					



SELF PIERCING RIVETS (SPR)
- Rivets autoperçants (RAP) - Stanznieten



Steel - Acier - Stahl

Complete box
048706

Ø 3,3 x 3,5 mm x 50	Ø 3,3 x 4 mm x 50	Ø 5,3 x 4 mm x 50	Ø 5,3 x 5 mm x 50	Ø 5,3 x 6 mm x 50	Ø 5,3 x 8 mm x 50	Ø 5,3 x 7 mm	Ø 5,3 x 9 mm
x 200 048232	x 200 048249	x 100 048256	x 100 048263	x 100 048270	x 100 048225	x 100 048638	x 100 048645

SPECIAL CENTER PUNCH
- Pointeau centreur
- Spezialkörner

048379



HYDROPNEUMATIC TOOL FOR BLIND RIVETS
- Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



NEW 03/2025

HR185

max 18 500 N (5-7 bar)
H 327 x L 21 mm / 2.3 kg

085923



HYDROPNEUMATIC TOOL FOR BLIND RIVETS - Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



Steel / Acier	Ø 4.0/4.8/6.4
Alu	Ø 4.0/4.8/6.4

HR14

max 14 000 N

057241



Made in Taiwan

HYDROPNEUMATIC TOOL FOR BLIND RIVETS
- Riveteuse hydro-pneumatique - Hydro-pneum. Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



Steel / Acier	Ø 3.2/4.0/4.8
Alu	Ø 3.2/4.0/4.8

HR9

max 9 000 N

057234



Made in Taiwan

CORDLESS RIVETER - Riveteuse sur batterie
- Akku-Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



TWO ER20

max 20 000 N (6 bar)
10-20 V universal fast charger (30 min)
2.0 kg

064461



20V/2Ah Li-ion battery

MANUAL TOOL FOR BLIND RIVETS
- Riveteuse manuelle - Manueller Blindnietgerät

For BLIND rivets - Pour rivets POP - Für Blindniet



Steel / Acier	Ø 3.2/4.0/4.8/6./6.4
Alu	Ø 3.2/4.0/4.8/6./6.4

061323



Made in Taiwan

HYDROPNEUMATIC TOOL FOR RIVET NUTS - Sertisseuse hydro-pneumatique riv 998 - Hydro-pneum. Blindnietmutterngerät

Sealing nuts
- Ecrous à sertir
- Blindnietmuttern



M3 → M12

Blind rivet bolts
- Goujons à sertir
- Blindnietbolzen



M3 → M12

RIV 998

max 19 000 N (6 bar)
included accessories for sealing nuts:
- livré avec accessoires pour écrous à sertir :

✓ M3 ✓ M4
✓ M5 ✓ M6
✓ M8 ✓ M10
✓ M12

055414





MADE IN ITALY

MIG-MAG
GMAW-FCAW

TRADITIONAL

GYS AUTO 83

INVERTER

E GYS AUTO 84
P GYS AUTO 86
AUTOPULSE 88

ACCESSORIES & CONSUMABLES 92





INVEST IN THE FUTURE


GYS AUTO

MIG/MAG
TRADITIONAL SYNERGIC

15→200 A
Ideal 0,6 mm



Capacitor
M1GYS AUTO, M3GYS AUTO
> PERFECT WELD



ACCESSORIES BOX



M1 GYS AUTO

15◢160 A | Capacitor

230 V • 1 ~ — 6 m
032903

208/240 V • 1 ~ — 2 m
032088

with accessories

M3 GYS AUTO

15◢160 A | Capacitor

230 V • 1 ~ — 6 m
032880

Option Spool Gun Torch
041486

Ø 100
Ideal for
· Steel / Acier / Stahl
· Stainless steel / Inox
· Alu

100% READY

Helmet not included

Option M3GYS :
Protection cover
052260



Protection gas
Argon+CO_2(Steel, Inox)
Argon (ALU/CuSi3/CuAl8)
CO_2PUR (Steel)

MADE IN FRANCE	MADE IN GYS CHINA	CE NORM 60974/1	50/60 Hz	AM	A min→max	Reg	100 (spoolgun)	Ø mm 200	300	Electronic Control	EN60974-1 (40°C) IA (60%)	X% (I2 max)	Ø mm	Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica		LxWxH cm / kg	Protected & compatible power generator (+/-15%)
	▪	**M1 GYS AUTO**	230 V 1~	16	15→160	6	option	▪	▪		90	140A@15%	0.6→1	0.6/0.8	0.8	78 x 38 x 67 / 56	4,5 kVA
▪			208/240 V 1~													37 x 79 x 67 / 57.5	
▪		**M3 GYS AUTO**	230 V 1~	16	15→160	6	▪	▪	▪		90	140A@15%	0.6→1	0.6/0.8 0.8/1.0	2 x 0.8	74 x 40 x 85 / 77.5	4,5 kVA

MIG/MAG INVERTER SYNERGIC

Lastest generation colour screen 3.5"

16 languages

- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish

EASY



EXPERT
Pre-gas / Creep speed/ Hotstart / Crater filler / Burnback / Post-gas



EASY TO SETUP



Screen protection - Protection d'écran - Bildschirmschutz
079885

MODES

- MANUAL
- SYNERGIC EASY / EXPERT
- 2T
- 4T
- SPOT
- DELAY

FONCTIONS

- TRACEABILITY
- PORTABILITY
- +500 JOBS can be saved

SYNERGIES

- STEEL
- AlSi
- AlMg
- Cu Si 3 / CuAl 8
- CrNi

UPDATES




EASY USB UPDATE

USB key 16 Gb
062344



E1 GYS AUTO
10 ◢ 200 A | 230 V 1~ | PFC


with accessories :



075122

E2 GYS AUTO
10 ◢ 200 A | 230 V 1~ | PFC

with accessories :



075139

E3 GYS AUTO
10 ◢ 200 A | 230 V 1~ | PFC

with accessories :




075160



	E1 GYS AUTO	E2 GYS AUTO	E3 GYS AUTO
1	Ø 200 / 300	Ø 200	Ø 200
2	–	Ø 200 / 300	Ø 200
3	–	–	Ø 200

µC ELECTRONIC

10 → 200 A
Ideal 0.6 mm



PFC POWER FACTOR CORRECTION

195 V — 265 V
110 V — 230 V
45 m

OPTION

Protection cover for 2-torch & 3-torch generator
052260

Cable support E2/E3
077300







E1 GYS AUTO **200 A** • ×1

E2 GYS AUTO **200 A** • ×2

E3 GYS AUTO **200 A** • ×3

MADE IN FRANCE	CE NORM. 60974/1		50/60 Hz	AM A		min→max A	Ø mm 200	Ø mm 300	Electronic Control	EN60974-1 (40°C) IA (60%)	EN60974-1 (40°C) X% (12 max)	Ø mm	Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica	LxWxH cm / kg	Protected & compatible power generator (+/-15%)
▪	E1 GYS AUTO		230 V 1 ~	16	6 m	10→200	▪	▪		145	200 A @ 20 %	0.6→1	Acier Type B 0.6/0.8	79 x 37 67 / 42.6	9KVA
▪	E2 GYS AUTO		230 V 1 ~	16	6 m	10→200	▪	▪		145	200 A @ 20 %	0.6→1	Acier Type B 0.6/0.8 Alu Type B 0.8/1	72 x 37 x 105 / 59.5	9KVA
▪	E3 GYS AUTO		230 V 1 ~	16	6 m	10→200	▪			145	200 A @ 20 %	0.6→1	Acier Type B 0.6/0.8 Acier Type B 0.8/1 Alu Type B 0.8/1	73 x 38 x 108 / 64	9KVA

MIG/MAG PULSE SYNERGIC

Lastest generation colour screen 3.5"

16 languages

- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish

EASY



EXPERT
Pre-gas / Creep speed/ Hotstart / Crater filler / Burnback / Post-gas



EASY TO SETUP



Screen protection - Protection d'écran - Bildschirmschutz
079885

MODES

EASY	
	SYNERGIC STANDARD
	SYNERGIC PULSE
NEW	PULSE IN PULSE
EXPERT	
	MANUAL
	SYNERGIC STANDARD
	SYNERGIC PULSE
NEW	PULSE IN PULSE

TORCH

- **2T**
- **4T**
- **SPOT**
- **SPOT DELAY**

FONCTIONS

- **TRACEABILITY**
- **PORTABILITY**
- +500 JOBS can be saved

SYNERGIES

- **STEEL** - ACIER
- **ALU**
- **STAINLESS STEEL** - INOX
- **BRAZING** - BRASAGE
- +40 SYNERGIES

UPDATES




EASY USB UPDATE

USB key 16 Gb
062344



10→220 A
Ideal 0.6 mm



P1 GYS AUTO

10◢220 A | 230V 1~ | PFC

with accessories :

3 m, 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 072138

080584

P1 GYS AUTO 208-240V

10◢220 A | 208>240V 1~ | PFC

with accessories :

3 m, 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 072138

080911

4 m³ (20L)



P1 GYS AUTO **220 A** • ×1

P2 GYS AUTO

10◢220 A | 230V 1~ | PFC

with accessories :

3 m 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 072138 + CuSi 150 A, 3 m, air Ø 1.0 072121

083134

P2 GYS AUTO 208-240V

10◢220 A | 208>240V 1~ | PFC

with accessories :

3 m 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 072138 + CuSi 150 A, 3 m, air Ø 1.0 072121

083189

OPTION

Protection cover for 2-torch & 3-torch generator
052260

2 x 4 m³ (20L)



P2 GYS AUTO **220 A** • ×2

P3 GYS AUTO

10◢220 A | 230V 1~ | PFC

with accessories :

3 m 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 072138 + CuSi 150 A, 3 m, air Ø 1.0 072121 + Steel 150 A, 3 m, air Ø 0.6 Ø 0.8 063754

080591

P3 GYS AUTO 208-240V

10◢220 A | 208>240V 1~ | PFC

with accessories :

3 m 25 mm² + Alu 250 A, 3 m, air Ø 1.0 Ø 1.2 072138 + CuSi 150 A, 3 m, air Ø 1.0 072121 + Steel 150 A, 3 m, air Ø 0.6 Ø 0.8 063754

080928

Cable support P2/P3
077300



OPTION



Protection cover for 2-torch & 3-torch generator
052260

2 x 4 m³ (20L)



P3 GYS AUTO **220 A** • ×3

MADE IN FRANCE	CE NORM. 60974-1		50/60 Hz	AM A		min→max A	Ø mm 200	Ø mm 300	Electronic Control	EN60974-1 (40°C) IA (60%)	EN60974-1 (40°C) X% (12 max)	Ø mm	Original equipement Equipement d'origine Originalausstattung Equipamiento de fabrica			LxWxH cm / kg	Protected & compatible power generator (+/-15 %)
▪	**P1 GYS AUTO**		230 V 1 ~	16	6 m	10→220	▪	▪	1 x	150	220 A @ 20 %	0.6→1.2	Alu Type B 1.0/1.2			78 x 45 x 80 / 45	9KVA
▪	**P1 GYS AUTO 208-240V**		208›240 V 1 ~	16						150	220 A @ 20 %					78 x 45 x 80 / –	9KVA
▪	**P2 GYS AUTO**		230 V 1 ~	16	6 m	10→220	▪	▪	2 x	150	220 A @ 20 %	0.6→1.2	Alu Type B 1.0/1.2	Steel Type B 0.8/1.0		86 x 63 x 93 / 58	9KVA
▪	**P2 GYS AUTO 208-240V**		208›240 V 1 ~	16						150	220 A @ 20 %					86 x 63 x 93 / –	9KVA
▪	**P3 GYS AUTO**		230 V 1 ~	16	6 m	10→220	▪	—	3 x	150	220 A @ 20 %	0.6→1.2	Alu Type B 1.0/1.2	Steel Type B 0.8/1.0	Steel Type B 0.6/0.8	86 x 63 x 93 / 62	9KVA
▪	**P3 GYS AUTO 208-240V**		208›240 V 1 ~	16						150	220 A @ 20 %					86 x 63 x 93 / –	9KVA

MIG/MAG

DOUBLE PULSE SYNERGIC

Youtube

ACCESSIBILITY

3 interface levels

- EASY
- EXPERT
- ADVANCED

16 languages

- French
- English
- German
- Italian
- Spanish
- Portuguese
- Czech
- Polish
- Dutch
- Swedish
- Russian
- Chinese
- Japanese
- Vietnamese
- Finnish
- Turkish

Latest generation colour screen 5"
800 x 480 (WVGA)

EASY

EXPERT
Pre-gas / Hot Start / Upslope / Downslope / Crater filler / Post-gas

ADVANCED
Arc length adjustments



3 INTERFACE LEVELS


500+ JOBS can be saved



TRACEABILITY



PORTABILITY



MODES

DYNAMIC STANDARD
PULSE
PULSE IN PULSE
MANUAL
COLD PULSE

FULLY DIGITAL

4 MICROPROCESSORS

+ DSP

65+ SYNERGIES

Find all the synergies:
Retrouvez toutes les synergies :
Finde alle Synergien :


STEEL
Cu Si 3 / Cu Al 8
ALU

UPDATES

EASY USB UPDATE

gys.fr

USB key 16 Gb
062344



AUTOPULSE 220-M3

1	Ø 200		PP
2	Ø 200		–
3	Ø 200		–

µC ELECTRONIC

BODYSHOP SPECIFIC
COLD PULSE
CuSi3 Ø 0.8/1



2 x 4 m³ (20L)

3 x

PFC POWER FACTOR CORRECTION

185 V – 265 V
110 V – 230 V
45 m

TESLA APPROVED COLLISION TOOLS, EQUIPMENT & CONSUMABLES

AUTOPULSE 220-M3

10◢220 A | 230 V 1~ | PFC

with accessories :

4 m, 35 mm²	CuSi	Steel	Alu
043817	150 A, 3 m, air Ø 1.0 072121	150 A, 3 m, air Ø 0.8 063754	250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

036703

AUTOPULSE 220-M3 208-240V

10◢220 A | 208>240V 1~ | PFC

with accessories :

4 m, 35 mm²	CuSi	Steel	Alu
043817	150 A, 3 m, air Ø 1.0 072121	150 A, 3 m, air Ø 0.8 063754	250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

062481

OPTIONS

PUSH PULL TORCH
24 V

MB 25
4 m
046283





MB 15 / MB 25 (250 A)
077089



Torch gas flow-meter
- Débimètre de bout de torche
053939



Protection cover
- Housse de protection
- Schutzhaube
052260




220 A • ×3

MADE IN FRANCE / CE NORM. EN60974-1	50 / 60 Hz		AM	Ø	min→max			Ø mm	Cooling system	Equipement d'origine Original equipement Originalausstattung Equipamento de fabrica		EN60974-1 (40°C)			Protected & compatible power generator (+/-15 %)
			A	Ø mm	A	SPOOLGUN	PUSHPULL	200		ELECTRONIC CONTROL		IA (60%)	X% (12 max)	LxWxH cm / kg	
AUTOPULSE 220-M3	230 V - 1 ~	8 m	16	0.6→1.2	10→220	–	OPTION	■	Air		ACIER : Type B 0.6 / 0.8 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	150	220 A @ 20%	75 x 41 x 94 / 80	10 kVA
AUTOPULSE 220-M3 208-240V	208>240 V - 1 ~	8 m	16	0.6→1.2	10→220	–	OPTION	■	Air		ACIER : Type B 0.6 / 0.8 ACIER : Type B 0.8 / 1.0 ALU : Type B 1.0 / 1.2	150	220 A @ 20%	75 x 41 x 94 / 80	10 kVA

MIG/MAG

DOUBLE PULSE SYNERGIC

BODYSHOP SPECIFIC
COLD PULSE
CuSi3 Ø 0.8 / 1



	AUTOPULSE 320-T1	AUTOPULSE 320-T3	AUTOPULSE 320-T3 208-240V
1	Ø 200 / 300 · PP	Ø 200 · PP	Ø 200 · PP
2	– – –	Ø 200 ·	Ø 200 · –
3	– – –	Ø 200 · –	Ø 200 · –

µC ELECTRONIC

PFC **POWER FACTOR CORRECTION**

185 V — 265 V
110 V — 230 V
45 m



320 A • ×1

AUTOPULSE 320-T1

15 ◢ 320 A | 400 V 3~

with accessories :

4 m, 35 mm² 043817 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

069831

OPTIONS

PUSH PULL TORCH
24 V

MB 25
4 m
046283





MB 15 / MB 25 (250 A)
077089



x5 (M6-Ø 0.6)
x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)



x5 (M6-Ø 0.8)
x5 (M6-Ø 1.0)
x5 (Alu - M6-Ø 1.0)
x5 (Alu - M6-Ø 1.2)

Torch gas flow-meter
- Débimètre de bout de torche

053939



Protection cover
- Housse de protection
- Schutzhaube

052260



MADE IN FRANCE	EN60974-1	50 / 60 Hz		A	Ø mm	min→max A	SPOOLGUN	PUSHPULL	Ø mm 200	Ø mm 300	Cooling system	Original equipement / Equipement d'origine / Originalausstattung / Equipamento de fabrica: ELECTRONIC CONTROL		EN60974-1 (40°C) IA (60%)	EN60974-1 (40°C) X% (12 max)	LxWxH cm / kg	Protected & compatible power generator (+/-15 %)
AUTOPULSE 320-T1		400 V · 3 ~	5 m	16	0.6→1.2	15→320	–	**OPTION**	■	■	Air		ALU : Type B 1.0 / 1.2	260	320 A @ 35%	74 x 41 x 94 / 65.1	16 kVA



320 A • ×3

AUTOPULSE 320-T3

15 ◢ 320 A | 400 V 3~

with accessories :

4 m, 35 mm² 043817 + Steel 250 A, 3 m, air Ø 1.0 072152 + Steel 250 A, 3 m, air Ø 0.8 072145 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138

067615

AUTOPULSE 320-T3 208-240V

15 ◢ 320 A | 208>240 V 3~ PFC

with accessories :

4 m, 35 mm² 043817 + Steel 250 A, 3 m, air Ø 1.0 072152 + Steel 250 A, 3 m, air Ø 0.8 072145 + Alu 250 A, 3 m, air Ø 1.0 + Ø 1.2 072138


036970

OPTION

for AUTOPULSE 320-T3 (400 V) only

SPOOLGUN TORCH

Ideal Alu
Ø 0,8 · Ø 100
4 m
041486



MADE IN FRANCE	EN60974-1	50 / 60 Hz		A	Ø mm	min→max A	SPOOLGUN	PUSHPULL	Ø mm 200	Ø mm 300	Cooling system	Original equipement / Equipement d'origine / Originalausstattung / Equipamento de fabrica: ELECTRONIC CONTROL		EN60974-1 (40°C) IA (60%)	EN60974-1 (40°C) X% (12 max)	LxWxH cm / kg	Protected & compatible power generator (+/-15 %)
AUTOPULSE 320-T3		400 V · 3 ~	5 m	16	0.6→1.2	15→320	**OPTION**	**OPTION**	■	–	Air		ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260	320 A @ 35%	75 x 40 x 94 / 82	16 kVA
AUTOPULSE 320-T3 208-240V		208-240 V · 3 ~	5 m	25	0.6→1.2	15→320	—	**OPTION**	■	–	Air		ACIER : Type C 0.8 / 1.0 mm ALU : Type C 1.0 / 1.2	260	320 A @ 35%	74 x 41 x 95 / 82	16 kVA

MANUAL TORCHES - Torches manuelles - Brenner - Antorcha - Lastoort - Tocha

CLASSIC



CLASSIC GRIP



FUME EXTRACTION

Fume Extraction Torches - Torches aspirantes - Rauchgas-Absaugbrenner - Antorcha con aspiración de humos



Complete systems (p. 121)

BINZEL

PUSH PULL

for AUTOPULSE

MADE IN FRANCE




Rollers - Galets - Drahtführungsrollen - Rollen - Rodillos - Wielen - Roletes

0.6/0.8/1.0 **046290**
0.8/1.0/1.2 **038752**

Connector Push Pull 10 pts **064393**

SPOOL GUN

Special CAR BODY REPAIR MACHINES



COMPLETE TORCHES


	Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl						ALU - Aluminium - Aluminio					PUSH PULL	SPOOL GUN
	AIR					LIQUID	AIR				LIQUID	AIR	AIR
	150 A	150 A	250 A	250 A	350 A	300 A	150 A	250 A	250 A	350 A	300 A	220 A	150 A
X % 40°C, $ArCo_2$	150 A 60 %	150 A 60 %	150 A 60 %	200 A 60 %	290 A 60 %	270 A 100 %	150 A 60 %	200 A 60 %	230 A 60 %	290 A 60 %	270 A 100 %	220 A 20 %	150 A 60 %
	A1 + A2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	A1 + A2	B1 + B2	B1 + B2	D1 + D2	C1 + C2	B1 + B2	A1 + A2
	M6 Ø0.8	M6 Ø1.0	M6 Ø0.8	M6 Ø1.0	M8 Ø1.2	M6 Ø1.2	M6 Ø0.8	M6 Ø1.0	M6 Ø1.2	M8 Ø1.2	M6 Ø1.2	M6 Ø 1.2	M6 Ø0,8
	3 m	3 m	3 m	3 m	4 m	3 m	3 m	3 m	3 m	3 m	3 m	4 m	4 m
	063754	072121	072145	072152	063792	040694	063761	063785	072138	063808	040748	046283	041486
	3 m Flexible			4 m	3 m	4 m	3 m	4 m			4 m		
	082151			063778	040687	043275	041462	040939			043282		
	3 m			3 m	4 m								
	043251			040540	040557								

Special MIG/MAG plier

- Pince spéciale MIG/MAG
- Spezial MIG/MAG Zange



041332



Anti-spatter spray (without silicone)

- Spray protecteur sans silicone
- Antihaftspray (Ohne Silicon)

400 ml
041806




MIG torch stand with magnetic base

- Support torche magnétique

041653




CONSUMABLES - Consommables




Torch liners - Gaines - Mantel - Funda - Drahtseelen - Folha (p. 103)

Tip adaptors & diffusers - Supports tube contact & diffuseurs



Contact tips - Tubes contacts - Kontaktrohre - Tubo de contacto - Contactbuis - Pontas de contacto



Gas nozzles - Buses - Düsen - Tubo - Nippel - Bicos



Tip adaptors & diffusers - Supports tube contact & diffuseurs

	Steel/Stainless steel - Acier / Inox - Stahl/Edelstahl				ALU - Aluminium - Aluminio				PUSH PULL		SPOOL GUN
	AIR			LIQUID	AIR			LIQUID	AIR		AIR
	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
	A1 (x5)	B1 (x5)	D1 (x3)	C1 (x3)	A1 (x5)	B1 (x5)	D1 (x3)	C1 (x3)	A1 (x5)	B1 (x5)	A1 (x5)
	042902	042995	043008	043589	042902	042995	043008	043589	042902	042995	042902
+	+	+	+	+	+	+	+	+	+	+	+
	A2 (x10)	B2 (x5)	D2 (x5)	C2 (x5)	A2 (x10)	B2 (x5)	D2 (x5)	C2 (x5)	A2 (x10)	B2 (x5)	A2 (x10)
	042988	042919	042926	043541	042988	042919	042926	043541	042988	042919	042988

Contact tips - Tubes contacts - Kontaktrohre - Tubo de contacto - Contactbuis - Pontas de contacto

	150 A	250 A	350 A	300 A	150 A	250 A	350 A	300 A	150 A	250 A	150 A
Ø 0.6	A (x10) 041905	A (x10) 041905	—	A (x10) 041905	—	—	—	—	—	—	—
Ø 0.8	A (x10) 041912	B (x10) 041950	C (x10) 041790	B (x10) 041950	B (x10) 041059	A (x10) 041059	—	B (x10) 041059	B (x10) 041059	B (x10) 041059	B (x10) 041059
Ø 1.0	A (x10) 041929	B (x10) 041967	C (x10) 419803	B (x10) 041967	B (x10) 041066	B (x10) 041066	C (x10) 419766	B (x10) 041066	B (x10) 041066	B (x10) 041066	B (x10) 041066
Ø 1.2	A (x10) 040144	B (x10) 041974	C (x10) 419810	B (x10) 041974	B (x10) 041073	B (x10) 041073	C (x10) 419773	B (x10) 041073	B (x10) 041073	B (x10) 041073	B (x10) 041073
Ø 1.4	—	—	C (x10) 419827	—	—	—	—	—	—	—	—
Ø 1.6	—	—	C (x10) 419834	—	—	—	C (x10) 041080	—	—	—	—
Ø 2.4	—	—	C (x10) 040533	—	—	—	—	—	—	—	—

Gas nozzles - Buses - Düsen - Tubo - Nippel - Bicos

	150 A	250 A	350 A	300 A	150 A		250 A	350 A	300 A		150 A	250 A	150 A
A	53 mm Ø12 (x3) 041875	57 mm Ø15 (x3) 041882	84 mm Ø16 (x3) 041783	63.5 mm Ø12 (x3) 043534	53 mm Ø12 (x3) 041875	53 mm Ø16 (x3) 046214	57 mm Ø15 (x3) 041882	84 mm Ø16 (x3) 041783	63.5 mm Ø12 (x3) 043534	63.5 mm Ø17 (x3) 046221	53 mm Ø12 (x3) 041875	57 mm Ø15 (x3) 041882	53 mm Ø12 (x3) 041875
B	53 mm (x1) 041851	—	—										
C	53 mm (x1) 041523	—	—										
D	(x1) 041868	—	—										
E	(x1) 043084	(x1) 040571	(x1) 040588										


Boxes

- Coffrets - Verschleißteilebox
- Cajas - Kistjes - Estojos



x 3	x 5	M6 - Ø0.6 x 5 M6 - Ø0.8 x 5 **Alu** - M6 - Ø0.8 x 5	x 3 = **MB 15 (150 A)** 041226
M6 - Ø0.6 x 5 M6 - Ø0.8 x 5 **Alu** - M6 - Ø1.0 x 5	M6 - Ø0.8 x 5 M6 - Ø1.0 x 5 **Alu** - M6 - Ø1.0 x 5 **Alu** - M6 - Ø1.2 x 5	—	— = **MB 15 / MB 25** 077089
x 5	x 3	M6 - Ø0.8 x 5 M6 - Ø1.0 x 5 **Alu** - M6 - Ø1.0 x 5	x 3 = **MB 25 (250 A)** 041233
x 2	x 3	M6 - Ø1.0 x 5 M6 - Ø1.2 x 5 **Alu** - M6 - Ø1.0 x 5 **Alu** - M6 - Ø1.2 x 5	x 2 = **MB 36 (350 A)** 041417

CONSUMABLES - Consommables




TORCH LINERS - Gaines - Mantel - Funda - Drahtseelen - Folha

STEEL - Acier - Stahl - Acero - Staal - Aço

Ø 0.6 / 0.8	3 m	041592
	4 m	041837
Ø 1.0 / 1.2	3 m	041608
	4 m	041844
	5 m	062276
Ø 1.2 / 1.6	3 m	418417
	4 m	418424
	5 m	062283
Ø 1.6 / 2.4	4 m	040526
	5 m	062290

TEFLON

Ø 0.6 / 0.8	3 m	041578
	4 m	044050
Ø 1.0 / 1.2	3 m	041585
	4 m	044067
	8 m	038677
Ø 1.2 / 1.6	4 m	044074



Guide gaine téflon pour motodévidoir
079601

CARBON

Ø 0.6 / 0.8	4 m	039834
	5 m	062306
Ø 1.0 / 1.2	4 m	039827
	5 m	062313
Ø 1.2 / 1.6	4 m	039810

PUSH PULL TORCH

Ø 1.0 / 1.2	8 m	038172

ROLLERS - Galets - Vorschubrollen - Rollen - Rodillos - Wielen - Roletes

TYPE A

For : Carmig



Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 1	042339
	Ø 0.8 / 1.0	x 1	041189
Alu	Ø 0.8 / 1.0	x 1	041196
Cored wire - Fil fourré	Ø 0.8 / 0.9	x 1	046856
	Ø 0.9 / 1.2	x 1	042346



TYPE B

For : Autopulse 220, Autopulse 320-T1, M1 GYS Auto, M3 GYS auto, T1 GYS Auto, T3 GYS Auto, E1/E2/E3 GYS Auto



Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 1	042087
		x 2	042353
	Ø 0.8 / 1.0	x 1	042100
		x 2	042360
	Ø 1.0 / 1.2	x 1	042179
		x 2	046849
Alu	Ø 1.2 / 1.6	x 2	042384
	Ø 0.8 / 1.0	x 1	042155
		x 2	042377
	Ø 1.0 / 1.2	x 1	042186
		x 2	040915
	Ø 1.2 / 1.6	x 2	042391
Cored wire - Fil fourré	Ø 0.9 / 1.2	x 1	042131
		x 2	042407

TYPE C

For : Neopulse - Autopulse 320-T3



Steel, Stainless steel - Acier, Inox	Ø 0.6 / 0.8	x 2	041738
	Ø 0.8 / 1.0	x 2	042094
	Ø 1.0 / 1.2	x 2	042117
	Ø 1.2 / 1.4	x 2	039780
	Ø 1.2 / 1.6	x 2	041752
	Ø 0.8 / 1.0	x 2	042148
Alu	Ø 1.0 / 1.2	x 2	042162
	Ø 1.2 / 1.6	x 2	041776
Cored wire - Fil fourré	Ø 0.9 / 1.2	x 2	042124

NO GAS WELDING KIT Ø 0.9 - Kit soudage sans gaz Ø 0.9

041240



= Ø 0.9 1.0 / 1.2 (x1) Type A

+ M6-Ø0.9 (x3)

+ Isolated Nozzle No Gas - 150 A (x1)

For : Easymig 150/160/160XL, Smartmig 142/152/162/3P/182/183, Multipearl 200-2

GAS CONNECTORS - Raccords gaz - Gasanschlüsse



x2 045712



x1 046245



x1 067936



Tuyau caoutchouc- Rubber hose
Ø 6.3 X 13 (EN ISO 3821)

1.5 m	066670
4 m	046269
✂ x m	046276

PRESSUR-REGULATORS - Manomètres-débimètres - Druckminderer




15 l/min

(FR)	041998
(UK)	040274
(NL)	040267
(IT)	038691



30 l/min

(FR)	041622
(UK)	041646
(DE)	041219
(NL)	041615
(IT)	038707



Optima Pro 30 l/min

(FR)	043619
(UK)	043626
(DE)	043633
(NL)	043640




Torch gas flow-meter
- Débimètre de bout de torche
053939


WELDING WIRE REELS - Bobines de fil - Drahtrollen - Rollos de hilo- Draadbobijn - Bobines de fio

100 mm





ECO Ecological wire reel - Bobine écologique



STEEL - Acier - Stahl - Acero - Staal - Aço

SG2

Norms : AWS 5.18 : ER 70S-6 ; EN ISO 14341-A : G46 4MG3Si1 ; DIN 8559 : SG2

100 mm 0.9 kg	Ø 0.6	086593
	Ø 0.8	086609
200 mm 5 kg	Ø 0.6	086111
	Ø 0.8	086128
	Ø 1.0	086135
300 mm 15 kg 18 kg ECO	Ø 0.6	086166
	Ø 0.8	086227
	Ø 0.8 ECO	086272
	Ø 1.0	086234
	Ø 1.0 ECO	086289
	Ø 1.2	086241
	Ø 1.2 ECO	086296
300 mm EXCELLIUM 15 kg	Ø 1.0 ECO	086302
	Ø 1.2 ECO	086319

SG1

Norms : AWS 5.18 : ER 70S-3 ; EN ISO 14341-A : G42 2MG2Si1 ; DIN 8559 : SG1

200 mm 5 kg	Ø 0.6	086418
	Ø 0.8	086401

CrMO2Si

Norms : AWS 5.28 : ER 90S-B3 ; EN ISO 2195L-A : Cr CrMo25i

300 mm 15 kg	Ø 0.8	086258

UHSS

Norms : AWS ASME SFA-5.28 : ER 120 S-G ; EN ISO 12534 : G Mn4Ni2, 5CrMo

200 mm 5 kg	Ø 0.8	086203

Hardfacing - Rechargement Acier 60 HRC

Norms : EN 14700 : TZ Fe 2 ; DIN 8555 : MSG 6-CF-60

300 mm 16 kg	Ø 1.2 ECO	086173

Cored wire - Fil fourré - Fülldraht - Hilo tubular

Norms : AWS 5.20 : E71T-GS ; EN ISO 17632-A T42 Z W N 1 H15

100 mm 0.9 kg	Ø 0.6	086425
	Ø 0.9	086104
200 mm 4.5 kg	Ø 0.9	086265
	Ø 1.0	086623
	Ø 1.2	086630
300 mm 15 kg	Ø 1.0	086388
	Ø 1.2	086395

Galva (G2Ti)

Norms : AWS 5.18 : ER 70S-2 ; EN ISO 14341-A : G42 2 M G2Ti ; DIN 8559 : SG2

200 mm 5 kg	Ø 0.6	086760
	Ø 0.8	086777

BRAZING - Brasage

CuAl8 HLE - UHTS (Boron Steel)

Norms : AWS 5.7 : ER CuAl-A1 ; EN ISO 14640 : S Cu 6100 ; DIN 1733 : SG-CuAl8

200 mm 2 kg	Ø 0.8	077409
200 mm 5 kg	Ø 0.8	086661
	Ø 1.0	086197
300 mm 15 kg	Ø 1.0	086180

CuSi3 HLE - UHTS (Boron Steel)

Norms : AWS 5.7: ER CuSi-A ; EN ISO 14640 : S Cu 6560 ; DIN 1733 : SG-CuSi3

100 mm 1 kg	Ø 0.8	086692
200 mm 2 kg	Ø 0.8	077393
200 mm 5 kg	Ø 0.8	086647
	Ø 1.0	086654
200 mm EXCELLIUM 5 kg	Ø 0.8	086210

STAINLESS STEEL - Inox - Edelstahl

CrNi (316LSi)

Norms : AWS 5.9 : ER 316L Si ; EN ISO 14343-A : G19 12 3 L Si ; DIN 8556 : SG X2 CrNiMo 19 12

200 mm 5 kg	Ø 0.8	086326
	Ø 1.0	086364
300 mm 15 kg	Ø 1.0	086371

CrNi (308LSi)

AWS 5.9 : ER 308L Si ; EN ISO 14343-A : G19 9 L Si ; DIN 8556 : SG X2CrNi 19 9

100 mm 1 kg	Ø 0.8	086616
200 mm 5 kg	Ø 0.8	086579
	Ø 1.0	086340
300 mm 15 kg	Ø 1.0	086357

ALUMINIUM

AlSi5

Norms : AWS 5.10 :ER 4043 ; EN ISO 18273 : S Al 4043-A ; DIN 1732 : SG-AlSi5

100 mm 0.5 kg	Ø 0.8	086685
200 mm 2 kg	Ø 1.0	086142
	Ø 1.2	086159

AlSi12

Norms : AWS 5.10 : ER 4047 ; EN ISO 18273 : S Al 4047 ; DIN 1732: SG-AlSi12

100 mm 0.5 kg	Ø 0.8	086678
200 mm 2 kg	Ø 0.8	077140
	Ø 1.0	086067
	Ø 1.2	086074
300 mm 7 kg	Ø 1.2	086043

AlSi10Cu4

Norms : AWS 5.10 : ER 4145 ; EN ISO 18273 : S Al 41

200 mm 2 kg	Ø 1.2	073432

AlMg5

Norms : AWS 5.10 : ER 5356 ; EN ISO 18273 : S Al 5356 ; DIN 1732 : SG-AlMg5

100 mm 0.5 kg	Ø 0.8	086548
200 mm 2 kg	Ø 0.8	086555
	Ø 1.0	086562
300 mm 7 kg	Ø 1.0	086524
	Ø 1.2	086531
300 mm EXCELLIUM 7 kg	Ø 1.0 ECO	086487
	Ø 1.2 ECO	086494

AlMg2.7Mn

Norms : AWS 5.10 : ER 5554 ; EN ISO 18273 : S Al 5554 ; DIN 1732 : SG-AlMg

200 mm 2 kg	Ø 1.2	086517
300 mm 7 kg	Ø 1.2	086500

ADAPTORS FOR WIRE REELS - Adaptateurs bobines - Korbspulenadapter

ALIGNER 200

042889



After sales



Professional 71608



Industrial 71613

Thickness measurement tools (x3)
- Jauges d'épaisseur (x3)
- Dickenessgeräte (x3)
071414

0.6 › 8 mm



PLASMA CUTTING


EASYCUT K	97
EASYCUT	98
CUTTER	99



PLASMA

COMPRESSOR INSIDE • 1~

COMPRESSOR COMPRESSOR INSIDE



Plasma torch
TPT 25, 4m
068087

Plasma torch
TPT 35, 4m
080775



Youtube

ULTRA LIGHT & COMPACT

INTEGRATED AIR FILTER + AUTOMATIC DRAIN

PFC EN 61000-3-12 POWER FACTOR CORRECTION






EASYCUT K25

230 V • 1 ~ | 25 A | Fe 8 mm Al/CrNi 6 mm

P400 COMPRESSOR



TPT 25, 4 m 068087 — 2 m, 10 mm²


068063

Youtube

EASYCUT K35 PFC

230 V • 1 ~ | 35 A | Fe 15 mm Al/CrNi 10 mm

P400 PFC AD COMPRESSOR



TPT35, 4 m 080775 — 2 m, 10 mm²

080768



TPT35, 4 m — 2 m, 10 mm² — Box TPT35 080782 — UNIVERSAL 800 051331

080805

OPTIONS

Consummables

					Boxes - Coffrets
for TPT25	x 4 040236	x 10 040212	x 2 040175	x 10 040168	039971
	x1	x1	x1	x1	
for TPT35	x 4 040182	x 10 080799	x 2 040175	x 10 040168	080782
	x1	x1	x1	x1	

Compas 040205



x1 040199

R max = 670 mm



PLASMA 600
040298
39 x 58 x 62 cm / 8.2 kg
63 x 30 x 11 cm / 8.8 kg



Universal 800
051331
48 x 62 x 81 cm / 17.6 kg
81 x 52 x 15 cm / 18.1 kg

MADE IN FRANCE / CE NORM. EN60974-1		AM	I_2	mm						INTEGRATED TECHNOLOGY					AIR SYSTEM			EN 60974-1 (40°C)				Protected & compatible power generator (+/-15 %)	
				Coupe max Severance cut		Coupe propre Clean cut		Perçage Piercing															
	50/60 Hz	A	A	Fe	Al/CrNi	Fe	Al/CrNi	Fe	Al/CrNi	P400	PFC	AD	IP23	COMPRESSOR	min	ideal	max	I 60%	X% I2 max	100%	LxWxH cm / kg		
EASYCUT K25	230 V 1~	16	10 → 25	8	6	6	4	4	2	■	—	—	—	■		included		15 A	35%	—	53 x 31 x 48 / 19	6.5 kW	7.5 kVA
EASYCUT K35 PFC	230 V 1~	16	10 → 35	15	10	10	8	6	5	■	■	■	■	■		included		26 A	30%	—	45 x 26 x 36 / 27	8 kW	10 kVA

PLASMA

1~

Youtube



Plasma torch
TPT 25, 4m
068087


Plasma torch
TPT 35, 4m
080775

Plasma torch
TPT 40, 4m
060753


AD **ANTI-DUST VENTILATION CORRIDOR**



PFC + FV **POWER FACTOR CORRECTION + FLEXIBLE VOLTAGE**



CNC **COMPUTER NUMERICAL CONTROL**



INCLUDED : 8 mm



DIGITAL (PRESSURE SENSOR

POWER FACTOR CORRECTION PFC EN 61000-3-12 FV FLEXIBLE VOLTAGE



IDEAL CARBODY REPAIR



INCLUDED : 8 mm



DIGITAL (PRESSURE SENSOR

POWER FACTOR CORRECTION PFC EN 61000-3-12 FV FLEXIBLE VOLTAGE


DIGITAL (PRESSURE SENSOR

Youtube



EASYCUT 25

230 V • 1 ~ | 25 A | Fe 8 mm Al/CrNi 6 mm




TPT 25, 4 m 068087 — 2 m, 10 mm²

065543
072046

EASYCUT 30 FV

110 → 230 V • 1 ~ | 30 A | Fe 15 mm Al/CrNi 10 mm

P400 PFC FV




TPT 40, 4 m 060753 — 2 m, 10 mm²

013858

EASYCUT 40

230 V • 1 ~ | 40 A | Fe 18 mm Al/CrNi 15 mm



TPT 40, 4 m 060753 — 2 m, 10 mm²

029743

CUTTER 45 CT

110 → 230 V • 1 ~ | 45 A | Fe 30 mm Al/CrNi 20 mm

P400 PFC FV GRID CUT AD IP 23 CNC ANALOGIC



2 m, 10 mm²

014787



TPT 40, 4 m — 2 m, 10 mm²

013629



MT 70, 6 m — 2 m, 10 mm² — Box 20-50A 061613


062962

OPTIONS

COMPAS
for TPT 40, TPT 25, TPT 35, MT 25K / MT 35K
x1
040199



040205



Consumables

	MT25K		TPT25		MT35K		TPT35		TPT40	
	x 4 040182	x1	x 4 040236	x1	x 4 040229	x1	x 4 040182	x1	x 4 040236	x1
	x 10 040151	x3	x 10 040212	x3	x 10 040212	x3	x 10 080799	x3	x 10 040212	x3
	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1	x 2 040175	x1
	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3	x 10 040168	x3
Boxes - Coffrets	039971		070721		039964		080782		039957	

Trolley - Chariot



PLASMA 600
040298
39 x 58 x 62 cm / 8.2 kg
63 x 30 x 11 cm / 8.8 kg

Universal 800
051331
48 x 62 x 81 cm / 17.6 kg
81 x 52 x 15 cm / 18.1 kg

Jobsite XL
039568
60 x 59 x 115 cm / 18.4 kg
66 x 47 x 20 cm / 19.6 kg

Compressed air cleaning filter for Plasma Cutter 40 - Filtre déshumificateur spécial Plasma
039728



Filter cartridge - Cartouche pour filtre
039735

CE NORM. EN60974-1				AM	I_2	mm Coupe max Severance cut		Coupe propre Clean cut		Perçage Piercing		INTEGRATED TECHNOLOGY							AIR SYSTEM			EN 60974-1 (40°C)				Protected & compatible power generator (+/-15 %)	
			50/60 Hz	A	A	Fe	Al/CrNi	Fe	Al/CrNi	Fe	Al/CrNi	P400	PFC	FV	GRID CUT	AD	IP23	CNC	min	ideal	max	I 60%	X% I2 max	100%	LxWxH cm / kg		
MADE IN GYS CHINA	**EASYCUT 25**		230V 1~	16	10 → 25	8	6	6	4	4	3	—	—	—	—	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	15 A	30%	10A	45 x 25 x 35 / 9.7	—	—
MADE IN FRANCE	**EASYCUT 30FV**		230V 1~	16	10 → 30	15	10	10	8	6	5	▪	▪	▪	—	—	—	—	2.5 bar	5 bar 115 L/min	9 bar	23 A	30%	20 A	51 x 29 x 37 / 14.3	6.5 kW	6 kVA
			110V 1~	32	10 → 30																	19 A	25%	15 A			
MADE IN GYS CHINA	**EASYCUT 40**		230V 1~	16	10 → 40	20	15	15	10	8	6	—	—	—	—	—	—	—	2.5 bar	4.5 bar 115 L/min	6.5 bar	10 A	20%	—	45 x 25 x 35 / 11.5	—	—
MADE IN FRANCE	**CUTTER 45CT**	*TPT 40*	230V 1~	16	15 → 45	20	15	15	10	8	6	▪	▪	▪	▪	▪	▪	analogic	5 bar	5.2 bar 115 L/min	7 bar	41 A	50%	32 A	51 x 31 x 47 / 16.4	10.5 kW	8 kVA
			110V 1~	32	15 → 30	15	10	10	8	—	—											21 A	25%	17 A			
		MT 70	230V 1~	32	15 → 45	30	20	25	15	12	10								5 bar	5.2 bar 185 L/min	7 bar	41 A	50%	32 A			
			110V 1~	32	15 → 30	15	10	10	8	—	—											21 A	25%	17 A			









INVEST IN THE FUTURE

INDUCTION HEATING

1 200 › 22 000 kW

GYSDUCTION	102
COMBIDUCTION	103
POWERDUCTION	104
ACCESSORIES & CONSUMABLES	108

INDUCTION

HEATING

CAR BODY

PFC POWER FACTOR CORRECTION

185 V — 265 V

110 V — 230 V

45 m

Youtube





NEW

PACKS - GYSDUCTION AUTO

	PROLINER AUTO 048775	COMPLETE AUTO 053380	COMPLETE AUTO 120V 084889	COMPLETE AUTO + 056978	MECA AUTO 048812	MECA AUTO + 056961	BODY SHOP AUTO 048799	GLASS AUTO 048805	DENT REPAIR AUTO 054981
	=	=	=	=	=	=	=	=	=
GYSDUCTION AUTO	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plastic wedges 051294	✓	✓	✓	✓	—	—	✓	✓	—
Burn off Inductor 053373	✓	✓	✓	✓	—	—	✓	✓	—
Body Inductor 053359	✓	✓	✓	✓	—	—	✓	1 box	—
Bolt Inductor 053366	✓	✓	✓	✓	✓	✓	—	—	—
Remote control 055490	✓	✓	✓	✓	✓	✓	✓	—	—
Universal 800 051331	✓	1 box	1 box	—	1 box	—	—	—	—
Cable support 052284	✓			—		—	—	—	—
Dent pulling Inductor 054776	3 boxes			—		—	✓	✓	✓
Spiral inductor 054783				✓		✓	1 box	1 box	1 box
				1 box		1 box			



NEW

GYSDUCTION AUTO

2 400 W | 230 V • 1 ~

PFC AIR

GYSDUCTION AUTO 120V

2 400 W | 120 V • 1 ~

PFC AIR

COMBIDUCTION AUTO 50LG

5 200 W | 230 V • 1 ~

PFC LIQUID

065901

COMBIDUCTION AUTO 50LG 208-240V

5 200 W | 208-240 V • 1 ~

PFC LIQUID

084872

INCLUDED COMBIDUCTION



Glass - Décapage - Entfernen
053373



Decal - Décollage - Entkleben
053359



OPTIONS

NEW



Spiral inductor
- Inducteur spirale
- Spiralinduktor

	5 inductors 054783	12 inductors 085527
2.5 m — 1.2 kW	✓	✓
800 mm 054813	✓	✓
800 mm 054868	✓	✓

				5 inductors 054783	12 inductors 085527
SIDE	Ø 18 mm	≤ M8	054806	✓	✓
	Ø 24 mm	≤ M12	054790	✓	✓
	Ø 30 mm	≤ M16	055469	✓	✓
SIDE	Ø 21 mm	≤ M10	079953		✓
	Ø 27 mm	≤ M14	079960		✓
FRONT	Ø 18 mm	≤ M8	079977		✓
	Ø 21 mm	≤ M10	079984		✓
	Ø 24 mm	≤ M12	079991		✓
	Ø 27 mm	≤ M14	080003		✓
	Ø 30 mm	≤ M16	080010		✓

PDR : Paintless Dent Repair
- Débosselage sans peinture
- Lackschadenfreies Ausbeulen
054776

Licensed by BETAG innovation



Freezer spray
- Spray refroidisseur

-50 °C
400 ml
(x 12)
048898



Adhesive for logo
(x10)
051492



CONSUMABLES

for		
		
Protection (x5) + Colle - Stick 053854	**Protection** (x1) + Colle - Stick 059108	**Protection** (x10) + Colle - Stick 053847

EN-60 335/1	MADE IN FRANCE		AM		Freq.	Tech.	❄	Cable L (m)		Heating					Protected & compatible power generator (+/-15 %)
			A	W	kHz	PFC	Liquid Cooling		Inductor				LxWxH cm / kg	LxWxH cm / kg	
GYSDUCTION AUTO		230 V, 1~, 50/60 Hz	16 mini	2400	35→100	▪	—	2	2.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	37 x 21 x 37 / 7.5	52 x 30 x 37 / 12.9	3 kW
GYSDUCTION AUTO 120V		120-240 V, 1~, 50/60 Hz	20 mini	2400	35→100	▪	—	2	2.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	37 x 21 x 37 / 7.5	52 x 30 x 37 / 12.9	3 kW
COMBIDUCTION AUTO 50LG		230 V, 1~, 50/60 Hz	25 mini	5 200	20→80	▪	▪ 7 l	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	46 x 43 x 75 / 60	79 x 58 x 60 / 72	6 kW
COMBIDUCTION AUTO 50LG 208-240 V		208-240 V, 1~, 50/60 Hz	25 mini	5 200	20→80	▪	▪ 7 l	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	46 x 43 x 75 / 60	79 x 58 x 60 / 74	6 kW

INDUCTION HEATING
1.2 → 5.2 kW

MAINTENANCE / MECHANIC / INDUSTRY



Youtube





	10R	10R PRO
POWERDUCTION 10R	✓	✓
Flexible 800 mm | 054813	✓	✓
Straight 800 mm | 054868	✓	✓
SIDE		
Ø 18 mm | ⬡ ≤ M8 | 054806	✓	✓
Ø 21 mm | ⬡ ≤ M10 | 079953	—	✓
Ø 24 mm | ⬡ ≤ M12 | 054790	✓	✓
Ø 27 mm | ⬡ ≤ M14 | 079960	—	✓
Ø 30 mm | ⬡ ≤ M16 | 055469	✓	✓
FRONT		
Ø 18 mm | ⬡ ≤ M8 | 079977	—	✓
Ø 21 mm | ⬡ ≤ M10 | 079984	—	✓
Ø 24 mm | ⬡ ≤ M12 | 079991	—	✓
Ø 27 mm | ⬡ ≤ M14 | 080003	—	✓
Ø 30 mm | ⬡ ≤ M16 | 080010	—	✓







included	37LG S90	37LG S180/B3W
S90 | 058927	✓	—
S180/B3W | 067899	—	✓



included	39LG C20/B1	39LG S90
C20/B1 | 056862	✓	—
28S | 064485	—	✓
S90 | 058927	—	✓





Option
Protection cover
- Housse de protection
- Schutzhaube
062733

1 200 W | 230 V • 1 ~ | AIR

POWERDUCTION 10R (5 inductors)
062504
GB: 068643
AU: 080966

POWERDUCTION 10R PRO (12 inductors)
080195
GB: 080300

POWERDUCTION 37LG (S90)
3 700 W | 230 V • 1 ~
LIQUID
056992
GB: 072510
AU: 080959

POWERDUCTION 37LG (S180/B3W)
3 700 W | 230 V • 1 ~
LIQUID
083387
GB: 083394


POWERDUCTION 37LG (S90) 208-240V
3 700 W | 208-240 V • 1 ~
LIQUID
NEW
084865

POWERDUCTION 39LG (C20/B1)
3 700 W | 230 V • 1 ~
PFC LIQUID
058583

POWERDUCTION 39LG (S90)
3 700 W | 230 V • 1 ~
PFC LIQUID
080027
GB: 087620 NEW

POWERDUCTION 50LG
5 200 W | 230 V • 1 ~
PFC LIQUID
055599

OPTIONS 10R



OPTION 37LG



MADE IN FRANCE		AM		Freq.	INTEGRATED TECHNOLOGY		❄	Cable L (m)		Heating			Protected & compatible power generator (+/-15%)	L×W×H cm / kg	L×W×H cm / kg
		A	W	kHz	P400	PFC	Liquid Cooling		Inductor	⬡					
POWERDUCTION 10R / 10R PRO	230V, 1~ 50/60 Hz	10 mini	1 200	45→80	—	—	—	2	1.5	M10 → 1 s	2 mm → 5 s	Ø8 → 10 s	1.5 kW	062504 - 21 x 10 x 15 / 3.3 080195 - 21 x 17 x 14.5 / 3.3	062504 - 41.5 x 17 x 36.5 / 5.5 080195 - 46 x 20.5 x 38 / 5.4
POWERDUCTION 37LG (S90) / (S180/B3W)	230V, 1~ 50/60 Hz	16 mini	3 700	15→30	—	—	▪ 1.5 l	2	2	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	56×26×29 / 13	60×34×33 / 14.5
NEW **POWERDUCTION 37LG (S90) 208-240V**	208-240 V, 1~ 50/60 Hz	20 mini	3 700	15→30	—	—	▪ 1.5 l	2	2	M10 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	56×26×29 / 14	60×34×33 / 15.5
POWERDUCTION 39LG (C20/B1) / (S90)	230V, 1~ 50/60 Hz	16 mini	3 700	20→60	▪	▪	▪ 7 l	6	3	M12 → 1 s	2 mm → 5 s	Ø10 → 15 s	4 kW	46×36×70 / 46.5	81×38×59 / 52.5
POWERDUCTION 50LG	230V, 1~ 50/60 Hz	25 mini	5 200	20→60	▪	▪	▪ 7 l	8	3	M14 → 1 s	2 mm → 3 s 4 mm → 5 s	Ø10 → 10 s	6 kW	46×43×75 / 58	80×60×60 / 71

INDUCTION HEATING
11 → 22 kW

Included

Removable handle
- Poignée de lance
- Abnehmbarer Griff
for POWERDUCTION 110 - 160 - 220 LG
068599



OPTION

Powerduction 160/220 LG over hanging arm-pulley
- Équilibreur Powerduction 160/220 LG

079441



OPTIONS

Skate
037717



8 kg
71 x 35 x 10 cm / 8.3 kg

DIABLE JOBSITE XL
039568



18.3 kg
66 x 47 x 20 cm / 19.5 kg

	included	110LG L90	110LG L20/B4
32L	064515	✓	✓
L90	059788	✓	–
L20/B4	067882	–	✓

	included	160LG L90	160LG L20/B4
32L	064515	✓	✓
L90	059788	✓	–
L20/B4	067882	–	✓

included adapter
32L + L20/B4
064515 + 067882



NEW 04/2025







READY TO USE
Liquid included

POWERDUCTION 110LG COMPACT (L20/B4)
11 000 W | 400 V • 3 ~
LIQUID
087637

POWERDUCTION 110LG (L90)
11 000 W | 400 V • 3 ~
LIQUID
058590

POWERDUCTION 110LG (L20/B4)
11 000 W | 400 V • 3 ~
LIQUID
083400

POWERDUCTION 110LG (L90) 208-240V
11 000 W | 208-240 V • 3 ~
LIQUID
065246

POWERDUCTION 160LG (L90)
16 000 W | 400 V • 3 ~
LIQUID
057814

POWERDUCTION 160LG (L20/B4)
16 000 W | 400 V • 3 ~
LIQUID
083417

POWERDUCTION 160LG (L20/B4) 208-240 V
16 000 W | 208-240 V • 3 ~
LIQUID
065253

POWERDUCTION 220LG
22 000 W | 400 V • 3 ~
LIQUID
6 m cable : 066861
10 m cable : 074576

t° POWER HEAT CONTROLLER

POWER HEAT CONTROLLER
061644

t° CONTROL
80>350°C (210>660°F)



Included
T° sensors thermocouple type K x2

Compatibility
POWERDUCTION
110-160-220

OPTION

PYROMETER IR
064119





for inductor L90

OPTIONS



Protection cover
- Housse de protection
- Schutzhaube
for POWERDUCTION 110LG
062733



Protection cover
- Housse de protection
- Schutzhaube
for POWERDUCTION 160 - 220 LG
050853



Cooling liquid

2 L 082212
5 L 062511
10 L 052246



055490

MADE IN FRANCE		A	W	kHz	Liquid Cooling	Cable L (m)	Inductor	Heating			LxWxH cm / kg	LxWxH cm / kg	Protected & compatible power generator (+/-15 %)
POWERDUCTION 110LG COMPACT NEW	400 V, 3~,50/60 Hz	16 mini	11 000	20→60	■ 1.5 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	63 x 33 x 54 / 50	NC	15 kW
POWERDUCTION 110LG	400 V, 3~,50/60 Hz	16 mini	11 000	20→60	■ 7 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	42 x 42 x 76 / 66.5	59 x 80 x 60 / 86	15 kW
POWERDUCTION 110LG 208-240V	208-240 V, 3~, 50/60 Hz	35 mini	11 000	20→60	■ 7 l	5	4	M18 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 7 s	42 x 42 x 76 / 78	59 x 80 x 60 / 90	15 kW
POWERDUCTION 160LG	400 V, 3~,50/60 Hz	32 mini	16 000	20→60	■ 30 l	4	6	M20 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 5 s	78 x 58 x 118 / 128	80 x 61 x 120 / 140	22 kW
POWERDUCTION 160LG 208-240V	208-240 V, 3~,50/60 Hz	45 mini	16 000	20→60	■ 30 l	4	6	M20 → 1 s	2 mm → 2 s 4 mm → 4 s	Ø10 → 5 s	78 x 58 x 118 / 113.5	80 x 60 x 120 / 126	22 kW
POWERDUCTION 220LG	400 V, 3~, 50/60 Hz	32 mini	22 000	20→60	■ 30 l	4	6	M45 → 3 s	4 mm → 3 s 8 mm → 9 s	Ø10 → 4 s	70 x 60 x 120 / 98	80 x 60 x 132 / 139	22 kW
POWERDUCTION 220LG 10M	400 V, 3~, 50/60 Hz	32 mini	22 000	20→60	■ 30 l	4	**10**	M45 → 3 s	8 mm → 9 s 4 mm → 3 s	Ø10 → 4 s	70 x 60 x 120 / 132.5	80 x 60 x 120 / 144.5	22 kW

SMALL Ø16
INDUCTORS

NEW

*= original equipment	S90 058927	S70 061569	S180 059269	S20/B1 (20°) 064874	S180/B1 064881	S180/B3W 067899	S180/B6 087002
37 LG	✓*	✓					
39 & 50 LG	✓ with adapter 28S						
110,160 & 220 LG	✓ with adapter 32S						

	S20/D20 078796	S90/D20 078871	S180/D20 069985
Ø 20			
Ø 25	S20/D25 078802	S90/D25 078888	S180/D25 069992
Ø 30	S20/D30 078819	S90/D30 078895	S180/D30 070592
Ø 35	S20/D35 078826	S90/D35 078901	S180/D35 070608
Ø 40	S20/D40 078833	S90/D40 078918	S180/D40 070615
Ø 45	S20/D45 078840	S90/D45 078925	S180/D45 070622
Ø 50	S20/D50 078857	S90/D50 078932	S180/D50 070639
Ø 55	S20/D55 078864	S90/D55 078949	S180/D55 070646
37 LG	✓ S20/D20~D35, S90/D20~D35, S180/D20~D35		
39 & 50 LG	✓ with adapter 28S		
110, 160 & 220 LG	✓ with adapter 32S		

Protection kit for loop inductors
- Kit de protection pour inducteurs boucle
077386

S180 Heat Tube		S20 Pre Heat
Ø 24	D24 086982 NEW	D24 086975 NEW
Ø 30	D30 086999 NEW	
Ø 37	D37 078604	
Ø 40	D40 078611	
Ø 50	D50 078628	
39 & 50 LG	✓ with adapter 28S	✓ with adapter 28S
110, 160 & 220 LG	✓ with adapter 32S	✓ with adapter 32S

DIFFICULT ACCESS ADAPTERS

90°-S 082663	✓ with adapter 180/B1 ✓ with adapter 180/B3W ✓ with adapter 180/B6	✓ with adapter S180 HEAT TUBE D37 ✓ with adapter S180 HEAT TUBE D40 ✓ with adapter S180 HEAT TUBE D50

ADAPTERS

	28S M28 Ø16 064485	
	32S M32 Ø16 064508	
39 & 50 LG	✓ 28S M28 Ø16	
110, 160 & 220 LG	✓ 32S M32 Ø16	

Boxes - Boîtes

28S/B type W
for 39LG & 50LG
072497
included :
S20/B1 (x1)
S180/B1 (x1)
S180/B3 (x1)
28S (x1)
B1 (x1)
B3 (x1)

32S/B type W
ffor 110LG, 160LG & 220LG
072503
included :
S20/B1 (x1)
S180/B1 (x1)
S180/B3 (x1)
32S (x1)
B1 (x1)
B3 (x1)

L box
065796
included :
L70 (x1)
L180 (x1)

Trolley for inductor for adapter 32L
Chariot pour inducteur pour adaptateur 32L
075955
4 to 8 wheels

Ferrites - Ferrites - Ferritaufsatz

NEW

B1 053823		B3 067875	B4 053755	B5 079489	B1 056909	B2 056916	B3 072527	B4 054844	Spiral 069701	Leveling 087736
B1 (x5) 079380	B2 053458				B1 (x5) 079397					

Glue kit for inductor
Kit de colle pour inducteur
075948
Colle-Stick bi-composants
Power Epoxy 150°C
2 x 15 g / 50 ml
054851

LARGE Ø32
INDUCTORS

NEW

*= original equipment	L90 (90°) 059788	L70 (70°) 059771	L180 059795	L180/Spiral 065000	L180 Leveling 087729	L20/B4 067882	L180/B4 079786	L20 Alu Glove 069114
39 & 50 LG	✓ with adapter 28L							
110, 160 & 220 LG	✓ with adapter 32L*	✓ with adapter 32L				✓ with adapter 32L*	✓ with adapter 32L	✓ with adapter 32L

	Pre-heating - Préchauffe	Heating - Chauffe	L20/D60 078956	L90/D60 079106	L180/D60 069923
Ø 60					
Ø 70			L20/D70 078963	L90/D70 079113	L180/D70 069930
Ø 80			L20/D80 078970	L90/D80 079120	L180/D80 069121
Ø 90			L20/D90 078987	L90/D90 079137	L180/D90 069947
Ø 100			L20/D100 078994	L90/D100 079144	L180/D100 069954
Ø 110		✓	L20/D110 079007	L90/D110 079151	L180/D110 069961
Ø 120			L20/D120 079014	L90/D120 079168	L180/D120 069978
Ø 130	✓		L20/D130 079021	L90/D130 079175	Production on request
Ø 140			L20/D140 079038	L90/D140 079182	
Ø 150			L20/D150 079045	L90/D150 079199	
Ø 160			L20/D160 079052	L90/D160 079205	
Ø 170		—	L20/D170 079069	L90/D170 079212	
Ø 180			L20/D180 079076	L90/D180 079229	
Ø 190			L20/D190 079083	L90/D190 079236	
Ø 200			L20/D200 079090	L90/D200 079243	
39 & 50 LG	✓ with adapter 28L				
110, 160 & 220 LG	✓ with adapter 32L				

Protection kit for loop inductors
- Kit de protection pour inducteurs boucle
077386

ADAPTERS

	28L M28 Ø32 064492	32L M32 Ø32 064515
39 & 50 LG	✓ 28L M28 Ø32	
110, 160 & 220 LG	✓ 32L M32 Ø32	

Pre-heating & Fretting - Préchauffage et Frettage

> Ø 200 & < Ø 300	Production on request		
110, 160 & 220 LG	✓ with adapter 32L		

Brasing - Brasage

*= original equipment	L90 BRAZ 16 Ø 1/2" / 16 mm 076907	L90 BRAZ 28 Ø 1" / 28 mm 076921	L180 BRAZ 16 Ø 1/2" / 16 mm 076914	L180 BRAZ 28 Ø 1" / 28 mm 076938
110, 160 & 220 LG	✓ with adapter 32L*			

Protection kit for BRAZ inductors
- Kit de protection pour inducteurs brasage
077515

Exchanger - Échangeur

	L180R X Production on request
110, 160 & 220 LG	✓ with adapter 32L

COMPLETE Ø28 INDUCTORS

	C20/B1 056862	C180/B1 056879	C180/B2 056886
37 LG	—		
39 & 50 LG	✓*	✓	
110, 160 & 220 LG	—		

TRUCK TOOLS & MOBILE LIFTS

TRUCK TOOLS

TROLLEY IW1	111
MULTITOOL TRUCK	111

CAR LIFTS

SPOT LIFT	112
QUICK LIFT / AIR JACKS	114
ERGO LIFT	115
MANUAL DOOR LIFT / WHEEL LIFT	116



TRUCK TOOLS


TROLLEY IW1
Impact wrench trolley - Support de clé à choc

max 6.5 bar

max 20 kg

063136

Youtube



OPTIONS



Huile hydraulique - Hydraulic oil 1 l
053397

Weight, vibrations & torque suppression - Suppression du poids, des vibrations et du couple



High dexterity - Liberté de mouvement



High maneuverability & stability - Grande maniabilité et stabilité




MULTITOOL TRUCK

SAFE EN 14238 + A1

max 200 kg

067158





INCLUDED



Lifting tool for brake caliper - Outil de levage pour étrier de frein - Hebewerkzeug für Bremssattel



Brake caliper



Lifting tool for battery - Outil de levage pour batterie - Hebewerkzeug für Batterie




Truck batteries




Lifting tool for wheels - Outil de levage pour roues - Hebewerkzeug für Räder



HEALTH CARE





MOBILE LIFTS

SPOT LIFT EASY

max Air 8 bar	SAFE EN 1494
max 2.2 t	

064843








SAFE EN 1494


Youtube

OPTIONS

Hydraulic oil 1L
- Huile hydraulique
1 L
053397




Rocker panel lifting tool
- Outil de levage pour bas de caisse
- Auflage für Seitenschweller
053236



AUTO ROLL




min 500 mm
max 1700 mm (AUTOROLL 1.0m)
max 2240 mm (AUTOROLL 1.55m)



1.0 m (AUTOROLL 1.0m)
1.55 m (AUTOROLL 1.55m) > ideal straightening table - idéal table de redressage

AUTO ROLL 1.0 m / 1.2 t
059047





AUTO ROLL 1.55 m / 1.2 t
063839





AFTER LIFT AUTO ROLL






067967

45 Kg

Included



WHEEL TROLLEYS - Tabourets de manutention - Radhocker


048768



650 kg max










MECHANICAL LIFTING JACKS - Chariots de manutention prise sous roue - Kfz-Montagelift, fahrbar

071995






Made in China

SPOT LIFT PRO

max Air 8 bar	SAFE EN 1494
max 2.2 t	

053557





Youtube



OPTIONS

Height adjuster for 4x4 & utility vehicles
- Réhausseur pour 4x4 et utilitaires
- Erhöhung f. 4x4 und Leicht-LKW




048751

Pads - Patins
for Audi & BMW
(x 2)
053717



Ramps - Rampes
700 x 200 x 80 mm
(x 2)
056787



SPOT LIFT PRO MOB

max Air 8 bar	SAFE EN 1494
max 2.2 t	

055896

Youtube





OPTIONS

SPOT LIFT PRO MOB
Réhausseur pour 4x4 et utilitaires
- Height adjuster for 4x4 & utility vehicles
- Erhöhung f. 4x4 und Leicht-LKW




061248

Patins - Pads
for Audi & BMW
(x 2)
061606



Rampes - Ramps
700 x 200 x 80 mm
(x 2)
056787



QUICK LIFT L520E

062184



Included
Hydraulic oil 5 L
- Huile hydraulique 5 L
062160




Youtube



SAFE EN 1493

2.5 t max






Made in China

OPTIONS

Extensions 1680 mm x 2
066328



x4 Patins à rainures
071933



Pads for SUV x4 - Patins pour SUV x 4
065017



Wall mount - Support mural
071926



AIR JACKS


DOUBLE BAG AIR JACK
082878

Pressure : 8 bar (116 PSI)
Weight 12 kg



SAFE EN 1494

12 kg
LIGHT & COMPACT




TRIPLE BAG AIR JACK
082885

Pressure : 8 bar (116 PSI)
Weight 14 kg




SAFE EN 1494


14 kg
LIGHT & COMPACT



ERGO LIFT 1000 ROLL

Air 7-8 bars	SAFE EN 1493
max 2.5 t	









PATENT PENDING
n° EP4474334

Handle for adjusting the automatic locking support arms - Poignée de positionnement des bras porteurs avec verrouillage automatique

SAFE EN 1493

included :
(x 4) 4 cm + (x 4) 6 cm






OPTIONS


Pads for SUV x4 - Patins pour SUV x 4
065017




Ergo Lift ramps x2 - Rampes Ergo Lift x2
082717

Capacity : max 3.5 t







Pack ERGO LIFT 1000 ROLL + wheels

076792 =

ERGO LIFT 1000 ROLL 067950 + Pump 082977

+ Wheel kit 076778

Pack ERGO LIFT 1000 ROLL + wheels + ramps

082984 =

ERGO LIFT 1000 ROLL 067950 + Pump 082977


+ Wheel kit 076778 + Ramps 082717

ERGO DOOR LIFT

Ergonomic door handling trolley
- Support Pro ergonomique de manutention de portière
- Ergonomische Türhandhabungsunterstützung
082670

Manufactured by GYS = SUPER PRO






Option

Wide door accessory
- Accessoire pour portière large
- breites Türzubehör
082700








MANUAL WHEEL LIFT

Wheel lift trolley
- Lève roue à treuil
- Radmontage-Heber
061385

Manufactured by GYS = SUPER PRO










+
ACCESSORIES

WELDING HELMETS	118
FUME EXTRACTION	121
WINDSCREEN REPAIR	122
BUMPER REPAIR	124
HAND TOOLS	126
PNEUMATIC TOOLS	130
WORKING LIGHTS	132
SANDING & DUST EXTRACTION	134
WORKING SUPPORTS	136
SAFETY PROTECTION	141
ELECTRIC VEHICLES	142


HELMETS
TECHNOLOGIES

Teinte initale - Initial shade



Classic | **ULTRA CLEAR**

Spectre de couleur - Spectrum view



Classic | **TRUECOLOR**

Classification - X=/X=/X=/X=

1/1/1/1 = PERFECT QUALITY

(1) Optical quality (distortion). **(2)** Light diffusion (contrast). **(3)** Variation of light transmission (homogeneities of the dark shade). **(4)** Angular light (diagonal light ray filter).

(1) Qualité optique (distorsion). **(2)** Diffusion de la lumière (contraste). **(3)** Variation de la transmission lumineuse(homogénéités de la teinte foncée). **(4)** Lumière angulaire (filtre de rayons lumineux diagonaux).

Headgear - Serre-tête



Simple | Multi | **Multi Pro** | **Multi Premium**

Comfortable back

WELDING HELMETS
9-13

IDEAL





GYSMATIC 9-13 G
043909

100 x 60 mm | 0.04 ms

GRIND | ×4 | TRUECOLOR | ULTRA CLEAR 3



DIGITAL | **MEMORY & REGULATIONS ELECTRONIC**



Multi Pro





GYSMATIC 5-13 G XXL
037236

100 x 83 mm | 0.04 ms | GRIND

×4 | DIGITAL | TRUECOLOR | CLEAR 4

WELDING HELMETS
5-13

Body repair recommanded



Multi Premium



GYSMATIC AUTO PRO
082809

100 x 93 mm | 0.08 ms

GRIND | ×4 | ULTRA CLEAR 3 | TRUECOLOR

WELDING HELMETS
5-12

NEW



Multi Premium






GYSMATIC 2.0 CL
083141

100 x 50 mm | 0.08 ms

GRIND | ×4 | **PERFECT VISION 2** | TRUECOLOR

PANORAMIC

Fixed shade 5 | 3-5-9/9-13 Adjustable | Fixed shade 5



APOLLO + 3/5-13 G
068681

100 x 67 mm | 0.08 ms

GRIND | ×4 | PANORAMIC | CLASS 1/1/1/1 | ULTRA CLEAR 3 | TRUECOLOR



Multi Premium

Shade 3-10 | 3-4-8/8-12 Adjustable | Shade 3-10



PANORAMIC 3XL
037281

114 x 85 mm | 0.04 ms

GRIND | ×4 | PANORAMIC | CLASS 1/1/1/1 | ULTRA CLEAR 3 | TRUECOLOR



Multi Premium

OPTIONS



Carry bag
for helmet welding
- Sac pour masque de soudage
043299



066656





Antiperspirant-headband
- Bandeau anti-transpiration

043466
for Multi Premium, Multi Premium Pro, Multi, Simple

062627
for Multi Pro




070844
for Gysmatic 9/13 Air, Gysmatic 5/13 Air XXL



Magnifying glass - Loupe
for Zeus, Ergotech & Alien True Color
x1
zoom x2
042780
zoom x3
064140

LENSES
- Verres
- Schutzgläser




114 x 133 (x10)	043893	G : 106 x 66 (x10)	043886
114 x 133 (x10)	043893	104 x 96 (x5)	043596
114 x 133 (x10)	043893	106 x 89,5 (x10)	046825
226 x 106 (x5)	045781	103.5 x 54.5 (x5)	077621
114 x 133 (x10)	043893	103.7 x 69.5 (x5)	077102
390 x 150 (x3)	037311	special kit (x1)	037304

		TRUECOLOR		HF	DELAY								MASK BRAND	
GYSMATIC 9-13 G	3 - 9>13	■	0.04 ms	✓	0.1 > 0.9s	1/1/1/2	4 HIGH SENSITIVITY	XL : 100x60 mm	■	✓	☼ + 2 (CR 2450)	Simple	580 g	Gys
GYSMATIC AUTO PRO	3 - 5>9 / 9>13	■	0.08 ms	✓	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	XXL : 100x93 mm	■	✓	☼ + 2 (CR 2032)	**Multi Premium**	540 g	Gys
GYSMATIC 5-13 G XXL	4 - 5>9 / 9>12	■	0.04 ms	✓	0.1 > 0.9 s	1/1/1/1	4 HIGH SENSITIVITY	XXL : 100x83 mm	■	✓	☼ + 2 (CR 2450)	**Multi Pro**	550 g	Gys
GYSMATIC 2.0 CL NEW	2 - 5>9 / 9>12	■	0.08 ms	—	0.15 > 0.8 s	1/1/1/2	4 HIGH SENSITIVITY	100x50 mm	■	—	☼ + 2 (CR 2032)	**Multi Premium**	540 g	Gys
APOLLO+ 3/5-13 G	3 - 5>9 / 9>13 + 2x : 5	■	0.08 ms	—	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	XL : 100x67 + 2x87x102 mm	■	✓	☼ + 2 (CR 2032)	**Multi Premium**	550 g	Gys
PANORAMIC 3XL	3 - 4>8 / 8>12 + 2x : 3>10	■	0.04 ms	✓	0.15 > 0.8 s	1/1/1/1	4 HIGH SENSITIVITY	114x85 + 2x(68x80) mm	■	✓	☼ +2 (CR 2045)	**Multi Premium**	610 g	Gys

HELMETS
VENTILATED

IDEAL





DIGITAL

MEMORY & REGULATIONS ELECTRONIC



GYSMATIC 3/9-13 G AIR
065727
: 069602

100 x 60 mm
0.04 ms

GRIND ×4
ULTRA CLEAR 3
TRUECOLOR

GYSMATIC 5-13 G AIR XXL
047846
: 028852

100 x 83 mm
0.1 ms

GRIND ×4
CLASS 1/1/1/1
DIGITAL
TRUECOLOR



included with GYSMATIC 5/13 G AIR XXL

Filtration class EN 12941 : TH2 P R SL
Air 165 / 200
220 L/min
Battery included

OPTION Filter TH3
065734



Battery charger
037472
: 028869



Battery included
037465




x1
038424



x5
038417

LENSES - Verres - Schutzgläser



114 x 133 (x10) 043893	G : 106 x 66 (x10) 043886	GYSMATIC 3/9-13 G AIR	3 - 9>13	■	0.04 ms	✓	0.10>0.90 s	1/1/1/2	4 HIGH SENSITIVITY	XL : 100x60 mm	■	✓	+ 2 (CR 2450)	Simple	59 × 35 × 29 / 1230	Gys
114 x 133 (x10) 043893	106 x 89,5 (x10) 046825	GYSMATIC 5-13 G AIR XXL	4 - 5>9 / 9>13	■	0.04ms	✓	0.1 > 0.9 s	1/1/1/1	4 HIGH SENSITIVITY	XXL : 100x83 mm	■	✓	+ 2 (CR 2450)	**Multi Pro**	59 × 35 × 29 / 5000	Gys

FUME EXTRACTION SYSTEMS - Aspirateurs de fumée - Rauchgasabsauggerät

UNI 2.0 RE

- 400 V 3 ~
- 50 Hz
- 1 100 W
- 1 500 m³/h max
- arm 3 m
- no plug
- 100 kg
- extraction 0.5 m/s

122 x 67 x 145 cm / 111.5 kg

061545



EVO 2.1 RE

- 230 V 1 ~
- 50 Hz
- 1 100 W
- 1 200 m³/h max
- occasionnal
- arm 3 m
- included
- 85 kg

96 x 95 x 162 cm / 114 kg

061552

Patented - Breveté



Included
Pré filtre, treillis Aluminium Class of filtration G3 EN 779 **+ Filtre** - Coal Filter EPA E12 EN 779, Filtration >99.5 %
046467

Options

Filtre à charbon actif - Coal filter
✓ UNI 2.0 RE
064522

Extraction flexible 10 m, Ø 152 mm
✓ UNI 2.0 RE
✓ EVO 2.1 RE
062139



Included
Pré filtre, treillis Aluminium Class of filtration F15 G2 EN 779 **+ Filtre** - Coal Filter HEPA H13 EN 779, Filtration >99.95%
046498

FUME EXTRACTION TORCHES - Torches aspirantes - Rauchgas-Absaugbrenner - Antorcha con aspiración de humos





Steel/Stainless steel - Acier/Inox - Stahl/Edelstahl	AIR			LIQUID
	150 A	250 A	350 A	500 A
original equipment	M6	M6	M8	M8
	Ø 0.8	Ø 1.0	Ø 1.2	Ø 1.2
X % 40°C - $ArCo_2$	150A - 60%	200A - 60%	290A - 60%	380A-100%
GRIP	GRIP	GRIP	GRIP	GRIP
L	3 m	3 m	4 m	4 m
Ref.	043251	040540	040557	040564

BINZEL



For fume Extraction Torches - Pour torches aspirantes

BINZEL
073715




- 230 V / 1 ~ , 1 100 W
- 230 m³/h max
- 190 mbar max
- 25 kg, 590 x 425 x 825 mm
- 76 db
- Filter auto cleaning system - Système de nettoyage automatique du filtre - Automatische Filterabreinigung

Filtre Classe M, EN 60335-2-69

included : 5 m, Ø50





- External evacuation Ø50 (hose not included) - Évacuation extérieure Ø50 (tuyau non inclus)

PROFESSIONAL BOX SET FOR WINDSCREEN REMOVAL - Coffret de découpe pare–brise - Frontscheiben-Trennsystem für Akkuschrauberbetrieb



MADE IN HIGH QUALITY GERMANY

057654

included
Axe enrouleur
068100



included
65 m
resistance 170 kg
Ø 0.79 mm
058125



optional
65 m
resistance 190 kg
Ø 0.92 mm
069275






OSCILLATING PNEUMATIC SAW FOR WINDSCREEN REMOVAL - Couteau pneumatique de découpe pare–brise - Druckluft-Trennmesser für Windschutzscheiben

057623





Included
57 mm
057845

90 mm
057852



8 mm
057876



35 mm
057838



U
36 mm
057869

REMOVAL TOOL FOR WINDSCREEN WIPER ARMS - Extracteur d'essuie–glace - Wischerarm-Abzieher

UNIVERSEL
057630






30 mm
max

EXPERT

Accès difficile
- Difficult access
057647






40 mm
max


SUCTION LIFTING PADS - Ventouses - Saugnapfwerkzeug für Spiegelgläser


056695



Ø 70 mm








051966



x2

x 6
057609





COMPRESSED AIR POLISHER - Renov'Polycarbonate - Druckluftpolierer

Complete pack

1 orbital sander
+ 1 polisher
- 1 ponceuse orbitale
+ 1 lustreuse

052086



2 SPEED



sander Ø75
057494



polisher Ø75
058224



052055




052062



052079



Ø 76
P 500 (x 10)
P 800 (x 10)
P 1500 (x 10)
P 3000 (x 10)





P 500 x 50 052017
P 800 x 50 052024
P 1500 x 50 052031
P 3000 x 50 052048


WINDSHIELD CUTTING KIT - Système de découpe pare–brise à cliquet - Set zum Lösen von Windschutzscheiben

054738



DASHBOARD PROTECTOR - Protections tableau de bord - Armaturenbrett Schutz

053120



45 cm

27 cm

45 cm

27 cm


WINDSHIELD CUTTING TOOL - Outil découpe pare–brise - Windschutzscheiben Demontage-Set

051935



WINDSCREEN JOINT–CUTTING KIT - Kit découpe joint de pare-brise - Scheibentrenn-Werkzeug-Set

051898





Corde à piano torsadé (22 m)
- Windscreen seal cutting wire (twisted)
- Piano-Schneiddraht, gedrillt, 22 m Rolle

051911



Corde à piano carré (50m)
- Windscreen seal cutting wire (square)
-Vierkant-Draht, 50 m Rolle

051881

HOT STAPLER FOR BUMPER REPAIR - Agrafeuse pour réparation pare–chocs - Stoßstangen Reparatur Kit

052925




INCLUDED :
x20 x20 x20 x20 x20



MADE IN TAIWAN





PORTABLE
Battery operated - Sur batterie
058118

included
Li-ion battery 3.7 V
048669
◄ included adapters :
EUR, UK, USA & AUS

Charger included
048652

MADE IN TAIWAN





INCLUDED :
Ø 0.6, x100 Ø 0.8, x100



Ø 0.6, x100



Staples - Agrafes



V	U	N	W	M
Inside corner - Angle interne étroit Ø 0.7 mm	Crack alignment - Alignement de fissure Ø 0.7 mm	Large crack - Fissure importante Ø 0.7 mm	Internal angle - Angle interne Ø 0.7 mm	External angle - Angle externe Ø 0.7 mm
x 100 047990	x 100 047983	x 100 047976	x 100 047969	x 100 047952

052413

= x 50 + x 50 + x 50 + x 50 + x 50

PIERCING KIT FOR BUMPER SENSORS - Coffret de perçage pare-chocs pour détecteurs - Lochwerkzeug für Stoßfänger





Ø 17-18-18,2
19-20-22,5-24
26-26,7-32 mm

Box 10 diameters
059139



NEW



included Ø 10 mm

Ø 18.0 - 18.2 - 18.4 - 18.6
24.0 - 26.0 - 26.5 - 26.7
27.4 - 28.1 - 29.3 - 32.0
32.5 - 34.4 - 37.4 - 38.9 mm

Box 16 diameters
085824

FREEZER

Freezer spray
- Spray refroidisseur
-50 °C
400 ml

(x 12)
048898



TOOL FOR REMOVING BUMPER - Outil de déclipsage pare-chocs






076518



x15
076525

HAND SEAMER FOR PLASTIC REPAIR - Pince de serrage pour réparation des plastiques

082014



PLASTIC WELDING STATION - Station de soudage des plastiques - Kunststoff-Schweißset






Ø 5 mm 066694
Ø 8 mm 066700

320 W - 230 V, 1~50 Hz
Temperature : 160 < 480°C
♟ 3.4 kg
Length of hose : 1 m
Air flow : 24 l/min


Station seule
- Station only
064072

Youtube



plastic rods - baguettes plastique 440 mm

PP / EPDM	▲	4 mm	x 10	066304
	▬	6 mm	x 10	067622
	▬	8 mm	x 10	066298
ABS	▲	4 mm	x 10	071322
	▬	8 mm	x 10	071339
NEW TPO	▲	4 mm	x 10	087873
	▬	8 mm	x 10	087880



	Station	PP/EPDM 4mm (x10)	PP/EPDM 6mm (x10)	PP/EPDM 8mm (x10)	Pressure wheels	Mini milling machine	Scraper
064072	✓						
070974	✓						



Scraper - Grattoir
068032



Pressure wheels
- Roulette de compression
058231



Tungsten drill
Ø 5 mm
included
063235

Mini milling machine
- Mini fraiseuse
063228

WELDING KIT FOR PLASTICS - Kit de soudage des plastiques - Kungstoff-Schweißset




1 600 W - 230V - 50/60 Hz
max. 230 l/mn
♟ 1.3 kg / ⚓ Ø100 x 300mm,
poignée Ø 56mm.

057678



3m




20mm



Options





x10
052956

x1
25 x 12.5 cm
052949

MULTI–CLIP PLIER - Pince multi-clip

083813

DURABLE HIGH-CARBON STEEL






BRAZING AUTOMOTIVE PLASTICS REPAIR KIT - Coffret de réparation des plastiques automobiles - Kungstoff Reparatur Set

052932

=



MADE IN BELGIUM

057258

052963



x10
052956

25 x 12.5 cm
x2
052949

WORKSTATION PREMIUM 5 DRAWERS - Servante premium 5 tiroirs

å 64 kg
Capacity 320 kg




Complete carbody workstation
080119



Workstation only
076143

included





Contour Gauge
052840





Mini disc sander
051829




Air belt sander
052819

HAND CHISEL FOR CAR BODY
- Burins
- Meißel für Karosserie

057586




057593




SET OF 3 SCRAPING KNIFES
- Couteaux racloirs

061439



SET OF 4 NYLON CHISELS - Jeu de 4 burins en nylon - 4 Kunststoffmeißel

054745



SET OF 3 CHISELS - Lot de 3 burins de séparation éléments collés - 3 Meißel

076754



SET OF 30 TOOLS FOR SCRAPING/SANDING AND PAINT REMOVAL - Outils de dégarnissage et raclage - Polster & Schaber Kit

057616



HAND TOOLS - Ausbeulwerkzeug

● **FULL PACK =**
061637



+ ● **MEDIUM PACK**
051133



PLANISHING HAMMER BLACKTEC®

077270

Rubberised gripping
- Manche en caoutchouc



MADE IN GERMANY

Corrosion resistant



ALU HAMMERS
- Marteaux alu

020986



PLANISHING KIT FOR CAR BODY (SET OF 3 HAMMERS +4 DOLLYS) - Kit marteaux et tas - Karosseriehammer & Handfaust Kit



057579

SET OF 3 ALU HAMMERS + 4 ALU DOLLIES - Kit marteaux alu et tas alu
- Karosseriehammer & Handfaust Kit



083486




40 x 40 mm
70 x 90 mm
1.4 kg
061408

117 x 57 mm
1.2 kg
061415

117 x 57 mm
1.2 kg
061422

FORMING TOOLS - Outils de forme - Formgebungswerkzeuge

051195



180 x
70 x
65 mm

280 x
95 mm

280 x
95 mm

75 x
65 mm

BODYWORK BUMPING MALLET - Maillet souple caoutchouc - Karosserie-Schlaghammer

083479




CONTOUR GAUGES - Jauges de profil - Kontourenlehre

052840





057265



LIP PLIER - Pince à lèvres - Falzzange gebogen


079649





DOOR HINGE STRAIGHTENER - Redresseur de charnière de porte - Türgelenkausrichter

051102




DOOR ALIGNING TOOL - Outil d'alignement de portière - Türausrichtungswerkzeug


083424



GAPPING GAUGES - Jauges de positionnement - Spaltmaßlehre


x2
054752





FENDER ROLLER TOOL SET - Outil de remise en forme passage de roue - Kotflügelrollen-Werkzeugsatz

060791



MULTI–CLIP PLIER - Pince multi-clip

083813




BURR REMOVER - Outil d'ébavurage - Gratentferner

079854



BODY LINE TOOL - Traceur de ligne carrosserie - Markierhilfe für Kanten

078758



SET OF PLIER + 10 STAPLES - Coffret pinces à agrafes

082175





0 - 2.5 mm (x10)
082182



2,5 - 5 mm (x 10)
082199


POSITIONING CLAMP - Pinces de maintien bord à bord - I-Stoß-Lehre

043190
(x4)



TEMPORARY-FASTENERS MANUAL MOUNTING - Serre-tôles


(x10)
Ø 2,4 mm
069664



(x10)
Ø 4,0 mm
069671



(x10)
Ø 4,8 mm
069688




(x10)
Ø 6,4 mm
069695



MICRO-GRIP CLAMPS - Pinces micro-grip

061330
(x4)




MICRO-WELDING CLAMPS - Micro-brides de soudage

079373
(x4)




FLAT NOSE LOCK-GRIP PLIERS - Pinces étau à bec plat

062719




AXIAL-GRIP PLIERS - Pinces axiales

050242




LOCK-GRIP PLIERS - Pinces étau mono serrage


280 mm
061378




610 mm
061354




460 mm
061361




Flat noze - 610 mm
061347



Flat noze - 460 mm
050112



KIT :
050266



MINI DISC SANDER - Mini-meuleuse - Druckluftschleifer

051829







Included
(x1)
052468

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
18000	200	83	171	6.2	12	0.7

058248






Speed rpm	dB	Air consumption l/min	Air pressure bar	cm	kg
15000	84	91	6.2	10	0.6



MINI-FLEXIDISC LAMELLES ZIRCON
Ø 50 mm
K 40 (x10) 058255
K 60 (x10) 058262
K 80 (x10) 058279

AIR BELT SANDER - Ponceuse à bande à tête orientable - Druckluft Bandschleifer

060906



Grain 60 (x 5) 060913
Grain 80 (x 5) 060920
Grain 100 (x 5) 060937
Grain 36 céramique (x 5) 062535

Speed rpm	Air consumption l/min	Air pressure bar	cm	kg
16 000	171	6.3	34	1.2

LONG HANDLED ANGLE GRINDER - Meuleuse d'angle - Druckluft-Winkelschleifer

057753




± 1.6 mm, x5
057883


± 0.8 mm, x5
058217

Speed rpm	dB	Air consumption l/min	Air pressure bar	cm	kg
14000	84	113	6.2	37	1.7

MINI ANGLE GRINDER - Mini-meuleuse à renvoi d'angle - Mini-Druckluftwinkelschleifer geräuschgedämpft

051867





(x1) 052772

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
15000	200	86	85	6.2	18	0.75


SAW FOR STRAIGHT CUT AND FILE - Scie coupe tôle droite et lime - Druckluftsäge und Feile



051805

(x5)
052789






included
058750

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
5000	—	85	255	6.2	10	0.8

AIR BELT SANDER - Ponceuse à bande à tête orientable - Druckluft Bandschleifer

052819



Grain 80 (x 10) 052833
Grain 36 céramique (x 20) 062528

Speed rpm	Air consumption l/min	Air pressure bar	cm	kg
16000	171	6.3	26	0.9

MINI ANGLE MILLING MACHINE - Mini-fraiseuse à renvoi d'angle - Mini-Winkelschleifer

051836



Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
18000	500	81	85	6.2	18	0.7

AUTOMATIC MANDREL DRILL - Perceuse mandrin automatique - Druckluftbohrmaschine m. Schnellspannfutter

051799



Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
800	300	92	170	6.2	18	0.9

PNEUMATIC SURFACE REMOVER KIT - Coffret décapeuse pneumatique - Druckluftentroster-Box inkl. Zubehör

051775





Roue gomme
115 x 14 mm
051874



Roue à décaper
115 x 14 mm
051843




Adaptateur pour brosse
051768



Brosse souple
Brins droits
0.5 mm
103 x 23 mm
052598



Brosse dure
Brins incurvés
0.7 mm
103 x 23 mm
051812




Brosse souple
Brins incurvés
0.5 mm
103 x 23 mm
051850

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
4000	500	86	102	6.2	280	1.2

MINI MILLING MACHINE - Mini Fraiseuse - Mini-Schleifer

063228




Option
Tungsten drill Ø 6 mm
054172

LASER CORD METAL SHEET CUTTER (NIBBLER)

- Dépointeuse pour cordon laser ACIER
- Trennwerkzeug für Lasernähte

054165



Ø 6 mm




STEEL
Included
054172

BODY ZIPPER - Sertisseuse pneumatique - Pneumatic Crimper - Druckluftkantenformer

056930



Air pressure bar	cm	kg
5	28	2.1



PNEUMATIC FLANGE / PUNCHING TOOL - Pince à soyer et à trouer, pneumatique - Pneumatische Loch- und Absatzzange

079892
Ø 8mm
0,8 > 1,2 mm

052543
Ø 5mm
0,8 > 1,2 mm



Punching tool for oval holes

- Outil de poinçonnage oblongs
- Langlochkarosserieblechzange




6 mm 20 mm 052437

8 mm 20 mm 067264

SPOT REMOVER - Dépointeuse - Druckluft-Schweißpunktbohrer

SPOT DRILL
050464



Ø 8
Included :
Tungsten Carbide Ø 8 for BORON/UHSS
(x1)

Speed rpm	Power W	dB	Air consumption l/min	Air pressure bar	cm	kg
800	400	85	140	6.5	35	2.3

Spot remover drill - Forets de dépointage - Schweißpunktfräse
Tungsten Carbide for BORON/UHSS

		Ø 8 mm	Ø 9 mm	Ø 10 mm
3-edge		053069	069763	053076
4-edge	Efficiency ++ Durability ++	059849	069770	



Youtube

PACK
SPOT DRILL + 140 mm
061460



3-edge Ø 8 mm
053069

140 mm
061453

HAND LAMPS - Lampes baladeuses - Handleuchte

PORTABLE HAND LAMP 400 L
400 lumens

COB LED
Li-ion
Charging time : 8h
operating time
High position : 2.5 h
Low position : 5 h
Top light (1 W) : 6 h

7 x 4 x 23 cm / 0.3 kg
14 x 7 x 24 cm / 0.5 kg

059153



PRO PORTABLE LAMP 600 L
250-600 lumens

COB LED, 80 CRI
3.7 V - 2200 mAh Li-ion
micro USB charging (3.5 h)
operating time :
High position : 1.5 h,
Mid position : 4.5 h,
Top light (100 lumens) : 10 h

IP 54
3 x 6 x 19 cm / 0.3 kg
9 x 13 x 24 cm / 0.6 kg

060883



360° PORTABLE WORKSPACE LAMP 1000 L
60-1000 lumens

>80 CRI SMD LED
6500 K
3.7 V - 5200 mAh Li-ion
USB charging (4.5h)
USB power supply
operating time 2 > 27 h

IP 54
26 x 7 x 7 cm / 0.5 kg
8 x 8 x 35 cm / 0.7 kg

059764




INSPECTION LAMPS
- Lampes d'inspection - Inspektionslampen

INSPECTION HEADTORCH 280 L
100-280 lumens

3 W COB LED, 80 CRI+, 6500 K
3.7 V - 1500 mAh Li-po
micro USB charging
mains charger not incl.
operating time
High position : 2 h
Low position : 6 h
IP 65
8 x 5 x 4 cm / 0.1 kg
5 x 11 x 18 cm / 0.2 kg

060845






MINI INSPECTION LAMP 350 L
0-350 lumens

COB LED
3.7 V - 1100 mAh Li-ion
USB charging (3 h)

operating time
3 > 6.5 h

IP 20

075894




PRO INSPECTION LAMP 800 L
120-800 lumens

COB LED
3.7 V - 2600 mAh Li-ion
USB charging (4 h)

operating time
2.5 > 9 h

IP 54

075900




LED WORKLIGHTS WITH TRIPOD - Projecteurs led sur trépied - LED-Arbeitsleuchte mit Standfuß

TRIPOD LAMP 1800 L
1800 lumens

3x 55 COB LED
total 165 LED
1.8 m power cord

059146

95 x 15 x 14 cm / 3.2 kg



TRIPOD LAMP 3000 L
3000 lumens

35 W COB LED
2 m power cord

IP 44

059979

100 x 20 x 9 cm / 3.6 kg
103 x 22 x 10 cm / 4.1 kg




TRIPOD LAMP 4000 L
4000 lumens

3x 20 COB LED,
total 60 LED
3 m
power cord

059986

21 x 15 x 114 cm / 5.7 kg
22 x 116 x 117 cm / 6.4 kg



UNDER BONNET LAMPS - Lampes sous capot - Leuchte für Motorhaube

UNDER BONNET HAND LAMP 600 L
500-1000 lumens

120 COB LED
3.7 V - 4000 mAh Li-ion
charging time : 10/12 h

operating time
High position : 4 h
Low position : 8 h

22 x 11 x 68 cm / 1.8 kg
24 x 12 x 70 cm / 2.3 kg

059962




UNDER BONNET LAMP AND TRIPOD 800 L
250-800 lumens

120 COB LED
3.7 V - 4000 mAh Li-ion
charging time : 10/12 h

operating time
High position : 3 h
Low position : 6 h


60 x 10 x 7 cm / 1.2 kg
61 x 15 x 12 cm / 2 kg

058002



DETAILING & COLOUR MATCH - Contrôle des couleurs - Fabnpassung & Aufbereitung





4500 K
400 lumens

SUNCOLOR 1
COB LED, CRI > 95, 1100 lux
3.7 V - 2600 mAh Li-ion
USB charging
operating time : 3 h
6 x 3 x 19 cm / 0.6 kg
22 x 14 x 10 cm / 0.7 kg
IP 65

058477



3 COLORS
2700 - 4500 - 6500 K
350-420-450 lumens

SUNCOLOR 3
COB LED, 96 CRI+
3.7 V - 2600 mAh Li-ion
micro USB charging (4 h)
operating time : 2.5/4 h
IP 65
4 x 6 x 9 cm / 0.3 kg
9 x 13 x 24 cm / 0.6 kg


060838



5 COLORS
2700 - 3500 - 4500 - 5500 - 6500 K
500-1000-2000 lumens

SUNCOLOR 5
COB LED, 96 CRI+
11.1 V - 4400 mAh Li-ion
charger 110/240 V, 5 m cable, 15 V, 1.5 A
charging time : 3.5 h
operating time
High position : 2 h, Mid : 4 h, Low : 8 h
IP 65
7 x 23 x 20 cm / 1.2 kg
9 x 25 x 24 cm / 1.9 kg

060876



5 COLORS
2500-3500-4500-5500-6500 K
50-200-500 lumens

SUNMATCH 4
COB LED, 96 CRI +, 700-1400 lux
3.7 V - 2600 mAh Li-ion, USB charging
operating time :
High position : 2 h, Low position : 4 h
IP 65
4 x 6 x 19 cm / 0.3 kg
8 x 9 x 21 cm / 0.5 kg

061651



UV CURING - SÉCHAGE UV
UV LED λ 395-400 nm
Irradiance 6-15 mW/cm²

NOVA-UV S
3.7 V - 5400 mAh Li-ion
USB charger, 1 m cable, 5 V, 2 A
charging time : 3.5 h
curing area : Ø 20 cm
operating time 1.5 h
IP 67
7 x 17 x 16 cm / 0.9 kg
7 x 17 x 18 cm / 1 kg

061620



ANTI-STATIC IONIZER GUN - Pistolet anti-statique Ionizer Pro - Antistatische Ionisatorpistole

087866

Laser pointer 650 nm
< 1 mW class II

Battery
LiPO 1800 mAh - 3.7 V

Output voltage : 6500 V

NEW

- Neutralizes static electricity
- Neutralise l'électricité statique
- Neutralisiert statische Elektrizität



ATEX norm
Group II - Category 3

Charger
Input : 110/230V ~50/60Hz
Output : 5 V DC




EU AUS UK US



Magnetic support








FILM COATING THICKNESS GAUGE
- Détecteur épaisseur de peinture

059856


Measurement range : 0 – 1.80mm
Resolution : 0.01mm / 1mm
Measurement error : +/- 0.03 mm
Power Supply : 2x 1.5V AAA batteries (included)
Overall dimensions : 62 x 30.5 x 105 mm





4 MAGNETIC PANEL EDGE PROTECTIONS
- 4 protections magnétiques de ponçage pour bord de panneau

082793





ELECTRIC SANDER & POLISHER - Ponceuse /polisseuse électrique - Elektro-Polier-Schleifer

057999

Orbital 5.0 mm
⚓ 27 x 15 x 10 cm / 1.5 kg
❄ 37 x 18 x 12 cm / 1.9 kg

Speed : 4000, 7000, 9000 10000 rpm
AC-in 220V - 230V / 50 - 60Hz



Light weight & Compact

((No vibration))



058293

Power supply : 230V / 50Hz
Power : 1400W (max 2000W)
Max. vacuum : 170 mbar
Air flow : 2700 l/mn
Drum capacity : 30 L
Drum material : stainless steel

⚓ 33 x 33 x 63 cm / 4.9 kg
❄ 38 x 38 x 67 cm / 7.8 kg

Manual or automatic



4m
Input Ø 32 mm
Mains cable length 4.5m

GYSDUST EXTRACTOR - Pneumatic dust vacuum cleaner for sander

INNOVATIVE SUCTION SYSTEM

BREVET GYS
GYS PATENT

Depression 1150 mm H2O
Air flow 600 l/min
Air consumption 340 l/min

Adjustable sander pressure - Pression ponçeuse ajustable
5 bar max

⚓ 49 x 48 x 88 cm / 21.5 kg
❄ 81 x 40 x 49 cm / 24.1 kg

ATEX norm
Group II - Category 3

EN 60335-2-69 : 2012

- ROBUST
- QUICK & SAFE
- LOW AIR CONSUMPTION (5 bar)
- NO ELECTRIC MOTOR
- ENERGY SAVING

PRO



Option : 5m Ø 29 mm **083165**

Option : 10m Ø 29 mm **076013**



Included Earth clamp safety

Sanding discs box*
- Rangement pour disques de ponçage*
** discs box not included - disques de ponçage non inclus*


Grande maniabilité et stabilité
- High maneuverability and stability

EASY ACCESS

Maintenance free
- Aucune maintenance



Consumables



Sac à poussieres - Filter bag
Capacity 5 kg

Included x1

x 5
058880

Options



Pneumatic Sander
- Ponceuse pneumatique
MIRKA PROS 650CV

Ø 150 mm
5 mm
071346

NEW 04/2025



Pneumatic Sander
- Ponceuse pneumatique
Made in China

Ø 150 mm
5 mm
087897

2 MODELS

GYSDUST EXTRACTOR

MANUAL — Manual start - Démarrage manuel

071353



GYSDUST SELF EXTRACTOR

BREVET GYS GYS PATENT


AUTOMATIC — Automatic start - Démarrage automatique


077058




ERGONOMIC PRO SUPPORT FOR PAINTING ELEMENTS - Support Pro ergonomique pour peinture d'éléments - Ergonomische Pro-Unterstützung für Malelemente

082656







ROTARY ELEMENT SUPPORT - Support élément rotatif - Lackierständer für Stoßstange, einstellbar



2 mm

360°

2 mm


052611
200 x 101 cm - 19 kg
⁂ 112 x 35 x 13 cm / 23 kg
Made in China

PRO
056725
200 x 105 x 81 cm - 21.5 kg
⁂ 120 x 26 x 18 cm / 22 kg

MADE IN HIGH QUALITY POLAND

WHEELS PAINTING SUPPORT - Support de peinture pour 2 jantes - Lackträger für 2 Felgen

082168
⁂ 83 x 45 x 35 cm / 25 kg



FRAMES SUPPORT - Tréteaux - Klappböcke




040601
⚓ 105 x 33 x 9 cm / 6.3 kg
⁂ 107 x 35 x 10 cm / 6.7 kg



040250
⚓ 100 x 105 cm - 7.1 kg
⁂ 104 x 10 x 32 cm / 7.5 kg



083875
14.4 kg
⁂ 108 x 9 x 47 cm / 16.5 kg





040311
⚓ 106 x 31 x 6 cm / 6.6 kg
⁂ 106 x 31 x 11 cm / 9.7 kg

Suction pad for glazing
- 4 ventouses
Dépose vitrages
- Gummiteller zur Fixierung von Glasscheiben



040304
⚓ 105 x 109 cm / 7.2 kg
⁂ 107 x 32 x 10 cm / 7.8 kg

Light and easy to handle
Ideal for horizontal works
- Léger et très maniable
Spécial travaux à l'horizontal
- Speziell geeignet für Arbeiten in horizontaler Position

ROTARY ELEMENT SUPPORT - Support pare-chocs - Lackierständer für Stoßstange, einstellbar


052376
⚓ 50 x 70 x 10 cm / 7.3 kg
⁂ 60 x 77 x 12 cm / 8.3 kg



Adapted to wing mirror covers -
Adapté aux coques de rétroviseurs
- Geeignet für Außenspiegel

TELESCOPIC FRAMES SUPPORT - Tréteaux téléscopiques - Teleskopböcke


083882



⁂ 81 x 74 x 14 cm / 30.7 kg

SUSPENSION RACK FOR CAR BODY PANELS - Portant pour suspension d'éléments de carrosserie

087415



MASKING MACHINE - Chariot de marouflage - Abdeckpapier-Ständer

083905
132 x 95 x 91 cm / 35 kg
⁂ 109 x 92 x 27.5 cm / 37 kg






x 4 (not included)
Paper roll
- Rouleaux de papier
- Papierständer
30, 60, 120, 120 cm

OPTION
Ø 40 mm
x 6
058897

MASKING MACHINE - Diable de marouflage - Abdeckpapier-Ständer

056954
150 x 62 x 110 cm / 11 kg
⁂ 154 x 30 x 19 cm / 12 kg

MADE IN HIGH QUALITY POLAND






x 3 (not included)
Paper roll
- Rouleaux de papier
- Papierständer
30, 60, 90 cm



MOBILE RACKS FOR CAR BODY REPAIR - Racks mobiles pour éléments de carrosserie - Mobile Regale für Karosserieelemente

082472
⚖ 128 x 30 x 15 cm / 20 kg
⚓ 18.8 kg

NEW



083899
3.9 kg
⚖ 61 x 36 x 16 cm / 4.6 kg

NEW




15 positions
8 separators

STORAGE TROLLEYS - Chariots de stockage - Lagerrollwagen

040243

71 x 90
x 197cm
/ 41 kg

⚖ x2 :
90 x 6
x 147 cm
+ 97 x 74
x 24 cm



059825



106 x 104 x 215 cm - 32.5 kg
112 x 31.5 x 21.5 cm
+ 12 x 9.5 x 194.5 cm

WALL STORAGE - Stockage mural - Wandspeicher

059832



⚓ 50 x 150 cm
/ 11.3 kg
⚖ 155 x 18 x 12 cm
/ 13.8 kg

UNIVERSAL SUPPORT - Chariot pour éléments de carrosserie - Universelle Ständer


083868
56 kg
⚖ 102 x 72 x 27 cm / 59 kg

NEW



FLAP LOCKS - Jeux de tiges de blocage

056732



MADE IN HIGH QUALITY POLAND



087903

NEW



ROUND STOOL WITH TOOL STORAGE - Tabouret - Werkstatt-Rollhocker

057555
38 x 38 x 44 cm - 5.2 kg
⚖ 41 x 19 x 41 cm / 5.6 kg



PLASTIC STOOL WITH TOOL STORAGE - Tabouret en plastique avec rangements - Kunststofhocker

085916
3.9 kg
⚖ 61 x 36 x 16 cm / 4.6 kg

NEW



3-DRAWER WORKSHOP STOOL - Tabouret d'atelier 3 tiroirs - Werkstatthocker 3 Schubladen


079878
47 x 35 x 43 cm / 12 kg
⚖ 38.5 x 37 x 38.5 cm / 13 kg



FOLDING STEP STOOLS - Marche pieds (Aluminium) - Arbeitspodest klappbar

080041
7.3 kg
⚖ 100 x 39.5 x 19 cm / 8.1 kg

ALU




057562
7.9 kg
⚖ 102 x 39 x 19 cm / 8.5 kg

ALU



058552
⚓ 113 x 41 x 16 cm / 16 kg
⚖ 117 x 42 x 17 cm / 17 kg

ALU



MECHANICS CREEPER WITH TILTING HEADREST - Chariot de visite - Werkstatt-Rollliege

057548
102 x 43 x 11 cm / 5.3 kg
⚖ 104 x 45 x 13 cm / 6 kg



2 IN 1 MECHANICS CREEPER - Chariot de visite 2 en 1 - Werkstatt-Rollliege

079861
102 x 40 x 14 cm
⚖ 40 x 13 x 63 cm - 7,6 kg






WORKSTATION PREMIUM 5 DRAWERS
- Servante premium 5 tiroirs

076143

å 64 kg

Capacity 320 kg





PLASTIC TROLLEY 3 SHELVES - Servante plastique 3 plateaux

087309



WORKSTATION 3 SHELVES 1 DRAWER
- Servante d'atelier 3 plateaux 1 tiroir

088023




MOBILE WORKSTATION
- Table de travail mobile

079465

120 x 82 x 18 cm / 40.3 kg

100 kg max




WORKSTATION 3 SHELVES
- Servante 3 plateaux

068056


77 x 53 x 21 cm / 18.2 kg



HEAT COVER - Couverture anti-chaleur - Hitzeschutzdecke - Manta anti-calor - Protecção anti-aquecimento



PROTEC 550
550°C/1000°F - **Class M0**
2 m x 2 m - 580 g/m²
050495



PROTEC 1200
1200°C/2200°F - **Class M0**
1.75 m x 1.5 m - 1200 g/m²
050204



PROTEC 1300
1300°C/2400°F - **Class M0**
XL : 2 m x 1.8 m 620 g/m²
053595



PROTEC 1300L
1300°C/2400°F
XL : 2 m x 1.8 m 427 g/m²
060500

SET OF 2 MAGNETS
- Jeu de 2 aimants
- Schweißmagnet



(x2)
052291

MAGNETIC COVER - Couverture magnétique - Magnetschutzdecke




1.06 m x 0.6 m
061446

RIDEAU DE SOUDAGE - Welding curtain and frame - Schweißerschutzwand



OPTI 215.O
Orange CE - 2 x 2.15 m
EN 25980 - 2015/01
060470



OPTI 200G
Green T9 - 2 x 2 m
EN 25980 - 2015/01
060463

RESPIRATORY MASKS - Masques respiratoires - Atemschutzmaske - Máscaras respiratorias





FFP3 - EN 140 / EN 143 / EN 166
(x1) Size M/L
037021



FFP3 - EN 140 / EN 143
(x1) Size M/L
037014



Étui / Case
037045



FFP3 - EN 143 : 2000 P3
Anti poussières
/ Anti odeurs
037038

PROTECTION GOGGLES
- Lunettes de protection - Schutzbrillen

EN 166



Shade/IR0
042810



Shade/IR0
042827



Shade/IR5
042841



Shade/IR0
047778



Shade/IR0
047792



Shade/IR0
042865



Shade/IR0
047839

GLOVES - Gants - Handschuhe - Guantes



Anti-cut
- Anti coupure
T9
045897

EN388
4342



✓ touch screen friendly
- écran tactile
High resistance anti-cut
Anti coupure haute résistance
EN 420
EN 388:4121
T9 : 045910
T10 : 045927



High dexterity anti-cut
- Anti coupure haute dextérité
EN 420
EN 388:1121
T9 : 045903
T10 : 045934



T10
064188

EN420
2003

Ultra Flexible

EN388
2003



Heavy Duty T10
(MMA - MIG - Plasma)
045101

EN388
4244

EN 407
4231XX
EN12477
Class : A1



Gants PRO TIG
T10
045194

EN388
2122

EN 407
322X2X
EN12477
Class : A1



Reinforced welding gloves
- Gants de soudage renforcés
T10
045873

EN388
4244

EN 407
424X4X
EN12477
Class : A1



Gants PRO TIG EXTRA
T10
045323

EN388
2011XX

EN 407
41313X
EN12477-B
EN 420

MULTI-USE LEATHER APRON
- Tablier cuir multi-usage
- Delantal de cuero multi-uso
- Mehrzweck-Lederschürze




PRO
045217


1T MOBILE LIFTING TABLE WITH HYDROPNEUMATIC PUMP - Table élévatrice mobile 1 tonne avec pompe hydropneumatique
- Mobiler 1-Tonnen-Hubtisch mit hydropneumatischer Pumpe

083912
Weight : 385 kg






Hydropneumatic pump
- Pompe hydropneumatique




110 s
30 s
6-8 bar

1.2T LIFTING TABLE FOR ELECTRIC VEHICLE BATTERIES - Table de levage 1.2T pour batteries de véhicule électrique
- 1,2T Hubtisch für Elektrofahrzeugbatterien

Weight : 760 kg





230 V ~1 phase
50 Hz




FAST : **45 s**
PRECISE : **170 s**
40 s

Lifting Table	**088030**
Lifting Table + 5L Hydraulic oil + 062160	**083929**

Lifting table pins
- Piges pour table de levage
- Stangen für Hubtisch
085176

NEW



for
1.2T Lifting Table



EQUIPMENT FOR OPERATIONS ON ELECTRIC AND HYBRID VEHICLES -
Équipements pour opérations sur véhicules électriques & hybrides
- Ausrüstung für den Betrieb von Elektro- und Hybridfahrzeugen

FACE SHIELD WITH HEADBAND
- ÉCRAN FACIAL AVEC SERRE-TÊTE
068018



INSULATING GLOVES (T10)
- GANTS ISOLANTS (T10)
068025



25 pieces insulated tools 1000V - Coffret de 25 outils isolés 1000V - Box mit 25 isolierten Werkzeugen 1000V
066489

7/8/10/12/14/15/17/19/22 mm sockets - Douilles 7/8/10/12/14/15/17/19/22 mm	x 9
175 mm universal pliers in chrome vanadium - Pince universelle de 175 mm en chrome vanadium	x 1
Cutting pliers 150 mm in chrome vanadium - Pince coupante 150 mm en chrome vanadium	x 1
3/8" ratchet - Cliquet en 3/8"	x 1
Extension 100 mm - Rallonge 100 mm	x 1
T-handle - Poignée en T	x 1
Open ended wrenches 7/8/10/12/14/17 mm - Clés plates à fourches 7/8/10/12/14/17 mm	x 6
Cable knife - Couteau pour câble	x 1
Philips PhH1x100/PhH2x100 mm screwdriver - Tournevis Philips PhH1x100/PhH2x100 mm	x 2
Flat screwdriver 5.5x125 / 4x100 mm - Tournevis plats 5.5x125/4x100 mm	x 2



COMING SOON
083837

Kit for marking the area of intervention
- Kit pour le balisage de la zone d'intervention
- Kennzeichnungsset für Hochvolt-Bereiche
064409

Red and white warning pole - Balise de signalisation rouge et blanche	x 4
Red and white bounding line - Chaîne de délimitation rouge et blanche	x 1
Sign board "*Danger, working area EHV*" - Pancarte de signalisation "*Danger, zone de travail VEH*"	x 2



TROUSERS - Pantalon - Hose




EN ISO 11611 Class 2-A1 & A2
EN ISO 11612 A1+A2-B1-C1-E3-F1
EN 1149-5
IEC 61482-2 Class 1-4kA
EN 14404 +A1 Type 2

98% cotton, 2% antistatic

S (40/50) **046368**
M (44/46) **046375**
L (48/50) **046382**
XL (52/54) **046399**
XXL (56/58) **046412**

JACKET - Veste - Jacke




98% cotton, 2% antistatic
S (40/42) **046313**
M (44/46) **046320**
L (48/50) **046337**
XL (52/54) **046344**
XXL (56/58) **046351**

EN ISO 11611 Class 2-A1 & A2
EN 1149-5
EN ISO 11612 A1+A2-B1-C1-E3-F1
EN 14404 +A1 Type 2
IEC 61482-2 Class 1-4kA

Display stand
- Podium de présentation
- Podest

PODIUM 1
A : 45 cm
B : 50 cm
C : 50 cm
063204

PODIUM 2
A : 80 cm
B : 50 cm
C : 50 cm
063211





Retail display space with 2 shelves
- Linéaire de vente avec 2 étagère
- Lochwandregal mit 2 Böden
060784



Banner
- Oriflamme
3 x 0,50 m
098015



Barnum 3 x 3 m
098022



Open barnum
2 x 2 m
098039

INVEST IN THE FUTURE

COLLISION REPAIR

2025 A

GYS France

Headquarters
1 rue de la Croix des Landes
CS 54159
53941 Saint-Berthevin - Cedex
Laval - France
Tel +33 2 43 01 23 60
E-mail service.client@gys.fr

ZI, 134 bd des Loges
53941 Saint-Berthevin
Laval - France

Logistic center
2 Rue Jean Dausset
53810 Changé - France
Tel +33 2 43 01 54 33

GYS Germany
Professor-Wieler
Straße 11
52070 Aachen
Deutschland
Tel +49 241/189-23-710
Fax +49 241/189-23-719
E-mail aachen@gys.fr

GYS UK
Unit 3 - Great Central Way
Rugby - Warwickshire
CV21 3XH
United Kingdom
Tel +44 1926 338 609
Fax +44 1926 429 764
E-mail uk@gys.fr

GYS Italia
Via Porta Est, 7
30020 Marcon - VE
Italia
Tel +39 041 53 21 565
E.mail italia@gys.fr

GYS Ibérica
Avenida Pirineos 31
Nave 9
San Sebastian de los Reyes
28703 Madrid
España
Tel +34 917 409 790
E.mail iberica@gys.fr

GYS China
Lot N°15 - 6666 bd Songze
201706 Qingpu
Shanghai - China
Tel +86 6221 4461
Fax +86 5226 0067
www.gys-china.com.cn
E-mail
contact@gys-china.com.cn

LinkedIn
Youtube
WeChat
Facebook
Instagram

www.gys.fr

Distributed by

095045 • Pour signaler des erreurs dans le catalogue, contactez : catalogues@gys.fr. Document non contractuel. GYS se réserve le droit de modifier sans préavis les spécifications de ses appareils. • To report errors in the catalog, contact: catalogues@gys.fr. Document not contractual. GYS reserves the right to modify the specifications of the machines without prior notice. Irrtümer und Änderungen vorbehalten. • I.P. - 309 g • printed in December 2024